

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	269681.19	635357.74	2.1	Peat	Granular	No	5.21	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	269984.15	635409.63	2.1	Peat	Granular	No	4.79	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270616.4	635213.57	2.1	Peat	Granular	No	3.89	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270975.35	634896.08	2.1	Peat	Granular	No	2.49	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272061.78	635710.99	2.1	Peat	Granular	No	4.38	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270242.41	634474.84	2.2	Peat	Granular	No	2.97	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271383.25	634827.65	2.2	Peat	Granular	No	4.74	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271862.02	635926.08	2.3	Peat	Granular	No	2.57	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272172.89	635803.06	2.4	Peat	Granular	No	2.52	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	267973.91	630228.69	2.5	Peat	Granular	No	3.62	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270193.05	634621.47	2.5	Peat	Granular	No	2.57	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271468.72	634926.55	2.5	Peat	Granular	No	2.82	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271653.5	635722.18	2.5	Peat	Granular	No	3.49	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270167.35	634420.9	2.7	Peat	Granular	No	3.34	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271464.47	630318.8	2.9	Peat	Granular	No	2.19	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	266161.52	629218.42	1.1	Peat	Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266165.41	629418.88	1.1	Peat	Granular	No	3.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266268.29	629520.47	1.1	Peat	Granular	No	2.68	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266667.2	628915.91	1.1	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266747.33	628909.45	1.1	Peat	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267259.11	629819.41	1.1	Peat	Granular	No	6.98	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268256.97	630416.76	1.1	Peat	Granular	No	2.91	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268171.1	630318.46	1.1	Peat	Granular	No	2.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269795.22	634052.1	1.1	Peat	Granular	No	5.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270046.96	634011.69	1.1	Peat	Granular	No	4.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270046.58	634011.29	1.1	Peat	Granular	No	4.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269921.08	634186.24	1.1	Peat	Granular	No	5.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269831.91	635109.13	1.1	Peat	Granular	No	3.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270362.33	634217.8	1.1	Peat	Granular	No	3.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271089.33	634809.64	1.1	Peat	Granular	No	2.80	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268764.59	630418.59	1.1	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271775.9	635920.14	1.1	Peat	Granular	No	2.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272259.96	635729.58	1.1	Peat	Granular	No	1.33	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	266761.26	629216.49	1.2	Peat	Granular	No	5.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266861.94	629113.32	1.2	Peat	Granular	No	5.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267256.38	629118.2	1.2	Peat	Granular	No	8.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267362.96	629322.63	1.2	Peat	Granular	No	5.29	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267066.42	629721.59	1.2	Peat	Granular	No	5.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266956.45	629819.24	1.2	Peat	Granular	No	2.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267260.76	630021.3	1.2	Peat	Granular	No	6.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267660.32	629521.56	1.2	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268265.57	630221.91	1.2	Peat	Granular	No	2.32	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268064	630213.78	1.2	Peat	Granular	No	3.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273161.52	631615.89	1.2	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270960.63	630316.11	1.2	Peat	Granular	No	4.88	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270665.16	630015.52	1.2	Peat	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267251.09	634128.37	1.2	Peat	Granular	No	7.69	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269258.49	633952.13	1.2	Peat	Granular	No	7.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269108.16	633901.74	1.2	Peat	Granular	No	8.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269362.4	634264.08	1.2	Peat	Granular	No	7.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269261.17	634215.56	1.2	Peat	Granular	No	7.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269542.16	633940.54	1.2	Peat	Granular	No	3.45	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269671.12	634396.82	1.2	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270860.98	634419.77	1.2	Peat	Granular	No	3.36	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273467	634816.75	1.2	Peat	Granular	No	4.82	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272571.39	634214.5	1.2	Peat	Granular	No	7.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271971.56	634423.82	1.2	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271970.66	634919.97	1.2	Peat	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271564.49	635817.83	1.2	Peat	Granular	No	4.32	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271755.68	635522.4	1.2	Peat	Granular	No	7.80	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272669.5	633910.71	1.2	Peat	Granular	No	4.24	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	272059.72	634812.64	1.2	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271638.84	630299.31	1.3	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269566.04	634581.16	1.3	Peat	Granular	No	7.29	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269399.51	634211.41	1.3	Peat	Granular	No	7.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268759.41	634211.81	1.3	Peat	Granular	No	7.80	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269989.65	634005.89	1.3	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273263.17	634125.26	1.3	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271976.9	634121.49	1.3	Peat	Granular	No	6.94	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271966.34	634616.55	1.3	Peat	Granular	No	2.43	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271963.6	635123.06	1.3	Peat	Granular	No	7.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271764.48	634720.19	1.3	Peat	Granular	No	1.45	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	272951.9	634016.83	1.3	Peat	Granular	No	9.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272965.08	634219.86	1.3	Peat	Granular	No	10.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271523.14	630320.23	1.4	Peat	Granular	No	2.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269389.63	634906	1.4	Peat	Granular	No	4.07	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268967.18	634162.83	1.4	Peat	Granular	No	7.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269609.81	633963.91	1.4	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270186.31	634206.02	1.4	Peat	Granular	No	4.04	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273256.61	634620.87	1.4	Peat	Granular	No	6.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273066.21	633821.97	1.4	Peat	Granular	No	7.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272077.63	634119.31	1.4	Peat	Granular	No	8.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271662.45	635632.78	1.4	Peat	Granular	No	13.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270863.71	631312.98	1.5	Peat	Granular	No	2.36	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266359.62	629519.82	1.5	Peat	Granular	No	2.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269590.43	635075.53	1.5	Peat	Granular	No	3.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270082.36	634202.92	1.5	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270363.51	634336.27	1.5	Peat	Granular	No	5.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270465.04	634620.14	1.5	Peat	Granular	No	3.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270797.57	634604.77	1.5	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271185.42	635008.99	1.5	Peat	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268960.34	630618.03	1.5	Peat	Granular	No	5.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273062.28	633520.6	1.5	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271958.83	634825.11	1.5	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271965.26	635819.45	1.5	Peat	Granular	No	4.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272964.22	632020.73	1.6	Peat	Granular	No	5.51	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	266361.05	629717.85	1.6	Peat	Granular	No	3.20	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	268051.73	628823.5	1.6	Peat	Granular	No	2.05	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	269474.17	634987.16	1.6	Peat	Granular	No	3.73	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270568.44	634422.47	1.6	Peat	Granular	No	5.50	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	270627.6	635019.64	1.6	Peat	Granular	No	6.94	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272469.81	634017.07	1.6	Peat	Granular	No	2.70	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272282.28	634020.85	1.6	Peat	Granular	No	4.05	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271953.93	635724.31	1.6	Peat	Granular	No	5.93	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	271757.9	634926.8	1.6	Peat	Granular	No	3.88	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271763.71	634812.61	1.6	Peat	Granular	No	3.61	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272062.06	635310.02	1.6	Peat	Granular	No	11.90	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272167.4	631625.78	1.7	Peat	Granular	No	7.00	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272657.73	632120.24	1.7	Peat	Granular	No	5.67	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272658.44	632018.52	1.7	Peat	Granular	No	4.83	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272863.28	632018.49	1.7	Peat	Granular	No	5.99	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	266252.16	629418.11	1.7	Peat	Granular	No	0.55	Thick Peat	1	2	0	1	0	None
ITPEnergised		1	268264.13	630316.65	1.7	Peat	Granular	No	0.98	Thick Peat	1	2	0	1	0	None
ITPEnergised		1	269545.59	635033.77	1.7	Peat	Granular	No	3.87	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	269761.65	634347.4	1.7	Peat	Granular	No	6.13	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	270622.4	635164.73	1.7	Peat	Granular	No	5.12	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	270574.54	634615.93	1.7	Peat	Granular	No	3.92	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270669.53	634519.55	1.7	Peat	Granular	No	4.26	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271457.74	634867.45	1.7	Peat	Granular	No	2.63	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	273066.15	633915.31	1.7	Peat	Granular	No	8.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272473.16	634217.73	1.7	Peat	Granular	No	9.38	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	271949.19	635327.25	1.7	Peat	Granular	No	8.75	Thick Peat	1	2	3	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	271560.81	635023.3	1.7	Peat	Granular	No	1.82	Thick Peat	1	2	0	1	0	None
ITPEnergised		1	272855.65	631622.15	1.8	Peat	Granular	No	4.20	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	269325.57	634893.14	1.8	Peat	Granular	No	3.97	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270663.9	634217.29	1.8	Peat	Granular	No	1.32	Thick Peat	1	2	0	1	0	None
ITPEnergised		1	270671.13	634421.75	1.8	Peat	Granular	No	5.03	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	270688.82	635242.63	1.8	Peat	Granular	No	3.38	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270852.93	634570.67	1.8	Peat	Granular	No	4.40	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270565.63	634901.46	1.8	Peat	Granular	No	4.68	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272472.67	634119.42	1.8	Peat	Granular	No	5.46	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272169.67	634023.65	1.8	Peat	Granular	No	5.62	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	271967.33	634709.71	1.8	Peat	Granular	No	3.22	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271956.73	635617.23	1.8	Peat	Granular	No	9.51	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272399.77	632219.93	1.9	Peat	Granular	No	2.67	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	267060.89	629612.91	1.9	Peat	Granular	No	4.94	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	266363.14	629420.29	1.9	Peat	Granular	No	2.86	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	268367.83	630331.97	1.9	Peat	Granular	No	2.30	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	267955.67	630119.33	1.9	Peat	Granular	No	5.15	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	268743.31	633831.22	1.9	Peat	Granular	No	8.03	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	270415.08	634948.75	1.9	Peat	Granular	No	6.12	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	270465.55	634459.13	1.9	Peat	Granular	No	4.31	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270857.76	634777.57	1.9	Peat	Granular	No	3.70	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272468.25	633920.94	1.9	Peat	Granular	No	1.26	Thick Peat	1	2	0	1	0	None
ITPEnergised		1	268555.68	633931.62	0.1	Peat	Granular	No	3.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271566.51	631316.84	0.2	Peat	Granular	No	8.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266155.95	629329.75	0.2	Peat	Granular	No	4.11	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266968.22	629019.53	0.2	Peat	Granular	No	7.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267061.82	629221.54	0.2	Peat	Granular	No	6.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267655.03	629025.04	0.2	Peat	Granular	No	3.07	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267362.34	629620.59	0.2	Peat	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267463.28	629709.47	0.2	Peat	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267351.74	629709.65	0.2	Peat	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266962.19	629727.17	0.2	Peat	Granular	No	2.60	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267157.05	629816.96	0.2	Peat	Granular	No	4.94	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265764.49	629121.39	0.2	Peat	Granular	No	7.82	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266062.54	628827.71	0.2	Peat	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267967.25	630002.33	0.2	Peat	Granular	No	10.14	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268172.33	629905.61	0.2	Peat	Granular	No	13.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268250.58	629911.9	0.2	Peat	Granular	No	13.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268354.22	629920.28	0.2	Peat	Granular	No	11.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269192.34	634494.37	0.2	Peat	Granular	No	8.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272760.5	632415.73	0.3	Peat	Granular	No	5.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272753.31	632205.57	0.3	Peat	Granular	No	6.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266065	629220.47	0.3	Peat	Granular	No	4.99	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266261.32	629337.07	0.3	Peat	Granular	No	5.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266459.46	629714.53	0.3	Peat	Granular	No	3.54	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266356.9	628817.5	0.3	Peat	Granular	No	3.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266463.72	628816.51	0.3	Peat	Granular	No	1.83	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	266855.44	629020.7	0.3	Peat	Granular	No	5.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266757.08	629021.74	0.3	Peat	Granular	No	2.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266863.25	628728.42	0.3	Peat	Granular	No	3.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266563.07	628728.41	0.3	Peat	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266361.38	628629.11	0.3	Peat	Granular	No	3.09	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266655.57	628631.9	0.3	Peat	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267663.87	629219.47	0.3	Peat	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267570.62	629238.91	0.3	Peat	Granular	No	4.01	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267162.97	629220.1	0.3	Peat	Granular	No	6.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266969.53	629217.53	0.3	Peat	Granular	No	8.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266965.93	629320.61	0.3	Peat	Granular	No	7.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266861.17	629414.72	0.3	Peat	Granular	No	5.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266956.56	629425.32	0.3	Peat	Granular	No	7.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267359.47	629407.51	0.3	Peat	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	267629.26	629413.91	0.3	Peat	Granular	No	7.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267761.14	629324.1	0.3	Peat	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267859.33	629321.57	0.3	Peat	Granular	No	4.68	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267868.28	628820.93	0.3	Peat	Granular	No	4.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267958.21	628719.2	0.3	Peat	Granular	No	1.38	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	267560.25	628820.82	0.3	Peat	Granular	No	2.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267664.61	628815.85	0.3	Peat	Granular	No	4.09	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267065.59	629516.2	0.3	Peat	Granular	No	6.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266764.3	629517.55	0.3	Peat	Granular	No	7.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267461.25	629617.78	0.3	Peat	Granular	No	5.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267166.33	629720.13	0.3	Peat	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266768.16	629722.01	0.3	Peat	Granular	No	3.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267558.24	630221.29	0.3	Peat	Granular	No	7.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266467.44	629315.42	0.3	Peat	Granular	No	10.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266462.61	629418.69	0.3	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265467.49	629134.72	0.3	Peat	Granular	No	6.43	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265563.86	629127.47	0.3	Peat	Granular	No	8.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265772.73	629023.65	0.3	Peat	Granular	No	8.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265662.16	629022.17	0.3	Peat	Granular	No	6.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266048.81	628721.92	0.3	Peat	Granular	No	2.86	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265971.12	628625.32	0.3	Peat	Granular	No	2.48	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267766.19	629820.32	0.3	Peat	Granular	No	8.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267756.42	630318.71	0.3	Peat	Granular	No	8.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267770.31	629620.35	0.3	Peat	Granular	No	7.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268159.95	628923.71	0.3	Peat	Granular	No	6.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269883.72	634620.29	0.3	Peat	Granular	No	5.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273062.94	633618.98	0.3	Peat	Granular	No	6.81	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271953.01	635424.03	0.3	Peat	Granular	No	13.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266060.05	629324.19	0.4	Peat	Granular	No	3.37	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266565.09	629625.22	0.4	Peat	Granular	No	2.88	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266557.79	629511.25	0.4	Peat	Granular	No	4.10	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266959.24	629116.02	0.4	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266761.28	629123.33	0.4	Peat	Granular	No	4.09	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266861.84	628819.93	0.4	Peat	Granular	No	2.40	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267037.89	628928.41	0.4	Peat	Granular	No	5.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266965.7	628923.27	0.4	Peat	Granular	No	3.85	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266764.39	628707.24	0.4	Peat	Granular	No	2.29	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266654.65	628709.07	0.4	Peat	Granular	No	3.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266460.4	628623.83	0.4	Peat	Granular	No	3.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267467.93	629219.2	0.4	Peat	Granular	No	4.49	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267362.61	629222.32	0.4	Peat	Granular	No	6.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267162.74	629118.19	0.4	Peat	Granular	No	8.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267663.85	629119.15	0.4	Peat	Granular	No	5.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267567.37	629318.71	0.4	Peat	Granular	No	4.16	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267265.12	629320.65	0.4	Peat	Granular	No	7.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266860.39	629317.43	0.4	Peat	Granular	No	11.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267456.73	629410.58	0.4	Peat	Granular	No	4.47	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267765.65	629113.77	0.4	Peat	Granular	No	3.78	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267856.44	628723.64	0.4	Peat	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267855.55	628628.93	0.4	Peat	Granular	No	2.24	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268760.52	629619.08	0.4	Peat	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267558.09	629496.35	0.4	Peat	Granular	No	8.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266964.81	629522.62	0.4	Peat	Granular	No	5.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267262.8	629622.49	0.4	Peat	Granular	No	5.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267065.13	629832.56	0.4	Peat	Granular	No	1.84	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	267360.05	629825.84	0.4	Peat	Granular	No	7.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267162.9	629916.46	0.4	Peat	Granular	No	6.14	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267463.13	630116.46	0.4	Peat	Granular	No	6.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267264.36	630122.75	0.4	Peat	Granular	No	6.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267459.68	630218.76	0.4	Peat	Granular	No	7.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267658.64	629621.31	0.4	Peat	Granular	No	5.97	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	267780.41	629917.49	0.4	Peat	Granular	No	7.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267762.89	630023.66	0.4	Peat	Granular	No	7.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267760.01	630115.59	0.4	Peat	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267864.26	630007.98	0.4	Peat	Granular	No	8.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267986.61	629921.44	0.4	Peat	Granular	No	9.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268076.87	629912.86	0.4	Peat	Granular	No	14.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268131.95	629715.78	0.4	Peat	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268063.71	628925.48	0.4	Peat	Granular	No	2.77	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268567.62	629411.95	0.4	Peat	Granular	No	4.99	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268453.51	629713.25	0.4	Peat	Granular	No	10.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268751.79	629806.88	0.4	Peat	Granular	No	11.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269137.41	634771.86	0.4	Peat	Granular	No	7.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269190.42	634234.05	0.4	Peat	Granular	No	8.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273263.92	634724.91	0.4	Peat	Granular	No	8.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271971.77	635019.57	0.4	Peat	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271678.45	635825.29	0.4	Peat	Granular	No	6.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273111.37	632236.97	0.5	Peat	Granular	No	5.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272956.12	632127.13	0.5	Peat	Granular	No	5.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272762.12	631920.75	0.5	Peat	Granular	No	7.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272656.75	631919.57	0.5	Peat	Granular	No	4.89	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	273160.11	631814.75	0.5	Peat	Granular	No	7.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273259.99	631823.67	0.5	Peat	Granular	No	7.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266264.09	628918.46	0.5	Peat	Granular	No	5.47	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266562.94	628815.55	0.5	Peat	Granular	No	2.94	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266865.68	628931.6	0.5	Peat	Granular	No	4.29	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266560.39	628620.41	0.5	Peat	Granular	No	3.55	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267064.14	629119.87	0.5	Peat	Granular	No	6.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267761.72	629015.01	0.5	Peat	Granular	No	4.23	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268364.23	629519.98	0.5	Peat	Granular	No	6.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268448.2	629515.75	0.5	Peat	Granular	No	6.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267273.23	629528.2	0.5	Peat	Granular	No	2.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266862.85	629521.12	0.5	Peat	Granular	No	8.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266967.64	629614.93	0.5	Peat	Granular	No	8.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267159.22	629616.26	0.5	Peat	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267263.32	629725.23	0.5	Peat	Granular	No	3.13	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267460.83	629914.82	0.5	Peat	Granular	No	6.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267362.85	629915.91	0.5	Peat	Granular	No	6.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267660.85	630020.46	0.5	Peat	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266352.33	628921.68	0.5	Peat	Granular	No	4.21	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265654.34	629117.95	0.5	Peat	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265876.31	629018.93	0.5	Peat	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265663.37	628930.26	0.5	Peat	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265756.14	628925.16	0.5	Peat	Granular	No	5.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267751.63	630213.22	0.5	Peat	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268265.3	630516.93	0.5	Peat	Granular	No	6.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267866.38	630218.6	0.5	Peat	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267862.25	630125.12	0.5	Peat	Granular	No	6.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268352.73	630121.29	0.5	Peat	Granular	No	5.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268065.22	629021.4	0.5	Peat	Granular	No	2.78	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268662.2	629815.44	0.5	Peat	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272564.55	631420.51	0.5	Peat	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271763.48	629923.46	0.5	Peat	Granular	No	8.84	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270280.46	633999.39	0.5	Peat	Granular	No	4.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268863.13	634516.06	0.5	Peat	Granular	No	5.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269268.53	634680.6	0.5	Peat	Granular	No	12.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269865.69	634965.93	0.5	Peat	Granular	No	7.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269274.08	630419.55	0.5	Peat	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269164.42	630218.97	0.5	Peat	Granular	No	4.12	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272572.59	633815.21	0.5	Peat	Granular	No	0.29	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	272572.22	633918.83	0.5	Peat	Granular	No	1.26	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	272368.55	634027.32	0.5	Peat	Granular	No	2.63	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	271765.76	635015.96	0.5	Peat	Granular	No	3.94	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272961.76	634625.76	0.5	Peat	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272990.6	634702.76	0.5	Peat	Granular	No	8.61	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270527.62	630697.63	0.6	Peat	Granular	No	5.20	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272849.83	632363.72	0.6	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273263.16	632221.32	0.6	Peat	Granular	No	8.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272769.68	632017.14	0.6	Peat	Granular	No	6.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273059.31	631123.34	0.6	Peat	Granular	No	6.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266159.92	629117.69	0.6	Peat	Granular	No	7.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266461.86	629623.16	0.6	Peat	Granular	No	3.06	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266581.5	629717.29	0.6	Peat	Granular	No	4.32	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266575.75	629319.82	0.6	Peat	Granular	No	6.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266456.13	628918.41	0.6	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266660.04	628820.2	0.6	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266459.64	628722.4	0.6	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267362.35	629119.81	0.6	Peat	Granular	No	7.85	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267465.16	629320.74	0.6	Peat	Granular	No	3.43	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267063.52	629321.69	0.6	Peat	Granular	No	8.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267061.38	629420.99	0.6	Peat	Granular	No	8.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267162.25	629418.8	0.6	Peat	Granular	No	8.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267862.09	629123.35	0.6	Peat	Granular	No	2.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267961.21	628919.97	0.6	Peat	Granular	No	2.47	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267655.64	628624.02	0.6	Peat	Granular	No	2.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267169.78	629524.27	0.6	Peat	Granular	No	1.64	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	266857	629613.9	0.6	Peat	Granular	No	7.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267561.21	629722.5	0.6	Peat	Granular	No	8.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267266.06	629907.85	0.6	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267160.55	630016.02	0.6	Peat	Granular	No	5.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267654.63	629818.93	0.6	Peat	Granular	No	8.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	265855.11	629112.72	0.6	Peat	Granular	No	6.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267862.25	630321.18	0.6	Peat	Granular	No	6.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268065.79	630104.9	0.6	Peat	Granular	No	4.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267972.36	629812.12	0.6	Peat	Granular	No	5.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272562.88	631519.49	0.6	Peat	Granular	No	3.82	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271962.22	631121.92	0.6	Peat	Granular	No	5.94	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270763.29	630119.82	0.6	Peat	Granular	No	3.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271260.56	629920.16	0.6	Peat	Granular	No	6.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271363.48	629919.81	0.6	Peat	Granular	No	5.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271466.15	629820.15	0.6	Peat	Granular	No	7.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267569.69	634667.17	0.6	Peat	Granular	No	12.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269152.06	634330.1	0.6	Peat	Granular	No	6.82	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268726.52	634126.6	0.6	Peat	Granular	No	6.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269765.95	634873.16	0.6	Peat	Granular	No	9.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270307.02	635118.23	0.6	Peat	Granular	No	6.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268860.48	630616.1	0.6	Peat	Granular	No	5.41	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269172.69	630419.98	0.6	Peat	Granular	No	1.99	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	273369.56	634825.14	0.6	Peat	Granular	No	4.22	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273267.8	634226.81	0.6	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272971.41	634129.83	0.6	Peat	Granular	No	11.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270769.24	631225.35	0.7	Peat	Granular	No	5.92	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271464.63	631319.08	0.7	Peat	Granular	No	8.94	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272162.49	631523.93	0.7	Peat	Granular	No	5.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272569.89	632412.18	0.7	Peat	Granular	No	5.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272801.88	632407.86	0.7	Peat	Granular	No	5.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272465.79	632015.71	0.7	Peat	Granular	No	1.16	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	272460.46	631918.36	0.7	Peat	Granular	No	2.50	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266270.22	629011.32	0.7	Peat	Granular	No	5.85	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266656.84	629613.47	0.7	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266759.76	628821.62	0.7	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266563.01	629015.31	0.7	Peat	Granular	No	6.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267260.61	629216.36	0.7	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	266764.74	629322.88	0.7	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267963.08	629128.64	0.7	Peat	Granular	No	2.81	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267972.03	629022.93	0.7	Peat	Granular	No	2.38	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268558.32	629516.78	0.7	Peat	Granular	No	7.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268666.82	629624.08	0.7	Peat	Granular	No	5.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266859.97	629716.42	0.7	Peat	Granular	No	2.88	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267069.56	629922.05	0.7	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267364.36	630124.13	0.7	Peat	Granular	No	6.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267658.91	630215.63	0.7	Peat	Granular	No	7.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268260.23	630120.24	0.7	Peat	Granular	No	4.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268267.6	630021.24	0.7	Peat	Granular	No	7.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268465.42	629411.78	0.7	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272264.77	631616.98	0.7	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272757.81	631625.5	0.7	Peat	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270860.56	630316.24	0.7	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271664.07	629918.08	0.7	Peat	Granular	No	8.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269362.87	633994.84	0.7	Peat	Granular	No	5.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269962.57	634570.93	0.7	Peat	Granular	No	5.69	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269527.99	634212.38	0.7	Peat	Granular	No	7.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269662.9	634014.34	0.7	Peat	Granular	No	5.59	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270345.35	635196.46	0.7	Peat	Granular	No	5.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270551.8	635316.64	0.7	Peat	Granular	No	5.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268563.56	630519.86	0.7	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273267.35	634321.95	0.7	Peat	Granular	No	6.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273257.22	634017.47	0.7	Peat	Granular	No	5.42	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271668.57	635905.87	0.7	Peat	Granular	No	0.76	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	272967.17	634421.65	0.7	Peat	Granular	No	6.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271766.8	631315.16	0.8	Peat	Granular	No	6.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272301.51	631898.45	0.8	Peat	Granular	No	6.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272366.55	632019.96	0.8	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266357.41	629625.09	0.8	Peat	Granular	No	3.02	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266563.45	628922.36	0.8	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267954.26	628814.89	0.8	Peat	Granular	No	1.86	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	266359.97	629317.69	0.8	Peat	Granular	No	5.98	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	265575.89	629017.95	0.8	Peat	Granular	No	3.74	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268154.69	630116.43	0.8	Peat	Granular	No	4.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268360.61	630025.31	0.8	Peat	Granular	No	6.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268149.18	630016.84	0.8	Peat	Granular	No	7.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267865.87	629924.89	0.8	Peat	Granular	No	6.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272452.68	631011.87	0.8	Peat	Granular	No	7.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272955.66	631613.74	0.8	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272261.7	631510.07	0.8	Peat	Granular	No	4.43	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271765.17	630616.59	0.8	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271363.05	630317.86	0.8	Peat	Granular	No	5.94	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271461.18	631121.95	0.8	Peat	Granular	No	4.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270960.96	629921.02	0.8	Peat	Granular	No	6.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271161.46	629920.82	0.8	Peat	Granular	No	5.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271361.47	629819.09	0.8	Peat	Granular	No	6.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267463.96	634322.98	0.8	Peat	Granular	No	6.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270111.84	635026.36	0.8	Peat	Granular	No	8.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268506.05	633838.96	0.8	Peat	Granular	No	5.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269957.13	634709.8	0.8	Peat	Granular	No	5.98	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270061.39	634589.8	0.8	Peat	Granular	No	3.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269328.05	634319.66	0.8	Peat	Granular	No	7.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269100.46	634181.8	0.8	Peat	Granular	No	7.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268866.53	634138.08	0.8	Peat	Granular	No	8.42	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269507.29	634075.55	0.8	Peat	Granular	No	6.20	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269866.18	633780.86	0.8	Peat	Granular	No	1.47	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	269785.99	635183.01	0.8	Peat	Granular	No	4.03	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270666.37	634314.48	0.8	Peat	Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270324.21	635528.75	0.8	Peat	Granular	No	4.76	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	268750.06	630208.06	0.8	Peat	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272066.85	634027.43	0.8	Peat	Granular	No	5.47	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272967.92	634322.42	0.8	Peat	Granular	No	8.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270459.87	630615.56	0.9	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270665.89	630815.6	0.9	Peat	Granular	No	5.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272085.8	631478.49	0.9	Peat	Granular	No	9.20	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272195.46	631711.49	0.9	Peat	Granular	No	4.39	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272260.8	631727.33	0.9	Peat	Granular	No	6.42	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272263.56	631827.52	0.9	Peat	Granular	No	7.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272362.33	631922.79	0.9	Peat	Granular	No	6.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272893.17	632291.97	0.9	Peat	Granular	No	6.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272861.74	632218.76	0.9	Peat	Granular	No	6.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273169.67	632214.28	0.9	Peat	Granular	No	5.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273162.9	632122.22	0.9	Peat	Granular	No	6.86	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272961.1	632125.3	0.9	Peat	Granular	No	5.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272560.32	632122.7	0.9	Peat	Granular	No	7.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273259.11	631511.56	0.9	Peat	Granular	No	7.80	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266256.43	629620.49	0.9	Peat	Granular	No	3.54	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267061.13	629024.26	0.9	Peat	Granular	No	3.03	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267964.4	630306.6	0.9	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268060.98	630409.65	0.9	Peat	Granular	No	4.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268158	630419.12	0.9	Peat	Granular	No	3.74	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268357.09	630517.05	0.9	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268362.26	630221.03	0.9	Peat	Granular	No	4.47	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271563.45	630020.33	0.9	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271262.06	630017.38	0.9	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270763.19	630016.12	0.9	Peat	Granular	No	3.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270463.8	630019.25	0.9	Peat	Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271062.12	629921.97	0.9	Peat	Granular	No	6.98	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267760.58	635620.79	0.9	Peat	Granular	No	9.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268364.19	634619.55	0.9	Peat	Granular	No	6.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268965.59	633939.94	0.9	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268584.84	633956.64	0.9	Peat	Granular	No	4.27	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268731.1	634020.81	0.9	Peat	Granular	No	3.63	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269868.38	634660.08	0.9	Peat	Granular	No	6.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269664.63	633821.46	0.9	Peat	Granular	No	2.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269782.28	633916.88	0.9	Peat	Granular	No	4.15	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270166.23	633995.65	0.9	Peat	Granular	No	2.77	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268863.65	634618.27	0.9	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270521.94	635224.07	0.9	Peat	Granular	No	5.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270366.57	635339.49	0.9	Peat	Granular	No	7.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270518.91	635513.43	0.9	Peat	Granular	No	1.09	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	270605.66	635525.1	0.9	Peat	Granular	No	3.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271150.36	635106.78	0.9	Peat	Granular	No	2.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271360.81	635095.59	0.9	Peat	Granular	No	3.45	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271002.14	635012.46	0.9	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268759	630618.24	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268302.46	634419.89	0.9	Peat	Granular	No	9.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268276.38	634411.52	0.9	Peat	Granular	No	8.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268261.95	634520.56	0.9	Peat	Granular	No	6.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272378.97	634215.77	0.9	Peat	Granular	No	10.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271763.48	635437.6	0.9	Peat	Granular	No	8.82	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272677.43	633632.26	0.9	Peat	Granular	No	1.41	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	272671.89	633812.2	0.9	Peat	Granular	No	2.78	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272068.3	634714.25	0.9	Peat	Granular	No	4.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272964.92	634525.43	0.9	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267664.41	629711.28	0.4	Soil	Granular	No	9.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268654.12	629145.77	0	Superficial	Granular	No	7.43	No Peat	1	0	3	1	0	None
ITPEnergised		1	266461	629517.24	0.1	Soil	Granular	No	4.09	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266654.25	629721.67	0.1	Soil	Granular	No	4.72	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266559.35	629406.64	0.1	Soil	Granular	No	6.14	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	266265.12	628421.2	0.1	Soil	Granular	No	2.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266263.45	628518.66	0.1	Soil	Granular	No	2.79	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266664.08	629018.15	0.1	Soil	Granular	No	3.40	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267163.25	628922.78	0.1	Soil	Granular	No	2.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267860.33	629013.11	0.1	Soil	Granular	No	2.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267856.52	628924.31	0.1	Soil	Granular	No	3.27	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268671.28	629717.9	0.1	Soil	Granular	No	14.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267464.42	629513.66	0.1	Soil	Granular	No	4.16	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267561.04	630015.26	0.1	Soil	Granular	No	6.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267667.37	629929.29	0.1	Soil	Granular	No	6.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267569.36	629921.66	0.1	Soil	Granular	No	6.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267563.32	629819.14	0.1	Soil	Granular	No	10.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266354.48	629040.48	0.1	Soil	Granular	No	5.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266262.46	629221.31	0.1	Soil	Granular	No	7.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266355.7	629220.47	0.1	Soil	Granular	No	6.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266065.18	629114.55	0.1	Soil	Granular	No	10.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265870.98	629228.05	0.1	Soil	Granular	No	5.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265944.97	628826.64	0.1	Soil	Granular	No	3.64	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265865.08	628814.11	0.1	Soil	Granular	No	3.68	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265678.44	628727.27	0.1	Soil	Granular	No	5.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265760.18	628711.62	0.1	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267868.36	629716.92	0.1	Soil	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267766.43	629717.64	0.1	Soil	Granular	No	6.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268262.8	629817.81	0.1	Soil	Granular	No	12.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268155.55	629827.41	0.1	Soil	Granular	No	13.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268067.2	629716.45	0.1	Soil	Granular	No	4.61	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268167.34	629221.23	0.1	Soil	Granular	No	3.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268531.53	629720.87	0.1	Soil	Granular	No	11.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266162.12	628619.66	0.2	Soil	Granular	No	3.04	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266663.1	629517.21	0.2	Soil	Granular	No	4.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266659.88	629422.73	0.2	Soil	Granular	No	6.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266559.78	629225.69	0.2	Soil	Granular	No	6.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266653.23	629219.11	0.2	Soil	Granular	No	5.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266557.98	629116.07	0.2	Soil	Granular	No	8.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266480.11	629015.56	0.2	Soil	Granular	No	3.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266263.59	628620.56	0.2	Soil	Granular	No	2.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266851.87	628620.53	0.2	Soil	Granular	No	6.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267167.89	628715.54	0.2	Soil	Granular	No	5.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267066.36	628721.57	0.2	Soil	Granular	No	4.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266666.08	628519.56	0.2	Soil	Granular	No	4.52	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266548.28	628514.16	0.2	Soil	Granular	No	3.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266358.61	628515.9	0.2	Soil	Granular	No	3.14	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267365.32	628917.02	0.2	Soil	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268061.22	629520.53	0.2	Soil	Granular	No	6.61	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268156.37	629419.61	0.2	Soil	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267765.85	629417.63	0.2	Soil	Granular	No	4.61	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267958.28	629420.36	0.2	Soil	Granular	No	7.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268159.23	629314.08	0.2	Soil	Granular	No	6.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268069.98	629220.32	0.2	Soil	Granular	No	5.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267663.93	628516.54	0.2	Soil	Granular	No	5.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267563.52	628516.11	0.2	Soil	Granular	No	3.16	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267759.4	628619.81	0.2	Soil	Granular	No	3.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267558.62	628711.29	0.2	Soil	Granular	No	5.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267760.81	628711.43	0.2	Soil	Granular	No	2.01	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267761.38	628826.72	0.2	Soil	Granular	No	4.40	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267753.67	628923.44	0.2	Soil	Granular	No	3.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268253.84	629534.76	0.2	Soil	Granular	No	6.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268659.75	629518.56	0.2	Soil	Granular	No	7.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268556.77	629620.47	0.2	Soil	Granular	No	6.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267462.94	629825.86	0.2	Soil	Granular	No	10.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267549.83	630120.96	0.2	Soil	Granular	No	6.18	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	267662.85	630120.04	0.2	Soil	Granular	No	7.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266164.72	628721.5	0.2	Soil	Granular	No	2.45	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266462.19	629118.28	0.2	Soil	Granular	No	5.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266462.3	629231.35	0.2	Soil	Granular	No	4.07	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266289.19	629141.82	0.2	Soil	Granular	No	5.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266066.36	629018.86	0.2	Soil	Granular	No	6.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265962.04	629217	0.2	Soil	Granular	No	6.14	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265960.93	629107.75	0.2	Soil	Granular	No	9.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265952.25	629022.18	0.2	Soil	Granular	No	5.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266059.09	628919.9	0.2	Soil	Granular	No	4.43	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265956.01	628720.12	0.2	Soil	Granular	No	3.57	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265762.67	628613.42	0.2	Soil	Granular	No	5.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265760.29	628519.07	0.2	Soil	Granular	No	2.99	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268358.53	629825.47	0.2	Soil	Granular	No	12.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268064.59	629812.27	0.2	Soil	Granular	No	10.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267875.02	629819.79	0.2	Soil	Granular	No	5.97	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268054.79	629625.97	0.2	Soil	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267859.78	629521	0.2	Soil	Granular	No	6.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267953.1	629531.45	0.2	Soil	Granular	No	5.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268155.32	629120.71	0.2	Soil	Granular	No	2.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268517.37	629122.12	0.2	Soil	Granular	No	7.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268466.86	629217.76	0.2	Soil	Granular	No	5.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268650.32	629411.86	0.2	Soil	Granular	No	5.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268263.08	629417.11	0.2	Soil	Granular	No	5.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268748.76	629737.97	0.2	Soil	Granular	No	13.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268471.97	629819.06	0.2	Soil	Granular	No	12.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273256.5	634528.27	0.2	Soil	Granular	No	5.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273265	633819.46	0.2	Soil	Granular	No	10.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266063.96	628619.34	0.3	Soil	Granular	No	1.49	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	266262.11	628815.73	0.3	Soil	Granular	No	3.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266171.18	628916.94	0.3	Soil	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266659.73	629318.19	0.3	Soil	Granular	No	4.36	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266660.96	629120.93	0.3	Soil	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266359.36	628715.37	0.3	Soil	Granular	No	3.05	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266758.22	628623.71	0.3	Soil	Granular	No	5.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266955.9	628621.45	0.3	Soil	Granular	No	5.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267169.09	628814.89	0.3	Soil	Granular	No	6.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267070.48	628807.11	0.3	Soil	Granular	No	4.40	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266954.21	628716.7	0.3	Soil	Granular	No	5.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266454.75	628520.05	0.3	Soil	Granular	No	4.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267464.01	629117.25	0.3	Soil	Granular	No	7.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267466.99	629021.99	0.3	Soil	Granular	No	3.88	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267265.83	628916.43	0.3	Soil	Granular	No	6.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267564.88	629019.67	0.3	Soil	Granular	No	3.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267255.24	629413.84	0.3	Soil	Granular	No	4.30	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267561.11	629418.25	0.3	Soil	Granular	No	6.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267662.29	629318.41	0.3	Soil	Granular	No	3.54	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268059.77	629415.16	0.3	Soil	Granular	No	7.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267866.92	629417.8	0.3	Soil	Granular	No	6.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267966.95	629320.62	0.3	Soil	Granular	No	5.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268056.8	629319.25	0.3	Soil	Granular	No	5.58	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267977.8	629212.6	0.3	Soil	Granular	No	4.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267557	628619.58	0.3	Soil	Granular	No	4.63	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267660.37	628712.8	0.3	Soil	Granular	No	5.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267654.21	628916.77	0.3	Soil	Granular	No	3.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267563.05	628920.02	0.3	Soil	Granular	No	2.86	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268169.79	629531.42	0.3	Soil	Granular	No	6.29	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268758.4	629519.87	0.3	Soil	Granular	No	6.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268466.75	629615.17	0.3	Soil	Granular	No	6.81	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268360.19	629613.14	0.3	Soil	Granular	No	7.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267362.11	629519.68	0.3	Soil	Granular	No	6.06	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	267571.3	629620.41	0.3	Soil	Granular	No	3.85	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266363.09	629127.41	0.3	Soil	Granular	No	7.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265761.55	629208.6	0.3	Soil	Granular	No	4.87	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265660.96	629212.37	0.3	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265571.23	629220.54	0.3	Soil	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265857.42	628928.07	0.3	Soil	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265769.84	628809.72	0.3	Soil	Granular	No	2.47	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265680.68	628809.22	0.3	Soil	Granular	No	2.53	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265668.66	628520.7	0.3	Soil	Granular	No	2.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265858.07	628513.26	0.3	Soil	Granular	No	3.78	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265957.45	628513.25	0.3	Soil	Granular	No	3.84	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268273.23	629721.59	0.3	Soil	Granular	No	6.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267968.47	629623.04	0.3	Soil	Granular	No	7.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267873.2	629618.19	0.3	Soil	Granular	No	6.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267759.98	629519.93	0.3	Soil	Granular	No	5.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268268.73	629016.41	0.3	Soil	Granular	No	5.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268367.62	629216.88	0.3	Soil	Granular	No	3.84	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268362.31	629319.57	0.3	Soil	Granular	No	4.22	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268458.62	629319.69	0.3	Soil	Granular	No	5.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268556.55	629319.15	0.3	Soil	Granular	No	5.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268659.3	629219.42	0.3	Soil	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268757.24	629219.32	0.3	Soil	Granular	No	9.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268655.56	629306.71	0.3	Soil	Granular	No	5.61	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268367.19	629410.32	0.3	Soil	Granular	No	3.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268566.53	629818.22	0.3	Soil	Granular	No	10.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266260.14	628719.64	0.4	Soil	Granular	No	2.36	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266259.87	628719.81	0.4	Soil	Granular	No	2.36	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266153.45	629020.9	0.4	Soil	Granular	No	5.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266744.27	629417.07	0.4	Soil	Granular	No	3.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266863.68	629219.32	0.4	Soil	Granular	No	7.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267165.78	629019.22	0.4	Soil	Granular	No	6.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267265.07	629016.01	0.4	Soil	Granular	No	6.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267541.09	629111.71	0.4	Soil	Granular	No	7.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267867.7	629215.22	0.4	Soil	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267769.03	629211.75	0.4	Soil	Granular	No	4.48	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268260.8	629620.6	0.4	Soil	Granular	No	6.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266159.54	628813.67	0.4	Soil	Granular	No	4.68	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265862.09	628722.8	0.4	Soil	Granular	No	4.12	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265865.39	628620.75	0.4	Soil	Granular	No	3.82	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265668.41	628617.43	0.4	Soil	Granular	No	5.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266056.26	628513.72	0.4	Soil	Granular	No	4.47	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268356.91	629733.23	0.4	Soil	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268263.05	629227.17	0.4	Soil	Granular	No	3.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268069.67	629127.17	0.4	Soil	Granular	No	2.68	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268155.47	629022.42	0.4	Soil	Granular	No	3.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268343.3	629037.77	0.4	Soil	Granular	No	12.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268441.58	629138.38	0.4	Soil	Granular	No	5.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268566.69	629222.89	0.4	Soil	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	273269.3	634424.43	0.4	Soil	Granular	No	9.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266162.45	628517.56	0.5	Soil	Granular	No	3.61	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267367.97	629015.75	0.5	Soil	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268254.47	629115.89	0.6	Soil	Granular	No	3.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266766.61	629320.38	0.7	Soil	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268361.55	629115.46	0.7	Soil	Granular	No	4.06	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268065.81	630024.68	0.8	Soil	Granular	No	8.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268053.59	630319.89	2	Peat	Granular	No	3.12	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272548.86	631818.95	2.1	Peat	Granular	No	1.88	Thick Peat	1	2	0	1	0	None
ITPEnergised		1	267862.05	635422.42	1.1	Peat	Granular	No	3.92	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267871.33	635321.65	1.1	Peat	Granular	No	2.46	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269690.72	633928.85	1.1	Peat	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269739.5	633851.45	1.1	Peat	Granular	No	2.79	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	268172.77	634528.81	1.2	Peat	Granular	No	4.07	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267662.64	633913.05	1.2	Peat	Granular	No	1.44	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	269817.52	633987.85	1.2	Peat	Granular	No	5.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270219.37	634173.32	1.2	Peat	Granular	No	4.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272260.87	631416.32	1.3	Peat	Granular	No	3.43	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271164.31	630418.55	1.3	Peat	Granular	No	0.65	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	271361.61	630119.77	1.3	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269959.59	633919.49	1.3	Peat	Granular	No	3.03	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270363.09	634430.2	1.3	Peat	Granular	No	3.49	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269259.52	634413.79	1.4	Peat	Granular	No	5.80	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269122.41	634417.61	1.4	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270162.23	634300.89	1.4	Peat	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271362.72	630418.79	1.5	Peat	Granular	No	1.51	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	269475.9	634295.53	1.5	Peat	Granular	No	7.68	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269817.46	634299.28	1.5	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269575.48	634944.93	1.5	Peat	Granular	No	4.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270564.26	634113.61	1.5	Peat	Granular	No	0.95	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	272071.17	634305.92	1.5	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270462.44	630121.53	1.6	Peat	Granular	No	3.10	Thick Peat	1	2	2	1	4	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	269890.78	634127.32	1.6	Peat	Granular	No	4.87	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	269866.24	634220.47	1.6	Peat	Granular	No	5.74	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	269872.45	633925.09	1.7	Peat	Granular	No	3.74	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	269995.97	634119.05	1.7	Peat	Granular	No	4.69	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272760.08	631420.26	1.8	Peat	Granular	No	0.97	Thick Peat	1	2	0	1	0	None
ITPEnergised		1	269949.46	633826.6	1.8	Peat	Granular	No	1.61	Thick Peat	1	2	0	1	0	None
ITPEnergised		1	270720.25	634454.28	1.8	Peat	Granular	No	5.12	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	270666.11	634619.03	1.8	Peat	Granular	No	3.44	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270959.87	634613.32	1.8	Peat	Granular	No	4.41	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271066.49	634572.7	1.8	Peat	Granular	No	4.69	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271163.01	634619.39	1.8	Peat	Granular	No	4.11	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271362.59	634719.07	1.8	Peat	Granular	No	3.21	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270663.4	634713.49	1.8	Peat	Granular	No	4.52	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270076.06	633905.66	1.9	Peat	Granular	No	1.03	Thick Peat	1	2	0	1	0	None
ITPEnergised		1	270890.22	634509.45	1.9	Peat	Granular	No	3.93	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270965.01	634520.23	1.9	Peat	Granular	No	3.86	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	266944.33	628822.44	0.3	Peat	Granular	No	2.21	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271548.5	630122.34	0.4	Peat	Granular	No	7.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269558.95	634010.81	0.4	Peat	Granular	No	5.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272461.59	631213.67	0.6	Peat	Granular	No	5.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272465.51	631417.33	0.6	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272363.84	631420.78	0.6	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271461.6	629919.99	0.6	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270363.7	630318.63	0.6	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267659.09	635805.93	0.6	Peat	Granular	No	11.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267568.11	634824.14	0.6	Peat	Granular	No	7.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268455.42	634720.38	0.6	Peat	Granular	No	6.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267362.96	634501.49	0.7	Peat	Granular	No	11.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270353.73	634085.49	0.7	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270276.7	635338.37	0.7	Peat	Granular	No	5.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271061.2	630418.3	0.8	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270961.96	630120.76	0.8	Peat	Granular	No	3.20	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270561.45	630120.22	0.8	Peat	Granular	No	2.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270361.67	630119.71	0.8	Peat	Granular	No	3.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267762.18	635521.15	0.8	Peat	Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267258.86	635716.42	0.8	Peat	Granular	No	11.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268359.03	634716.1	0.8	Peat	Granular	No	6.84	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267962.25	634370.6	0.8	Peat	Granular	No	6.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267865.2	633824.89	0.8	Peat	Granular	No	9.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269594.93	634388.9	0.8	Peat	Granular	No	6.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270143.26	633937.27	0.8	Peat	Granular	No	0.61	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	270174.51	635319.19	0.8	Peat	Granular	No	4.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270465.73	635314.68	0.8	Peat	Granular	No	6.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268273.76	634719.05	0.8	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267861.62	635518.72	0.9	Peat	Granular	No	4.82	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268062.39	635317.84	0.9	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267359.92	634318.04	0.9	Peat	Granular	No	5.59	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268068.28	634513.7	0.9	Peat	Granular	No	4.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268102.55	634419.25	0.9	Peat	Granular	No	4.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268962.28	634615.71	0.9	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270854.84	634915.77	0.9	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267962.65	635223.48	1	Peat	Granular	No	4.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268061.81	634718.91	1	Peat	Granular	No	3.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268160.25	635322.13	1	Peat	Granular	No	4.81	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268161.48	634718.62	1	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269691.42	635192.13	2	Peat	Granular	No	4.54	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270326.8	634809.23	2.1	Peat	Rock	No	5.24	Thick Peat	1	2	3	2	12	Low
ITPEnergised		1	270897.26	635160.06	2.1	Peat	Rock	No	1.82	Thick Peat	1	2	0	2	0	None
ITPEnergised		1	269775.47	635344.83	2.3	Peat	Rock	No	4.55	Thick Peat	1	2	2	2	8	Low
ITPEnergised		1	269850.89	634489.6	2.5	Peat	Rock	No	6.14	Thick Peat	1	2	3	2	12	Low
ITPEnergised		1	270246.77	634751.4	2.5	Peat	Rock	No	4.59	Thick Peat	1	2	2	2	8	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	269971.25	634483.92	2.6	Peat	Rock	No	4.33	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	270407.88	634849.2	2.7	Peat	Rock	No	4.29	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	269550.65	635003.04	1.1	Peat	Rock	No	3.69	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	269669.02	634616.51	1.1	Peat	Rock	No	6.97	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	271388.66	635041.18	1.1	Peat	Rock	No	3.71	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	268862.61	633898.3	1.2	Peat	Rock	No	6.50	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270657.44	635315.26	1.2	Peat	Rock	No	3.65	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	270000.46	635248.76	1.3	Peat	Rock	No	4.52	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	269768.84	634647.54	1.3	Peat	Rock	No	5.28	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	269695.64	634477.72	1.4	Peat	Rock	No	6.36	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270985.22	635136.74	1.4	Peat	Rock	No	1.30	Thin Peat	1	3	0	2	0	None
ITPEnergised		1	271457.64	635018.87	1.4	Peat	Rock	No	3.47	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	271060.19	634905.6	1.4	Peat	Rock	No	5.38	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	269739.15	635230.16	1.5	Peat	Rock	No	4.85	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	269868.26	635378.95	1.5	Peat	Rock	No	4.65	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	269789.5	634999.76	1.5	Peat	Rock	No	5.59	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270157.2	634524.35	1.5	Peat	Rock	No	3.62	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	270453.68	634279.57	1.5	Peat	Rock	No	3.46	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	271172.73	634921.63	1.5	Peat	Rock	No	5.19	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	272272.83	634120.08	1.5	Peat	Rock	No	8.56	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270659.75	634951.55	1.6	Peat	Rock	No	4.54	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	270064.94	634738.16	1.7	Peat	Rock	No	5.50	Thick Peat	1	2	3	2	12	Low
ITPEnergised		1	270066.11	634453.31	1.7	Peat	Rock	No	3.45	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	271268.46	634837.79	1.7	Peat	Rock	No	4.28	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	271267.52	634912.43	1.7	Peat	Rock	No	4.90	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	271264.07	635009.92	1.7	Peat	Rock	No	4.04	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	271148.4	634863.73	1.7	Peat	Rock	No	5.23	Thick Peat	1	2	3	2	12	Low
ITPEnergised		1	270154.84	634733.9	1.8	Peat	Rock	No	4.93	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	270179.42	635436.12	1.8	Peat	Rock	No	4.92	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	270754.38	635212.63	1.8	Peat	Rock	No	2.04	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	271368.22	634895.82	1.8	Peat	Rock	No	4.74	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	269660.37	635139.36	1.9	Peat	Rock	No	5.21	Thick Peat	1	2	3	2	12	Low
ITPEnergised		1	270467.98	635432.9	0.1	Peat	Rock	No	5.97	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	269253.72	634004.8	0.3	Peat	Rock	No	10.05	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	273113.61	633415.1	0.3	Peat	Rock	No	1.02	Peaty Soil	1	1	0	2	0	None
ITPEnergised		1	268660.03	633946.33	0.4	Peat	Rock	No	4.90	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		1	270261.7	634224.07	0.4	Peat	Rock	No	4.61	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		1	270569.04	635432.57	0.4	Peat	Rock	No	6.44	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	269366.21	634036.28	0.5	Peat	Rock	No	7.95	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	269310.88	633917.63	0.5	Peat	Rock	No	3.92	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		1	268955.15	633733.13	0.6	Peat	Rock	No	5.47	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270426.08	635503.47	0.6	Peat	Rock	No	3.80	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	270368.37	635422.98	0.6	Peat	Rock	No	4.70	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	269252.81	634719.76	0.7	Peat	Rock	No	10.06	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	269318.2	634812.47	0.7	Peat	Rock	No	3.64	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	269159.7	633926.45	0.7	Peat	Rock	No	7.67	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	269178.51	633988.66	0.7	Peat	Rock	No	9.34	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	269775.33	634584.33	0.7	Peat	Rock	No	4.44	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	270568.86	635026.31	0.7	Peat	Rock	No	6.87	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270258.29	635404.12	0.7	Peat	Rock	No	5.49	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270792.23	634929.68	0.7	Peat	Rock	No	3.23	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	269068.34	633986.7	0.8	Peat	Rock	No	8.53	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	269667.98	634528.84	0.8	Peat	Rock	No	6.92	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270055.06	635092.02	0.9	Peat	Rock	No	6.30	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	269041.4	633823.86	0.9	Peat	Rock	No	7.48	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270133.95	634609.36	0.9	Peat	Rock	No	3.79	Thin Peat	1	3	2	12	Low	
ITPEnergised		1	270871.05	635021.87	0.9	Peat	Rock	No	5.40	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270754.71	634953.79	0.9	Peat	Rock	No	5.80	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	268662.46	630617.08	0.9	Peat	Rock	No	5.33	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270002.44	634181	2	Peat	Cohesive	No	4.51	Thick Peat	1	2	2	8	Low	
ITPEnergised		1	270265.38	634414.21	2	Peat	Cohesive	No	3.17	Thick Peat	1	2	2	8	Low	

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	270363.59	634519.78	2	Peat	Cohesive	No	1.76	Thick Peat	1	2	0	2	0	None
ITPEnergised		1	270460.56	634218.69	2	Peat	Cohesive	No	2.55	Thick Peat	1	2	2	2	8	Low
ITPEnergised		1	270463.39	634517.62	2	Peat	Cohesive	No	2.13	Thick Peat	1	2	2	2	8	Low
ITPEnergised		1	270553.88	634531.35	2	Peat	Cohesive	No	3.85	Thick Peat	1	2	2	2	8	Low
ITPEnergised		1	270816.81	634363.99	1	Peat	Cohesive	No	2.92	Thin Peat	1	3	2	2	12	Low
ITPEnergised		1	270873.65	634675.15	2	Peat	Cohesive	No	3.88	Thick Peat	1	2	2	2	8	Low
ITPEnergised		1	270943.9	634814.17	2	Peat	Cohesive	No	3.36	Thick Peat	1	2	2	2	8	Low
ITPEnergised		1	271259.69	634711.52	2	Peat	Cohesive	No	3.43	Thick Peat	1	2	2	2	8	Low
ITPEnergised		1	271463.98	630421.14	1	Peat	Cohesive	No	2.83	Thin Peat	1	3	2	2	12	Low
ITPEnergised		1	270560.23	634783.33	2	Peat	Depth not Proven	No	3.12	Thick Peat	1	2	2	3	12	Low
ITPEnergised		1	270565.61	634222.13	2	Peat	Depth not Proven	No	2.54	Thick Peat	1	2	2	3	12	Low
ITPEnergised		1	270648.24	634812.94	2	Peat	Depth not Proven	No	3.07	Thick Peat	1	2	2	3	12	Low
ITPEnergised		1	270765.12	634414.33	2	Peat	Depth not Proven	No	4.22	Thick Peat	1	2	2	3	12	Low
ITPEnergised		1	270767.15	634729.6	2	Peat	Depth not Proven	No	3.86	Thick Peat	1	2	2	3	12	Low
ITPEnergised		1	270964.65	634722.35	2	Peat	Depth not Proven	No	3.37	Thick Peat	1	2	2	3	12	Low
ITPEnergised		1	271092.45	634737.35	2	Peat	Depth not Proven	No	3.45	Thick Peat	1	2	2	3	12	Low
ITPEnergised		1	273324.75	632214.02	1	Peat	Granular	No	9.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267166.38	629322.68	1	Peat	Granular	No	8.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267359.56	630212.11	1	Peat	Granular	No	6.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267360.65	630020.78	1	Peat	Granular	No	6.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267462.26	630012.19	1	Peat	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267765.72	634684.2	2	Peat	Granular	No	9.91	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	268152.63	630222.29	2	Peat	Granular	No	2.35	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	268664.13	630220.74	1	Peat	Granular	No	4.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270043.36	634786.67	2	Peat	Granular	No	5.98	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	270158.79	634108.04	1	Peat	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270292.85	634134.05	2	Peat	Granular	No	4.75	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270363.57	630018.56	1	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270464.31	634119.24	1	Peat	Granular	No	2.55	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270757.69	634318.66	1	Peat	Granular	No	2.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271164.37	634721.12	2	Peat	Granular	No	4.20	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271263.2	631019.52	1	Peat	Granular	No	2.16	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271461.97	630017.45	1	Peat	Granular	No	2.74	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271560.12	635743.28	1	Peat	Granular	No	3.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271562.88	629920.64	1	Peat	Granular	No	6.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271746.15	635119.15	1	Peat	Granular	No	3.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271750.94	635227.98	1	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271761.78	635324.46	1	Peat	Granular	No	6.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271954.38	635520.92	1	Peat	Granular	No	9.65	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271960.3	635206.03	1	Peat	Granular	No	8.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271962.36	634514.05	1	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272174.51	634114.94	1	Peat	Granular	No	9.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272365.48	634116.56	1	Peat	Granular	No	6.97	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272568.75	634114.38	1	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272572.22	634020.89	1	Peat	Granular	No	3.10	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272662.39	631515.97	1	Peat	Granular	No	2.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273059.89	633417.54	2	Peat	Granular	No	5.88	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	273064.18	633723.9	1	Peat	Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273259.76	633921.51	1	Peat	Granular	No	6.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268525.94	633885.84	1	Peat	Rock	No	4.94	Thin Peat	1	3	2	2	12	Low
ITPEnergised		1	269866.68	634566.25	1	Peat	Rock	No	6.08	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	270030.07	635175.21	1	Peat	Rock	No	4.65	Thin Peat	1	3	2	2	12	Low
ITPEnergised		1	270748.68	635015.37	1	Peat	Rock	No	5.76	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	271265.31	635101.93	1	Peat	Rock	No	3.23	Thin Peat	1	3	2	2	12	Low
ITPEnergised		1	272559.66	631926.14	0.1	Rock	Granular	No	9.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265959.55	628926.1	0.1	Rock	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267964.58	629725.68	0.1	Rock	Granular	No	6.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268275.6	629316.26	0.3	Rock	Granular	No	4.22	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271949.44	631348.89	0	Rock	Rock	No	6.95	No Peat	1	0	3	2	0	None
ITPEnergised		1	272209.3	630919.17	0	Rock	Rock	No	9.62	No Peat	1	0	3	2	0	None
ITPEnergised		1	271827.94	630985.98	0	Rock	Rock	No	7.40	No Peat	1	0	3	2	0	None

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	271782.73	631038.03	0	Rock	Rock	No	14.08	No Peat	1	0	3	2	0	None
ITPEnergised		1	271363.38	630605.07	0	Rock	Rock	No	9.94	No Peat	1	0	3	2	0	None
ITPEnergised		1	271596.74	630626.64	0	Rock	Rock	No	5.41	No Peat	1	0	3	2	0	None
ITPEnergised		1	267522.98	635534.87	0	Rock	Rock	No	11.51	No Peat	1	0	3	2	0	None
ITPEnergised		1	269516.32	629882.04	0	Rock	Rock	No	9.85	No Peat	1	0	3	2	0	None
ITPEnergised		1	272282.9	635614.45	3.5	Soil	Granular	No	2.09	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271056.62	629822.67	2.1	Soil	Granular	No	6.47	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	271560.44	634729.51	2.2	Soil	Granular	No	2.45	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272345.05	635529.2	2.3	Soil	Granular	No	2.79	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	266758.45	629614.05	2.4	Soil	Granular	No	6.74	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	270664.69	630220.28	2.5	Soil	Granular	No	3.66	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	267762.96	634003.23	2.5	Soil	Granular	No	2.43	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272365.23	635609.41	2.6	Soil	Granular	No	2.64	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271963.29	631254.3	1.1	Soil	Granular	No	10.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271361.38	630219.22	1.1	Soil	Granular	No	8.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267772.43	635222.5	1.1	Soil	Granular	No	4.80	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267953	635113.28	1.1	Soil	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267159.95	635813.37	1.1	Soil	Granular	No	4.72	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267685.05	634004.58	1.1	Soil	Granular	No	2.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268665.12	630733.7	1.1	Soil	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273082.51	634412.96	1.1	Soil	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273177.28	633825.8	1.1	Soil	Granular	No	5.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272666.69	634010.32	1.1	Soil	Granular	No	4.88	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272061.76	635013.06	1.1	Soil	Granular	No	7.20	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268335.26	630420.68	1.2	Soil	Granular	No	2.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271153.6	629821.27	1.2	Soil	Granular	No	6.92	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271156.85	629714.69	1.2	Soil	Granular	No	5.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270260.65	630521.3	1.2	Soil	Granular	No	3.29	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267776.14	635133.14	1.2	Soil	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267884.55	634922	1.2	Soil	Granular	No	6.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267799.09	634321.82	1.2	Soil	Granular	No	9.47	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268133.7	634361.32	1.2	Soil	Granular	No	6.29	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268149.95	634032.8	1.2	Soil	Granular	No	10.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272060.69	635204.86	1.2	Soil	Granular	No	10.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271563.02	634821.55	1.2	Soil	Granular	No	2.23	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270769.15	630221.13	1.3	Soil	Granular	No	3.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268156.5	635230.44	1.3	Soil	Granular	No	4.50	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267582.7	634021.85	1.3	Soil	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268453.38	634504.46	1.3	Soil	Granular	No	9.65	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272352.12	635815.1	1.3	Soil	Granular	No	3.68	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273165.37	634026.82	1.4	Soil	Granular	No	6.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272072.71	634511.01	1.4	Soil	Granular	No	4.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273160.91	634225.9	1.5	Soil	Granular	No	3.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271270.59	630529.03	1.6	Soil	Granular	No	1.71	Thick Peat	1	2	0	1	0	None
ITPEnergised		1	267976.55	635213.82	1.6	Soil	Granular	No	4.30	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	268164.41	635121.02	1.6	Soil	Granular	No	3.54	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	268869.41	634696.93	1.6	Soil	Granular	No	5.41	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272964.13	633823.23	1.6	Soil	Granular	No	9.01	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272476.98	634215.37	1.6	Soil	Granular	No	9.38	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272062.47	635416.97	1.6	Soil	Granular	No	8.94	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272357.81	635718.02	1.6	Soil	Granular	No	2.84	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272069.1	635804.52	1.6	Soil	Granular	No	3.14	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	273059.27	634511.56	1.6	Soil	Granular	No	3.99	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271670.42	631224.48	1.7	Soil	Granular	No	4.41	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	267548.28	635429.25	1.7	Soil	Granular	No	3.48	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	273162.75	634128.05	1.7	Soil	Granular	No	6.38	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	273067.02	633916.4	1.7	Soil	Granular	No	8.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272073.38	635617.51	1.7	Soil	Granular	No	6.29	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272271.76	635807.32	1.7	Soil	Granular	No	3.68	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272668.33	631316.88	1.8	Soil	Granular	No	4.73	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272365.05	631310.61	1.8	Soil	Granular	No	4.64	Thick Peat	1	2	2	1	4	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	271159.3	629518.66	1.8	Soil	Granular	No	2.70	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		1	268013.31	635416.25	1.8	Soil	Granular	No	3.49	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		1	268056.08	634919.43	1.8	Soil	Granular	No	4.55	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		1	268176.42	634942.14	1.8	Soil	Granular	No	2.91	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		1	272067.57	634415.92	1.8	Soil	Granular	No	7.03	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272152.59	635717.5	1.8	Soil	Granular	No	3.01	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271569.86	635125.54	1.8	Soil	Granular	No	1.94	Thick Peat	1	2	0	1	0	None
ITPEnergised		1	272551.29	631124.83	1.9	Soil	Granular	No	4.97	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	268122.33	635008.73	1.9	Soil	Granular	No	2.46	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	269861.56	630016.75	0.1	Soil	Granular	No	7.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269862.72	630119.23	0.1	Soil	Granular	No	8.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269863.54	630215.96	0.1	Soil	Granular	No	7.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269862.09	630320.79	0.1	Soil	Granular	No	3.07	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269862.67	630421.27	0.1	Soil	Granular	No	0.41	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	269859.16	630520.24	0.1	Soil	Granular	No	3.54	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269860.16	630619.87	0.1	Soil	Granular	No	5.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270062.76	630622.37	0.1	Soil	Granular	No	10.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270161.69	630621.44	0.1	Soil	Granular	No	9.97	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270257.9	630624.18	0.1	Soil	Granular	No	6.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270369.79	630618.77	0.1	Soil	Granular	No	3.01	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270655.4	630726.59	0.1	Soil	Granular	No	3.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270664.64	630917.11	0.1	Soil	Granular	No	11.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270664.93	631018.75	0.1	Soil	Granular	No	13.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270965.58	631316.35	0.1	Soil	Granular	No	0.87	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	271066.03	631316.84	0.1	Soil	Granular	No	1.83	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	271161.01	631320.02	0.1	Soil	Granular	No	6.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271252.87	631215.9	0.1	Soil	Granular	No	7.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271264.09	631320.94	0.1	Soil	Granular	No	11.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271867.14	631319.24	0.1	Soil	Granular	No	12.82	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271929.5	631351.41	0.1	Soil	Granular	No	10.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272359.33	632116.05	0.1	Soil	Granular	No	2.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272466.48	632322.09	0.1	Soil	Granular	No	10.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272464.62	632402.77	0.1	Soil	Granular	No	9.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272963.96	632216.81	0.1	Soil	Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272861.09	632122.9	0.1	Soil	Granular	No	6.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272486.97	632003.52	0.1	Soil	Granular	No	1.16	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	272559.71	632019.14	0.1	Soil	Granular	No	10.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273234.73	632019.27	0.1	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273064.83	631918.64	0.1	Soil	Granular	No	8.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272956.52	631916.14	0.1	Soil	Granular	No	6.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272856.18	631924.02	0.1	Soil	Granular	No	6.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272510.76	631913.92	0.1	Soil	Granular	No	4.07	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272460.06	631820.93	0.1	Soil	Granular	No	2.32	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272526.06	631815.4	0.1	Soil	Granular	No	1.88	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	272562.9	631818.54	0.1	Soil	Granular	No	6.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272660.92	631813.75	0.1	Soil	Granular	No	6.84	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272759.97	631819.91	0.1	Soil	Granular	No	8.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272861.8	631817.09	0.1	Soil	Granular	No	8.15	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272962.19	631822.61	0.1	Soil	Granular	No	8.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273061.4	631819.92	0.1	Soil	Granular	No	9.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273256.27	631422.89	0.1	Soil	Granular	No	5.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273164.95	631413.05	0.1	Soil	Granular	No	4.08	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	273130.72	631253.46	0.1	Soil	Granular	No	8.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272661.44	630920.04	0.1	Soil	Granular	No	7.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272561.12	630918.98	0.1	Soil	Granular	No	6.68	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272458.61	630920.31	0.1	Soil	Granular	No	7.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272358.65	630918.78	0.1	Soil	Granular	No	9.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272261.63	630919.78	0.1	Soil	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272160.66	630921.27	0.1	Soil	Granular	No	8.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272065.97	630917.78	0.1	Soil	Granular	No	10.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271961.09	630920.19	0.1	Soil	Granular	No	9.33	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
ITPEnergised	1	271865.3	630920.07	0.1	Soil	Granular	No	8.97	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271762.95	630817.57	0.1	Soil	Granular	No	8.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271754.55	630906.27	0.1	Soil	Granular	No	13.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271711.25	630889.65	0.1	Soil	Granular	No	13.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271664.79	630927.6	0.1	Soil	Granular	No	10.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271562.21	630921.51	0.1	Soil	Granular	No	8.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271460.19	630910.48	0.1	Soil	Granular	No	11.20	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271355.74	630916.11	0.1	Soil	Granular	No	10.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271256.14	630916.48	0.1	Soil	Granular	No	7.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271162.53	630918.05	0.1	Soil	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271058.5	630918.17	0.1	Soil	Granular	No	5.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	270964.05	630920.75	0.1	Soil	Granular	No	5.68	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	270851.26	630909.74	0.1	Soil	Granular	No	12.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	270767.33	630919.22	0.1	Soil	Granular	No	15.53	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	272089.78	631089.69	0.1	Soil	Granular	No	8.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	272066.95	631023.68	0.1	Soil	Granular	No	10.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	272554.3	631018.75	0.1	Soil	Granular	No	7.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	272656.77	631013.46	0.1	Soil	Granular	No	5.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	273103.23	631396.14	0.1	Soil	Granular	No	4.47	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	273030.96	631486.01	0.1	Soil	Granular	No	3.63	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	273060.6	631517.37	0.1	Soil	Granular	No	4.95	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	273156.57	631519.49	0.1	Soil	Granular	No	7.39	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	273063.72	631720.42	0.1	Soil	Granular	No	7.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	272962.24	631717.84	0.1	Soil	Granular	No	9.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	272856.9	631724.83	0.1	Soil	Granular	No	9.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	272760.41	631722.44	0.1	Soil	Granular	No	6.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	272660.85	631724.8	0.1	Soil	Granular	No	5.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	272559.99	631725.86	0.1	Soil	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	272462.37	631716.42	0.1	Soil	Granular	No	2.53	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	273064.19	631614.21	0.1	Soil	Granular	No	4.64	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	272967.88	631525.83	0.1	Soil	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	272868.79	631513.29	0.1	Soil	Granular	No	3.78	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	272758.71	631514.06	0.1	Soil	Granular	No	1.30	Peaty Soil	1	1	0	1	0	None
ITPEnergised	1	272364.66	631514.12	0.1	Soil	Granular	No	5.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271965.45	631023.26	0.1	Soil	Granular	No	7.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271883.67	631019.12	0.1	Soil	Granular	No	8.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271843.04	630975.87	0.1	Soil	Granular	No	7.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271823.73	631022.08	0.1	Soil	Granular	No	8.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271757.7	631020.54	0.1	Soil	Granular	No	14.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271661.26	631016.67	0.1	Soil	Granular	No	9.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271560.14	631020.02	0.1	Soil	Granular	No	8.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271465.04	631017.62	0.1	Soil	Granular	No	3.63	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	271068.14	631019.94	0.1	Soil	Granular	No	6.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	270971.95	631018.35	0.1	Soil	Granular	No	9.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	270866.3	631011.8	0.1	Soil	Granular	No	8.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	270769.65	631021.22	0.1	Soil	Granular	No	9.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	270661.87	630621.85	0.1	Soil	Granular	No	5.68	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	270760.85	630620.72	0.1	Soil	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	271161.84	630620.95	0.1	Soil	Granular	No	10.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271262.65	630617.76	0.1	Soil	Granular	No	9.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271359.48	630616.1	0.1	Soil	Granular	No	9.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271465.82	630607.74	0.1	Soil	Granular	No	8.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271553.11	630609.24	0.1	Soil	Granular	No	5.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271667.68	630617.22	0.1	Soil	Granular	No	7.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271620.58	630306.46	0.1	Soil	Granular	No	9.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271546.1	630182.3	0.1	Soil	Granular	No	14.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	271064.77	630014.2	0.1	Soil	Granular	No	7.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	270965.71	630021.24	0.1	Soil	Granular	No	5.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	270864.82	630017.35	0.1	Soil	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	270109.27	630011.69	0.1	Soil	Granular	No	5.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised	1	272156.85	631116.29	0.1	Soil	Granular	No	8.54	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	272073.56	631115.94	0.1	Soil	Granular	No	5.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271865.41	631228.21	0.1	Soil	Granular	No	9.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271676.02	630555.56	0.1	Soil	Granular	No	11.61	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271775	630519.27	0.1	Soil	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272164.72	631118.73	0.1	Soil	Granular	No	8.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272862.2	631221	0.1	Soil	Granular	No	4.99	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272960.49	631220.6	0.1	Soil	Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272661.88	631421.73	0.1	Soil	Granular	No	3.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272262.67	631220.12	0.1	Soil	Granular	No	6.47	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271761.72	631121.05	0.1	Soil	Granular	No	11.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269975.51	630412.51	0.1	Soil	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270161.34	629921.54	0.1	Soil	Granular	No	4.40	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270159.04	630320.35	0.1	Soil	Granular	No	2.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267479.06	635647.96	0.1	Soil	Granular	No	15.93	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267671.27	635316.12	0.1	Soil	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267363.32	634588.42	0.1	Soil	Granular	No	12.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267666.92	634818.54	0.1	Soil	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269277.43	634557.25	0.1	Soil	Granular	No	8.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269475.96	634492.81	0.1	Soil	Granular	No	7.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269662.08	634531.51	0.1	Soil	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269576.75	634319.34	0.1	Soil	Granular	No	5.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268958.46	634518.56	0.1	Soil	Granular	No	15.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269374.64	634755.36	0.1	Soil	Granular	No	12.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269723.13	635134.25	0.1	Soil	Granular	No	5.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269054.93	630705.72	0.1	Soil	Granular	No	4.29	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269559.47	630318.35	0.1	Soil	Granular	No	10.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269058.06	629638.64	0.1	Soil	Granular	No	6.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268559.41	630120.61	0.1	Soil	Granular	No	4.89	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268567.74	630316.62	0.1	Soil	Granular	No	5.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268561.77	630333.41	0.1	Soil	Granular	No	5.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269357.76	630617.72	0.1	Soil	Granular	No	7.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269461.6	630612.52	0.1	Soil	Granular	No	7.58	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269661.98	630613.4	0.1	Soil	Granular	No	6.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269714.62	630593.66	0.1	Soil	Granular	No	7.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269651.1	630423.25	0.1	Soil	Granular	No	10.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269564.21	630427.86	0.1	Soil	Granular	No	8.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268865.22	630426.55	0.1	Soil	Granular	No	2.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268662.71	630412.07	0.1	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268753.99	630211.45	0.1	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269464.8	630215.02	0.1	Soil	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269554.18	630218.74	0.1	Soil	Granular	No	7.81	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269660.45	630206.76	0.1	Soil	Granular	No	6.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269754.33	630215.88	0.1	Soil	Granular	No	6.97	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269672.44	630119.93	0.1	Soil	Granular	No	7.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269664.71	630022.27	0.1	Soil	Granular	No	6.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269667.94	629943.81	0.1	Soil	Granular	No	4.59	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269664.87	629828.13	0.1	Soil	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269663.54	629723.64	0.1	Soil	Granular	No	1.81	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	269662.94	629623.99	0.1	Soil	Granular	No	3.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269665.47	629518.91	0.1	Soil	Granular	No	3.08	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269584.57	629416.6	0.1	Soil	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269487.98	629412.61	0.1	Soil	Granular	No	3.13	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269358.75	629418.73	0.1	Soil	Granular	No	6.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269263.38	629416.82	0.1	Soil	Granular	No	6.20	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269259.33	629511.21	0.1	Soil	Granular	No	7.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269358.59	629524.47	0.1	Soil	Granular	No	8.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269538.3	629531.74	0.1	Soil	Granular	No	5.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269560.19	629616.67	0.1	Soil	Granular	No	5.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269467.67	629614.12	0.1	Soil	Granular	No	5.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269467.34	629613.96	0.1	Soil	Granular	No	5.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269355.01	629622.28	0.1	Soil	Granular	No	5.18	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	269261.23	629621.11	0.1	Soil	Granular	No	6.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269561.11	629719.67	0.1	Soil	Granular	No	6.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269575.03	629802.21	0.1	Soil	Granular	No	5.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269472.45	629707.61	0.1	Soil	Granular	No	6.84	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269368.14	629716.29	0.1	Soil	Granular	No	4.46	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269266.84	629711.35	0.1	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269192.32	629709.59	0.1	Soil	Granular	No	5.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269177.88	629814.83	0.1	Soil	Granular	No	7.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269269.24	629819.08	0.1	Soil	Granular	No	7.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269362.47	629820.35	0.1	Soil	Granular	No	8.81	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269470.36	629820.71	0.1	Soil	Granular	No	8.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269545.08	629903.72	0.1	Soil	Granular	No	9.81	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269471.11	629916.33	0.1	Soil	Granular	No	7.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269363.01	629908.22	0.1	Soil	Granular	No	5.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269279.81	629922.69	0.1	Soil	Granular	No	7.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269168.14	629915.76	0.1	Soil	Granular	No	11.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269068.14	629914.56	0.1	Soil	Granular	No	12.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268964.19	629919.48	0.1	Soil	Granular	No	7.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268913.08	629871.79	0.1	Soil	Granular	No	9.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268865.15	629920.37	0.1	Soil	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268854.02	629829.92	0.1	Soil	Granular	No	10.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269469.61	630016.9	0.1	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268544.69	634462.51	0.1	Soil	Granular	No	13.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268508.8	634411.43	0.1	Soil	Granular	No	14.68	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268464.69	634406.87	0.1	Soil	Granular	No	14.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268373.04	634410.32	0.1	Soil	Granular	No	10.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273363.63	634515.42	0.1	Soil	Granular	No	11.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269959.21	630618.15	0.2	Soil	Granular	No	12.20	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270761.97	631117.74	0.2	Soil	Granular	No	8.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272462.42	632221.39	0.2	Soil	Granular	No	9.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272660.84	632416.76	0.2	Soil	Granular	No	5.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272658.32	632321.85	0.2	Soil	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272560.23	632314.76	0.2	Soil	Granular	No	6.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272565.68	632221.14	0.2	Soil	Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273335.87	632135.35	0.2	Soil	Granular	No	9.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273254.72	632114.19	0.2	Soil	Granular	No	10.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273060.9	632019.78	0.2	Soil	Granular	No	6.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273165.32	632017.81	0.2	Soil	Granular	No	9.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273271.18	631918.09	0.2	Soil	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272357.63	631818.94	0.2	Soil	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272964.91	631018.35	0.2	Soil	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272759.27	630920.93	0.2	Soil	Granular	No	6.39	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272355.12	631013.73	0.2	Soil	Granular	No	6.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272752.6	631014.92	0.2	Soil	Granular	No	3.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272852.18	631021.76	0.2	Soil	Granular	No	4.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272889.3	631104.29	0.2	Soil	Granular	No	7.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272961.59	631221.55	0.2	Soil	Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272357.94	631615.47	0.2	Soil	Granular	No	3.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272658.53	631621.5	0.2	Soil	Granular	No	2.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272468.66	631521.52	0.2	Soil	Granular	No	4.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271363.28	631018.21	0.2	Soil	Granular	No	2.73	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271171.23	631013.32	0.2	Soil	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270570.81	630614.42	0.2	Soil	Granular	No	4.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270855.09	630630.92	0.2	Soil	Granular	No	7.47	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271060.26	630618.61	0.2	Soil	Granular	No	2.25	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271161.79	630318.93	0.2	Soil	Granular	No	6.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271260.02	630317.3	0.2	Soil	Granular	No	6.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271568.66	630316.2	0.2	Soil	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271651.67	630019.14	0.2	Soil	Granular	No	10.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271360.68	630021.29	0.2	Soil	Granular	No	4.50	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270262.9	630014.32	0.2	Soil	Granular	No	4.09	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
ITPEnergised	1	270160.72	630015.38	0.2	Soil	Granular	No	4.11	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised	1	272869.77	631315.54	0.2	Soil	Granular	No	3.91	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	272162.49	631320.35	0.2	Soil	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271256.4	630817.41	0.2	Soil	Granular	No	10.15	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271367.53	630834.54	0.2	Soil	Granular	No	9.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270762.78	630517.34	0.2	Soil	Granular	No	8.68	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271548.79	630520.71	0.2	Soil	Granular	No	2.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271759.69	630517.22	0.2	Soil	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271559.28	630225.1	0.2	Soil	Granular	No	12.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270061.17	630219.61	0.2	Soil	Granular	No	3.43	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270955.43	630713.18	0.2	Soil	Granular	No	10.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271762.04	630718.73	0.2	Soil	Granular	No	3.22	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271658.21	630421.12	0.2	Soil	Granular	No	8.43	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270658.8	630419.2	0.2	Soil	Granular	No	9.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270262.72	629921.97	0.2	Soil	Granular	No	4.04	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270259.44	630319.22	0.2	Soil	Granular	No	3.95	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270062.15	630320.22	0.2	Soil	Granular	No	1.17	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	267947.43	634610.54	0.2	Soil	Granular	No	7.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270064.25	630520.4	0.2	Soil	Granular	No	9.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267375.51	635785.69	0.2	Soil	Granular	No	11.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267457.24	635026.7	0.2	Soil	Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267461.59	634220.11	0.2	Soil	Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268460.24	634619.44	0.2	Soil	Granular	No	6.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268267.92	634219.07	0.2	Soil	Granular	No	16.44	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267665.42	633821.28	0.2	Soil	Granular	No	3.77	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267565.9	633817.57	0.2	Soil	Granular	No	6.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267568.76	633922.75	0.2	Soil	Granular	No	2.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267260.1	634616.52	0.2	Soil	Granular	No	12.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269155.25	634618.81	0.2	Soil	Granular	No	6.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269564.53	634477.71	0.2	Soil	Granular	No	6.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269468	634119.29	0.2	Soil	Granular	No	6.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268770.3	634099.36	0.2	Soil	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268685.8	634360.72	0.2	Soil	Granular	No	8.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269465.87	634795.42	0.2	Soil	Granular	No	14.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269586.63	634828.38	0.2	Soil	Granular	No	10.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269664.69	634843.93	0.2	Soil	Granular	No	4.78	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269797.82	635085.4	0.2	Soil	Granular	No	4.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268468.94	630617.75	0.2	Soil	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268669.85	630516.02	0.2	Soil	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269760.6	629722.68	0.2	Soil	Granular	No	2.64	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269160.08	629313.05	0.2	Soil	Granular	No	6.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268968.18	629320.28	0.2	Soil	Granular	No	6.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269058.57	629713.92	0.2	Soil	Granular	No	5.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268853.98	629714.12	0.2	Soil	Granular	No	9.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268966.82	630115.73	0.2	Soil	Granular	No	4.76	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269360.93	630114.29	0.2	Soil	Granular	No	8.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269562.13	630118.01	0.2	Soil	Granular	No	7.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268562.51	630019.1	0.2	Soil	Granular	No	4.04	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269050.07	630583.63	0.2	Soil	Granular	No	5.20	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269155.1	630615.18	0.2	Soil	Granular	No	6.82	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269262.04	630614.24	0.2	Soil	Granular	No	5.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269558.36	630617	0.2	Soil	Granular	No	6.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269364.76	630418.26	0.2	Soil	Granular	No	8.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269062.95	630413.41	0.2	Soil	Granular	No	3.51	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268966.3	630416.04	0.2	Soil	Granular	No	2.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268865.5	630220.49	0.2	Soil	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269263.61	630218.85	0.2	Soil	Granular	No	4.24	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269363.74	630221.71	0.2	Soil	Granular	No	7.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269459.27	629522.23	0.2	Soil	Granular	No	7.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269568.11	630019.02	0.2	Soil	Granular	No	8.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270617.32	630734.08	0.3	Soil	Granular	No	5.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271670.44	631317.71	0.3	Soil	Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272760.32	632316.69	0.3	Soil	Granular	No	5.99	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	272666.42	632219.05	0.3	Soil	Granular	No	6.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273061.52	632216.5	0.3	Soil	Granular	No	5.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273058.77	632122.64	0.3	Soil	Granular	No	5.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272761.9	632119.22	0.3	Soil	Granular	No	5.81	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273158.31	631919.04	0.3	Soil	Granular	No	10.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273264.98	631719.3	0.3	Soil	Granular	No	7.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273260.34	631618.48	0.3	Soil	Granular	No	9.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273063.86	631214.81	0.3	Soil	Granular	No	7.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272962.99	631117.13	0.3	Soil	Granular	No	7.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272861.22	630916.09	0.3	Soil	Granular	No	6.82	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273161.1	631716.78	0.3	Soil	Granular	No	7.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272362.03	631717.86	0.3	Soil	Granular	No	4.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272457.61	631620.52	0.3	Soil	Granular	No	2.55	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272558.04	631617.32	0.3	Soil	Granular	No	2.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270955.2	630625.18	0.3	Soil	Granular	No	7.68	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271865.81	630618.84	0.3	Soil	Granular	No	7.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270765.05	630320.73	0.3	Soil	Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271163.57	630015.77	0.3	Soil	Granular	No	6.81	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270565.1	630017.57	0.3	Soil	Granular	No	4.22	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270137.64	630092.94	0.3	Soil	Granular	No	5.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272655.08	631110.49	0.3	Soil	Granular	No	5.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272859.52	631119.43	0.3	Soil	Granular	No	7.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272043.31	631241.33	0.3	Soil	Granular	No	5.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272356.96	631213.29	0.3	Soil	Granular	No	5.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270950.14	630839.09	0.3	Soil	Granular	No	17.56	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271857.71	630822.75	0.3	Soil	Granular	No	7.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270862.89	630520.9	0.3	Soil	Granular	No	6.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270962.78	630525.15	0.3	Soil	Granular	No	6.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270863.74	630220.9	0.3	Soil	Granular	No	3.67	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270363.84	630218.45	0.3	Soil	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272263.72	631119.21	0.3	Soil	Granular	No	6.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271259.97	631118.45	0.3	Soil	Granular	No	5.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270961.12	631123.28	0.3	Soil	Granular	No	0.15	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	271665.19	630729.55	0.3	Soil	Granular	No	3.19	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270161.22	630417.19	0.3	Soil	Granular	No	1.46	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	270362.81	629920.57	0.3	Soil	Granular	No	3.19	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270461.81	629921.12	0.3	Soil	Granular	No	3.72	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270562.65	629920.62	0.3	Soil	Granular	No	3.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269962.68	630318.75	0.3	Soil	Granular	No	5.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267866.59	634697.07	0.3	Soil	Granular	No	7.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267666.79	634704.28	0.3	Soil	Granular	No	11.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267460.16	634695.94	0.3	Soil	Granular	No	11.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270461.01	630521.25	0.3	Soil	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267438.07	635744.05	0.3	Soil	Granular	No	14.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267447.71	635128.35	0.3	Soil	Granular	No	8.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267830.94	635037.95	0.3	Soil	Granular	No	7.15	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267469.81	634123.3	0.3	Soil	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267564.2	634614.46	0.3	Soil	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268062.88	634613.72	0.3	Soil	Granular	No	4.67	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268460.04	634325.54	0.3	Soil	Granular	No	17.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267766.4	633823.34	0.3	Soil	Granular	No	6.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267414.35	634199.61	0.3	Soil	Granular	No	6.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268374.07	634310.13	0.3	Soil	Granular	No	16.72	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268263.97	634310.63	0.3	Soil	Granular	No	14.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269363.9	634521.59	0.3	Soil	Granular	No	4.94	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269863.89	634318.5	0.3	Soil	Granular	No	5.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270268.63	634308.93	0.3	Soil	Granular	No	4.63	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270263.93	634309.4	0.3	Soil	Granular	No	4.63	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270589.4	634306.23	0.3	Soil	Granular	No	3.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268460.51	630416.45	0.3	Soil	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268944.07	630716.84	0.3	Soil	Granular	No	6.60	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	269168.26	630504.98	0.3	Soil	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269062.92	630316.39	0.3	Soil	Granular	No	2.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269156.13	630320.23	0.3	Soil	Granular	No	4.72	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269762.33	629822.51	0.3	Soil	Granular	No	2.76	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268859.02	629422.05	0.3	Soil	Granular	No	7.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268958.93	629421.43	0.3	Soil	Granular	No	8.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268965.46	629512.46	0.3	Soil	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268956.95	629623.77	0.3	Soil	Granular	No	5.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268667.3	629910.73	0.3	Soil	Granular	No	6.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268567.16	634518.46	0.3	Soil	Granular	No	12.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268565.47	629921.54	0.3	Soil	Granular	No	6.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268563.29	630417.02	0.3	Soil	Granular	No	5.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269465.17	630415.85	0.3	Soil	Granular	No	8.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273554.87	634634.32	0.3	Soil	Granular	No	1.81	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	273160.41	634520.54	0.3	Soil	Granular	No	3.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270663.28	631116.82	0.4	Soil	Granular	No	8.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270863.44	631219.19	0.4	Soil	Granular	No	5.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271367.5	631319.72	0.4	Soil	Granular	No	8.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272461.14	632118.96	0.4	Soil	Granular	No	6.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273155.26	631319.91	0.4	Soil	Granular	No	6.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272262.53	631013.89	0.4	Soil	Granular	No	8.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271062.19	630318.8	0.4	Soil	Granular	No	4.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271718.39	630013.75	0.4	Soil	Granular	No	16.56	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272069.59	631321.32	0.4	Soil	Granular	No	4.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271371.26	631216.26	0.4	Soil	Granular	No	8.43	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270859.71	630819.8	0.4	Soil	Granular	No	4.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271065.94	630809.69	0.4	Soil	Granular	No	8.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271659.96	630818.48	0.4	Soil	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270159.19	630217.33	0.4	Soil	Granular	No	3.27	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271361.46	631121.18	0.4	Soil	Granular	No	6.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270862.41	630420.63	0.4	Soil	Granular	No	8.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271255.6	629624.7	0.4	Soil	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270264.69	630419.82	0.4	Soil	Granular	No	4.08	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267561.93	635719.27	0.4	Soil	Granular	No	14.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267558.88	635817.54	0.4	Soil	Granular	No	11.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267960.29	635317.35	0.4	Soil	Granular	No	2.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271563	629720.74	0.4	Soil	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270162.82	630522.58	0.4	Soil	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269973.09	630519.6	0.4	Soil	Granular	No	7.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267664.36	635031.49	0.4	Soil	Granular	No	6.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267749.56	635027.42	0.4	Soil	Granular	No	6.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267670.58	635215.7	0.4	Soil	Granular	No	6.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267567.54	635617.31	0.4	Soil	Granular	No	13.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267681.37	635410.31	0.4	Soil	Granular	No	4.30	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267676.84	635501.1	0.4	Soil	Granular	No	7.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267767.53	635336.31	0.4	Soil	Granular	No	6.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267872.27	634803.18	0.4	Soil	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267467.26	634572.74	0.4	Soil	Granular	No	11.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267276.78	634507.37	0.4	Soil	Granular	No	10.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267986.79	634219.5	0.4	Soil	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269062.05	634709.64	0.4	Soil	Granular	No	12.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269461.58	633947.92	0.4	Soil	Granular	No	3.07	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269829.81	634925.49	0.4	Soil	Granular	No	8.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269862.51	635021.11	0.4	Soil	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270302.66	635228.3	0.4	Soil	Granular	No	4.79	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270262.68	635020.58	0.4	Soil	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270171.28	634980.4	0.4	Soil	Granular	No	5.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270050.13	634966.69	0.4	Soil	Granular	No	10.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269960.8	634926.75	0.4	Soil	Granular	No	6.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269860.8	634900.21	0.4	Soil	Granular	No	10.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268907.59	630729.06	0.4	Soil	Granular	No	6.60	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	269178.16	630718.04	0.4	Soil	Granular	No	5.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269471.65	630511.47	0.4	Soil	Granular	No	8.84	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269754.18	630020.25	0.4	Soil	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268864.9	629513.65	0.4	Soil	Granular	No	5.39	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268865.05	629606.83	0.4	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268561.62	630221.57	0.4	Soil	Granular	No	6.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268554.84	630623.73	0.4	Soil	Granular	No	8.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268960.97	630220.1	0.4	Soil	Granular	No	2.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272064.52	631422.96	0.5	Soil	Granular	No	8.14	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272166.21	631017.63	0.5	Soil	Granular	No	9.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271462.34	630220.02	0.5	Soil	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271063.51	630220.52	0.5	Soil	Granular	No	4.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271861.94	631122.05	0.5	Soil	Granular	No	2.93	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271562.46	631119.45	0.5	Soil	Granular	No	3.01	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270862.15	629830.86	0.5	Soil	Granular	No	4.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270265.06	630118.06	0.5	Soil	Granular	No	4.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271861.08	629818.56	0.5	Soil	Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271662.7	629820.11	0.5	Soil	Granular	No	6.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271562.74	629820.53	0.5	Soil	Granular	No	7.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271261.83	629819.4	0.5	Soil	Granular	No	6.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270563.47	630318.71	0.5	Soil	Granular	No	4.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270852.49	629924.32	0.5	Soil	Granular	No	4.60	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271861.42	629722.86	0.5	Soil	Granular	No	3.88	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271660.72	629719.47	0.5	Soil	Granular	No	4.01	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271460.6	629719.4	0.5	Soil	Granular	No	6.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267687.86	635498.59	0.5	Soil	Granular	No	4.63	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267689.7	635497.93	0.5	Soil	Granular	No	4.63	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267800.79	635645.52	0.5	Soil	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267461.8	634420.83	0.5	Soil	Granular	No	10.81	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267669.27	634633.63	0.5	Soil	Granular	No	9.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267578.02	634722.34	0.5	Soil	Granular	No	9.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267335.71	635781.98	0.5	Soil	Granular	No	10.61	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267164.29	634331.58	0.5	Soil	Granular	No	7.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267273.84	634227.72	0.5	Soil	Granular	No	5.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267765.4	634228.05	0.5	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267965.74	634104.78	0.5	Soil	Granular	No	9.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267859.07	634019.46	0.5	Soil	Granular	No	5.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268803.47	634620.37	0.5	Soil	Granular	No	10.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268466.94	630217.58	0.5	Soil	Granular	No	6.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269370.45	630502.76	0.5	Soil	Granular	No	8.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269068.74	630512.65	0.5	Soil	Granular	No	4.82	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268663.05	630328.13	0.5	Soil	Granular	No	4.11	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268955.77	630325.78	0.5	Soil	Granular	No	1.76	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	269263.5	630331.35	0.5	Soil	Granular	No	5.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269356.85	630320.94	0.5	Soil	Granular	No	7.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269769.11	630118.94	0.5	Soil	Granular	No	4.22	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	269061.03	629515.45	0.5	Soil	Granular	No	7.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268959.79	629682.02	0.5	Soil	Granular	No	6.47	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273068.57	634711.27	0.5	Soil	Granular	No	6.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271778.19	631213.47	0.6	Soil	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271064.21	631216.81	0.6	Soil	Granular	No	7.85	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271583.51	630285.99	0.6	Soil	Granular	No	5.75	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270850.85	629721.09	0.6	Soil	Granular	No	5.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271059.46	629521.82	0.6	Soil	Granular	No	4.06	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271260.49	629521.04	0.6	Soil	Granular	No	2.36	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271761.28	629721.06	0.6	Soil	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267562.77	635021.4	0.6	Soil	Granular	No	5.82	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267088.38	634508.38	0.6	Soil	Granular	No	9.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267764.15	634937.16	0.6	Soil	Granular	No	7.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267887.79	634420.74	0.6	Soil	Granular	No	7.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268174.93	634121.57	0.6	Soil	Granular	No	10.98	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	268455.74	630014.6	0.6	Soil	Granular	No	4.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268452.78	630116.74	0.6	Soil	Granular	No	5.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269638.11	630516.05	0.6	Soil	Granular	No	7.97	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269270.2	630502.02	0.6	Soil	Granular	No	5.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269460.8	630320.84	0.6	Soil	Granular	No	9.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269263.22	629318.27	0.6	Soil	Granular	No	4.85	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268767.35	629313.02	0.6	Soil	Granular	No	5.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269054.17	629427.14	0.6	Soil	Granular	No	8.20	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268664.22	630013.5	0.6	Soil	Granular	No	3.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273159.66	634426.77	0.6	Soil	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272667.16	633706.65	0.6	Soil	Granular	No	0.76	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	272085.42	634224.3	0.6	Soil	Granular	No	6.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273058.4	634108.02	0.6	Soil	Granular	No	7.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272752.6	631127.75	0.7	Soil	Granular	No	7.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273062.2	631299.32	0.7	Soil	Granular	No	7.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272172.77	631221.03	0.7	Soil	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270756.47	630811.36	0.7	Soil	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271062.57	630520.82	0.7	Soil	Granular	No	4.22	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271262.25	630220.91	0.7	Soil	Granular	No	6.65	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270357.35	630432.2	0.7	Soil	Granular	No	5.39	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271362.21	629720.33	0.7	Soil	Granular	No	6.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267471.61	634939.62	0.7	Soil	Granular	No	8.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267561.15	634928.37	0.7	Soil	Granular	No	8.10	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267878.69	634713.86	0.7	Soil	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267735.31	634722.52	0.7	Soil	Granular	No	11.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267886.2	634827.49	0.7	Soil	Granular	No	7.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267961.27	634879.73	0.7	Soil	Granular	No	5.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267265.63	634419.04	0.7	Soil	Granular	No	11.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267371.08	634133.97	0.7	Soil	Granular	No	4.78	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267180.16	634599.94	0.7	Soil	Granular	No	11.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267659.6	634931.08	0.7	Soil	Granular	No	7.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267860.43	634181.65	0.7	Soil	Granular	No	8.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268469.37	629913.05	0.7	Soil	Granular	No	9.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268460.36	630523.11	0.7	Soil	Granular	No	5.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268867.15	630839.9	0.7	Soil	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268759.79	630322.78	0.7	Soil	Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269057.13	629319.53	0.7	Soil	Granular	No	7.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269061.94	630114.77	0.7	Soil	Granular	No	2.32	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273162.65	633725.77	0.7	Soil	Granular	No	7.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272667.36	634109.63	0.7	Soil	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272282.79	634216.9	0.7	Soil	Granular	No	12.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273050.21	634018.11	0.7	Soil	Granular	No	8.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272355.33	631121.69	0.8	Soil	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272769.89	631320.09	0.8	Soil	Granular	No	3.60	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271968.57	631222.17	0.8	Soil	Granular	No	8.59	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270963	631216.03	0.8	Soil	Granular	No	8.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271362.05	630520.68	0.8	Soil	Granular	No	0.51	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	271166.2	630219.71	0.8	Soil	Granular	No	6.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270259.28	630219.37	0.8	Soil	Granular	No	4.89	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271152.42	629626.03	0.8	Soil	Granular	No	4.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270957.25	629826.46	0.8	Soil	Granular	No	6.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270064.08	630421.26	0.8	Soil	Granular	No	0.60	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	271361.99	629617.94	0.8	Soil	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271462.36	629617.92	0.8	Soil	Granular	No	2.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270961.03	629723.46	0.8	Soil	Granular	No	5.10	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267478.15	635213.37	0.8	Soil	Granular	No	7.29	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267759.37	635428.5	0.8	Soil	Granular	No	6.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267264.02	634303.58	0.8	Soil	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267141.73	634531.26	0.8	Soil	Granular	No	11.20	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267470.5	634831.12	0.8	Soil	Granular	No	6.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267855.04	633917.44	0.8	Soil	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	268778.47	634528.62	0.8	Soil	Granular	No	11.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268759.23	630800.61	0.8	Soil	Granular	No	6.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269160.67	630119.95	0.8	Soil	Granular	No	2.54	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269260.91	630122.88	0.8	Soil	Granular	No	4.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268367.94	634513.23	0.8	Soil	Granular	No	7.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273176.03	633930.61	0.8	Soil	Granular	No	6.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272961.26	633526.44	0.8	Soil	Granular	No	8.80	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272962.29	633433.86	0.8	Soil	Granular	No	5.97	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272872.14	633522.83	0.8	Soil	Granular	No	11.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272347.31	634219.67	0.8	Soil	Granular	No	12.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273068.53	634305.25	0.8	Soil	Granular	No	6.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272972.04	631318.51	0.9	Soil	Granular	No	4.22	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272470.03	631317.72	0.9	Soil	Granular	No	5.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271553.74	631234.01	0.9	Soil	Granular	No	4.45	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271472.25	631216.19	0.9	Soil	Granular	No	6.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271148.35	630827.31	0.9	Soil	Granular	No	7.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271459.64	630845.35	0.9	Soil	Granular	No	5.87	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271567.6	630834.51	0.9	Soil	Granular	No	9.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271461.72	630519.25	0.9	Soil	Granular	No	3.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270461.31	630215.3	0.9	Soil	Granular	No	6.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271058.74	629623.49	0.9	Soil	Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271562.47	629619.57	0.9	Soil	Granular	No	3.29	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271061.66	629718.16	0.9	Soil	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270666.76	630517.04	0.9	Soil	Granular	No	8.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267544.94	635331.4	0.9	Soil	Granular	No	4.27	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267555.58	635239.68	0.9	Soil	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267750.13	635104.21	0.9	Soil	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267560.99	635122.61	0.9	Soil	Granular	No	4.76	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268056.84	635354.89	0.9	Soil	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267159.16	634404.07	0.9	Soil	Granular	No	11.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267337.89	634823.3	0.9	Soil	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267368.64	634739.75	0.9	Soil	Granular	No	11.10	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268321.82	634817.26	0.9	Soil	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268288.86	634836.61	0.9	Soil	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268251.99	634911.84	0.9	Soil	Granular	No	3.80	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268336.83	634749.33	0.9	Soil	Granular	No	6.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267882.12	634553.46	0.9	Soil	Granular	No	7.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268167.89	634311.04	0.9	Soil	Granular	No	9.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268759.63	630731.01	0.9	Soil	Granular	No	6.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	269557.73	630504.21	0.9	Soil	Granular	No	7.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268572.43	630517.2	0.9	Soil	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268667.19	630116.35	0.9	Soil	Granular	No	3.92	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268758.57	630121.28	0.9	Soil	Granular	No	4.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273158.53	633632.02	0.9	Soil	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272959.5	633622.69	0.9	Soil	Granular	No	9.49	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272871.62	633611.86	0.9	Soil	Granular	No	8.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272073.66	634615.59	0.9	Soil	Granular	No	3.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272065.93	635111.27	0.9	Soil	Granular	No	8.49	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272750.67	633830.6	2.4	Soil	Granular	No	4.03	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272555.05	631219.96	1.1	Soil	Granular	No	4.63	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273374.23	634623.55	1.1	Soil	Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272749.98	633722.8	1.1	Soil	Granular	No	1.70	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	272859.96	633912.08	1.2	Soil	Granular	No	11.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272872.45	633725.98	1.2	Soil	Granular	No	6.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272755.3	633919.82	1.2	Soil	Granular	No	6.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271858	634825.51	1.2	Soil	Granular	No	4.29	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271851.45	635125.48	1.2	Soil	Granular	No	5.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271665.02	635225.63	1.2	Soil	Granular	No	6.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272884.63	634220.44	1.2	Soil	Granular	No	9.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272879.05	634426.87	1.2	Soil	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273458.86	634711.39	1.3	Soil	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	271970.39	634213.58	1.3	Soil	Granular	No	0.53	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	271862.17	634428.66	1.3	Soil	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271848.64	635218.81	1.3	Soil	Granular	No	5.85	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271858.04	635623.86	1.3	Soil	Granular	No	8.81	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271663.1	634923.26	1.3	Soil	Granular	No	1.93	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	271672.91	634810.01	1.3	Soil	Granular	No	0.34	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	271857.72	634723.16	1.4	Soil	Granular	No	2.50	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272908.79	634135.13	1.4	Soil	Granular	No	10.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273558.22	634712.32	1.5	Soil	Granular	No	2.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271859.84	635422.29	1.5	Soil	Granular	No	9.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271770.01	635625.22	1.5	Soil	Granular	No	9.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272873.75	634614.3	1.5	Soil	Granular	No	5.17	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272877.51	634324.14	1.7	Soil	Granular	No	6.82	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	272878.71	634524.17	1.7	Soil	Granular	No	4.47	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272961.37	631422.39	0.1	Soil	Granular	No	2.43	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271363.21	630719.98	0.1	Soil	Granular	No	6.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271462.66	630720.65	0.1	Soil	Granular	No	7.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269062.35	630220.78	0.1	Soil	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271871.01	635720.14	0.1	Soil	Granular	No	7.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271758.06	635686.98	0.1	Soil	Granular	No	11.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271053.46	631104.51	0.2	Soil	Granular	No	4.07	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271054.89	630701.49	0.2	Soil	Granular	No	18.78	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271160.51	630720.24	0.2	Soil	Granular	No	10.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271263.28	630720.85	0.2	Soil	Granular	No	7.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271565.95	630719.06	0.2	Soil	Granular	No	9.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271844.21	630719.06	0.2	Soil	Granular	No	5.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267360.69	635722.87	0.2	Soil	Granular	No	14.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267357.54	634419.07	0.2	Soil	Granular	No	10.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268364.99	634223	0.2	Soil	Granular	No	13.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268158.63	634210.32	0.2	Soil	Granular	No	11.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268758.64	630020.97	0.2	Soil	Granular	No	4.05	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	273268.74	634314.79	0.2	Soil	Granular	No	6.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272871.58	633809.92	0.2	Soil	Granular	No	8.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272763.48	633632.58	0.2	Soil	Granular	No	1.58	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	273063.58	634400.85	0.2	Soil	Granular	No	5.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273065.03	631418.39	0.3	Soil	Granular	No	2.28	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272861.15	631420.68	0.3	Soil	Granular	No	3.06	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	272161.36	631421.93	0.3	Soil	Granular	No	2.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270862.73	631120.06	0.3	Soil	Granular	No	5.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270863.17	630720.06	0.3	Soil	Granular	No	1.83	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	271161.95	630120.1	0.3	Soil	Granular	No	5.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270464.29	630319.57	0.3	Soil	Granular	No	1.38	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	267666.77	635918.36	0.3	Soil	Granular	No	8.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267663.67	635718.86	0.3	Soil	Granular	No	13.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267763.88	634824.48	0.3	Soil	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268221.68	634133.42	0.3	Soil	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267749.47	633915.96	0.3	Soil	Granular	No	1.82	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	268757.36	629924.99	0.3	Soil	Granular	No	5.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268862.82	630030.36	0.3	Soil	Granular	No	5.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269268	630033.28	0.3	Soil	Granular	No	10.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272852.76	634029.31	0.3	Soil	Granular	No	10.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272663.78	631220.49	0.4	Soil	Granular	No	4.17	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270963.33	630421.41	0.4	Soil	Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271262.32	630120.02	0.4	Soil	Granular	No	6.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270662.41	630120	0.4	Soil	Granular	No	3.55	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270662.53	629918.67	0.4	Soil	Granular	No	3.57	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270762.47	629919.79	0.4	Soil	Granular	No	3.76	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271962.6	629821.78	0.4	Soil	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270664.41	630319.32	0.4	Soil	Granular	No	6.15	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267761.14	635728.28	0.4	Soil	Granular	No	12.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267964.71	635121.04	0.4	Soil	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	268160.42	634615.64	0.4	Soil	Granular	No	4.72	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	268062.67	634359.31	0.4	Soil	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273271.3	634431.27	0.4	Soil	Granular	No	9.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271843.46	634904.3	0.4	Soil	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271661.11	631116.79	0.5	Soil	Granular	No	3.43	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271161.7	631119.86	0.5	Soil	Granular	No	5.61	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270764.19	630720.52	0.5	Soil	Granular	No	1.10	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	271262.85	630420.4	0.5	Soil	Granular	No	1.36	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	271561.11	630417.72	0.5	Soil	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271462.03	630120.08	0.5	Soil	Granular	No	6.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271061.86	630121.11	0.5	Soil	Granular	No	5.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	270862.2	630121.5	0.5	Soil	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	270863.63	629920.49	0.5	Soil	Granular	No	4.60	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	271762.17	629820.36	0.5	Soil	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267449.45	634178.5	0.5	Soil	Granular	No	6.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268769.06	630516.98	0.5	Soil	Granular	No	5.14	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	269071.98	630013.76	0.5	Soil	Granular	No	5.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273354.92	634405.28	0.5	Soil	Granular	No	7.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273272.65	634525.06	0.5	Soil	Granular	No	5.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	273272.89	634216.62	0.5	Soil	Granular	No	5.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	271847.82	635328.64	0.5	Soil	Granular	No	7.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	272855.52	634665	0.5	Soil	Granular	No	8.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	268867.98	630518.99	0.6	Soil	Granular	No	4.54	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269167.2	630029.79	0.6	Soil	Granular	No	6.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271859.22	634517.45	0.6	Soil	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271865.07	635526.28	0.6	Soil	Granular	No	8.86	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272762.76	631220.16	0.7	Soil	Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268857.72	630313.64	0.7	Soil	Granular	No	1.94	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	269361.51	630022.28	0.7	Soil	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273444.58	634625.24	0.7	Soil	Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271864.25	634219.14	0.7	Soil	Granular	No	2.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271856.37	634627.5	0.7	Soil	Granular	No	2.40	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271850.81	635024.9	0.7	Soil	Granular	No	5.17	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273371.89	634705.09	0.8	Soil	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273264.16	634701.68	0.8	Soil	Granular	No	8.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271863.17	635818.59	0.8	Soil	Granular	No	6.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272751.06	634022.63	0.9	Soil	Granular	No	7.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272744.08	634125.2	0.9	Soil	Granular	No	6.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271660.98	635121.08	0.9	Soil	Granular	No	2.93	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271670.49	634720.17	0.9	Soil	Granular	No	2.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272254.14	635524.17	1.5	Soil	Rock	No	4.36	Thin Peat	1	3	2	2	12	Low
ITPEnergised		1	272254.85	631116.29	0.1	Soil	Rock	No	6.83	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	269142.51	634709.87	0.1	Soil	Rock	No	5.08	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	269660.74	630319.65	0.1	Soil	Rock	No	7.59	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	268858.19	630124.49	0.1	Soil	Rock	No	4.71	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		1	269675.66	630524.94	0.1	Soil	Rock	No	7.13	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	268966.98	630027.97	0.1	Soil	Rock	No	6.68	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	267893.35	634693.39	0.2	Soil	Rock	No	7.53	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	268872.44	629316.16	0.2	Soil	Rock	No	5.38	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	268759.31	629417.76	0.3	Soil	Rock	No	6.14	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	273165.5	634621.95	0.3	Soil	Rock	No	4.17	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		1	272181.39	634207.11	0.3	Soil	Rock	No	10.22	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	273163.91	634327.69	0.5	Soil	Rock	No	5.54	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	270567.49	630421.04	0.6	Soil	Rock	No	8.65	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	271960.25	631309.76	0.8	Soil	Rock	No	9.14	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	269059.82	634620.52	0.8	Soil	Rock	No	13.62	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	272064.17	635509.24	0.8	Soil	Rock	No	6.40	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	268973.01	634707.85	0.9	Soil	Rock	No	5.21	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		1	271670.67	635020.11	1	Soil	Cohesive	No	2.82	Thin Peat	1	3	2	2	12	Low
ITPEnergised		1	271866.03	634316.98	2	Soil	Cohesive	No	3.88	Thick Peat	1	2	2	2	8	Low
ITPEnergised		1	273256.7	634624.73	1	Soil	Cohesive	No	6.33	Thin Peat	1	3	3	2	18	Medium

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	267252.05	635802.93	1	Soil	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267369.05	634221.45	1	Soil	Granular	No	4.29	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267459.75	635821.31	0	Soil	Granular	No	9.34	No Peat	1	0	3	1	0	None
ITPEnergised		1	267672.13	635114.98	1	Soil	Granular	No	4.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267872.18	633876.14	1	Soil	Granular	No	5.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267962.2	634370.61	2	Soil	Granular	No	6.99	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	267962.36	635121.67	1	Soil	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	268260.67	634620.58	0	Soil	Granular	No	5.84	No Peat	1	0	3	1	0	None
ITPEnergised		1	268308.89	634840.44	0	Soil	Granular	No	5.12	No Peat	1	0	3	1	0	None
ITPEnergised		1	268466.79	630313.96	1	Soil	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	268970.03	630519.85	1	Soil	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	269760.22	629923.72	0	Soil	Granular	No	4.39	No Peat	1	0	2	1	0	None
ITPEnergised		1	269980.48	630212.93	1	Soil	Granular	No	4.68	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270361.01	630520.88	1	Soil	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270560.57	630217.84	2	Soil	Granular	No	4.56	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	270561.82	630520.92	1	Soil	Granular	No	6.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270764.28	630419.62	0	Soil	Granular	No	10.05	No Peat	1	0	3	1	0	None
ITPEnergised		1	270962.12	630220.3	1	Soil	Granular	No	3.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	270962.44	629643.91	1	Soil	Granular	No	4.77	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271142.26	631209.02	1	Soil	Granular	No	6.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	271260.71	629718.89	2	Soil	Granular	No	5.74	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	271480.38	634715.97	1	Soil	Granular	No	2.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271563.21	634921.75	1	Soil	Granular	No	2.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	271872.88	634316.59	2	Soil	Granular	No	3.88	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	271977.1	634309.81	1	Soil	Granular	No	5.17	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272065.02	634907.13	1	Soil	Granular	No	7.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272148.86	635529.11	1	Soil	Granular	No	5.92	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272165.88	635610.61	1	Soil	Granular	No	3.91	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272266.67	631312.24	1	Soil	Granular	No	4.15	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272444.98	631116.66	1	Soil	Granular	No	4.22	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	272559.89	631316.66	2	Soil	Granular	No	4.32	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	272581.44	634213.68	1	Soil	Granular	No	7.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272859.86	631118.94	0	Soil	Granular	No	7.24	No Peat	1	0	3	1	0	None
ITPEnergised		1	272961.79	633723.57	1	Soil	Granular	No	8.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272971.43	633910.97	1	Soil	Granular	No	9.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	272977.6	633888.37	1	Soil	Granular	No	9.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	273063.13	634609.57	1	Soil	Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	273065.04	634204.7	2	Soil	Granular	No	6.90	Thick Peat	1	2	3	1	6	Low
ITPEnergised		1	273166.81	634695.86	1	Soil	Granular	No	6.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	270479.08	630425.35	0	Soil	Rock	No	6.72	No Peat	1	0	3	2	0	None
ITPEnergised		1	271161.62	630519.73	0	Superficial	Rock	No	2.53	No Peat	1	0	2	2	0	None
ITPEnergised		1	269458.88	630124.15	0	Superficial	Rock	No	7.74	No Peat	1	0	3	2	0	None
ITPEnergised		1	267553.48	635511.57	0.1	Superficial	Rock	No	10.47	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		1	267239	635784	0.1	Superficial	Granular	No	6.15	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267091	635801	0.1	Superficial	Granular	No	3.99	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266987	635812	0.1	Superficial	Granular	No	4.11	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266950	635762	1	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266950	635728	0.9	Peat	Granular	No	4.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266989	635689	0.9	Peat	Granular	No	4.91	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267006	635651	0.9	Peat	Granular	No	5.59	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267019	635598	0.8	Peat	Granular	No	8.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267022	635501	0.5	Peat	Granular	No	9.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267025	635459	0.1	Superficial	Granular	No	11.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267130	635568	0.1	Superficial	Granular	No	10.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267205	635639	0.1	Soil	Granular	No	13.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267314	635746	0.1	Superficial	Granular	No	14.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266727	635808	0.5	Peat	Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266760	635700	0.6	Superficial	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266745	635655	0.5	Peat	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266734	635613	0.6	Peat	Granular	No	4.43	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266694	635545	0.4	Soil	Granular	No	4.05	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	266655	635540	1	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266596	635512	0.3	Soil	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266585	635470	0.2	Superficial	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266553	635459	0.2	Superficial	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266493	635420	0.7	Peat	Granular	No	5.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266452	635408	0.2	Superficial	Granular	No	5.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266403	635391	0.3	Soil	Granular	No	5.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266382	635385	0.3	Soil	Granular	No	3.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266393	635430	0.3	Soil	Granular	No	5.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266397	635486	0.4	Peat	Granular	No	5.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266365	635666	0.5	Peat	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266298	635754	0.1	Superficial	Granular	No	4.86	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266302	635783	0.3	Soil	Granular	No	4.23	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266350	635829	0.5	Peat	Granular	No	4.10	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266654	635818	0.5	Peat	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266578	635760	0.6	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266954	635869	0.9	Peat	Granular	No	5.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266974	635975	0.5	Peat	Granular	No	4.93	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266924	635985	0.9	Peat	Granular	No	5.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266876	635995	0.9	Peat	Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266825	636004	1	Peat	Granular	No	5.29	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266789	636010	0.5	Peat	Granular	No	5.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266718	636014	0.7	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266677	636025	0.9	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266636	636033	0.7	Peat	Granular	No	4.74	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266579	636044	0.9	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266517	636066	1.1	Peat	Granular	No	4.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266482	636087	0.6	Peat	Granular	No	3.20	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266447	636115	0.7	Peat	Granular	No	3.28	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266406	636134	0.9	Peat	Granular	No	3.28	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266359	636149	0.4	Peat	Granular	No	2.44	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266338	636133	0.4	Peat	Granular	No	2.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266299	636103	0.7	Peat	Granular	No	2.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266251	636078	0.4	Peat	Granular	No	1.74	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	266213	636097	0.5	Peat	Granular	No	1.56	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	266175	636125	0.6	Peat	Granular	No	2.03	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266128	636147	0.2	Soil	Granular	No	2.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266125	636069	0.5	Peat	Granular	No	2.36	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266124	636032	0.9	Peat	Granular	No	2.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266097	636149	0.9	Peat	Granular	No	3.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266051	636124	0.8	Peat	Granular	No	3.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266009	636102	0.8	Peat	Granular	No	4.16	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	265959	636112	0.1	Soil	Granular	No	4.99	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265916	636096	0.2	Superficial	Granular	No	4.89	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265916	636095	0		Granular	No	4.89	No Peat	1	0	2	1	0	None
ITPEnergised		1	266166	636249	0.9	Peat	Granular	No	2.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266235	636326	0.6	Peat	Granular	No	3.22	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266306	636370	0.3	Soil	Granular	No	11.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266269	636410	0.5	Peat	Granular	No	11.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266203	636488	0.3	Superficial	Granular	No	10.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266138	636558	0.5	Peat	Granular	No	6.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266152	636486	0.6	Peat	Granular	No	7.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266117	636454	0.6	Peat	Granular	No	6.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266076	636411	0.4	Peat	Granular	No	5.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266038	636369	0.5	Peat	Granular	No	6.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266015	636337	0.6	Peat	Granular	No	4.91	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266001	636310	0.5	Peat	Granular	No	4.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265988	636260	0.8	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	265967	636215	0.8	Peat	Granular	No	4.45	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	265932	636178	0.9	Peat	Granular	No	4.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	265682	636481	0.9	Peat	Granular	No	2.40	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	265700	636403	0.2	Soil	Granular	No	2.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265755	636249	0.2	Soil	Granular	No	5.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267285	635778	0.1	Superficial	Granular	No	8.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267189	635790	0.1	Superficial	Granular	No	5.29	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267137	635798	0.1	Superficial	Granular	No	4.73	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267037	635811	0.1	Superficial	Granular	No	3.77	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266937	635814	0.1	Superficial	Granular	No	4.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267014	635553	0.2	Soil	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267060	635495	0.1	Superficial	Granular	No	14.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267098	635530	0.1	Superficial	Granular	No	11.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267163	635607	0.1	Superficial	Granular	No	10.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267244	635670	0.1	Superficial	Granular	No	10.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266880	635823	0.1	Superficial	Granular	No	4.47	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266832	635826	0.1	Superficial	Granular	No	4.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266772	635831	0.1	Superficial	Granular	No	4.48	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266722	635835	0.1	Superficial	Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266697	635839	0.1	Superficial	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266629	635849	0.1	Superficial	Granular	No	4.46	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266586	635855	0.1	Superficial	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266533	635861	0.1	Superficial	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266486	635867	0.1	Superficial	Granular	No	3.32	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266434	635873	0.1	Superficial	Granular	No	2.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266387	635883	0.1	Superficial	Granular	No	3.30	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266364	635882	0.1	Superficial	Granular	No	3.30	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266324	635865	0.1	Superficial	Granular	No	4.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266293	635841	0.1	Superficial	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266265	635816	0.1	Superficial	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266228	635786	0.1	Superficial	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266196	635764	0.1	Superficial	Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266157	635726	0.1	Superficial	Granular	No	4.22	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266140	635699	0.1	Superficial	Granular	No	3.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266123	635672	0.1	Superficial	Granular	No	3.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266742	635749	0.4	Soil	Granular	No	4.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266699	635745	0.7	Peat	Granular	No	4.20	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266656	635726	0.5	Peat	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266622	635686	0.5	Peat	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266596	635662	0.5	Peat	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266551	635691	0.5	Peat	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266520	635717	0.5	Peat	Granular	No	4.29	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266479	635694	0.9	Peat	Granular	No	4.22	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266441	635662	0.8	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266399	635632	0.4	Peat	Granular	No	4.85	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266404	635578	0.4	Soil	Granular	No	4.78	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266400	635531	0.8	Soil	Granular	No	5.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266333	635707	0.5	Peat	Granular	No	4.59	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266279	635761	0.3	Peat	Granular	No	4.86	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266327	635810	0.5	Peat	Granular	No	4.10	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266365	635855	0.6	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266615	635786	0.5	Peat	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266965	635927	0.9	Peat	Granular	No	5.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266923	635936	0.9	Peat	Granular	No	5.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266875	635935	0.5	Peat	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266821	635931	0.4	Peat	Granular	No	5.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266775	635934	1	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266724	635945	0.8	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266674	635942	0.8	Peat	Granular	No	5.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266621	635949	0.8	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266574	635947	0.6	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266520	635953	0.7	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266472	635964	1	Peat	Granular	No	3.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266434	635992	0.3	Peat	Granular	No	2.83	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	266396	636016	0.4	Peat	Granular	No	2.28	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266341	636017	0.2	Peat	Granular	No	2.05	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266291	636011	0.2	Peat	Granular	No	1.76	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	266247	635993	0.3	Peat	Granular	No	1.95	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	266218	635952	0.5	Peat	Granular	No	1.95	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	266184	635912	0.5	Peat	Granular	No	2.36	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266154	635915	0.3		Granular	No	2.36	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266117	635921	0.2	Peat	Granular	No	3.21	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266084	635934	0.3	Peat	Granular	No	2.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266059	635951	0.7	Peat	Granular	No	2.91	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266093	635989	0.8	Peat	Granular	No	2.91	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266027	635964	0.6	Peat	Granular	No	2.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	265985	635991	0.4	Peat	Granular	No	4.21	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265939	636019	0.3	Peat	Granular	No	4.56	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265909	636056	0.2	Peat	Granular	No	4.89	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266147	636208	0.8	Peat	Granular	No	3.49	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266203	636289	0.3	Peat	Granular	No	2.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266274	636344	0.7	Peat	Granular	No	2.45	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266234	636451	0.6	Peat	Granular	No	10.86	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266178	636523	0.8	Peat	Granular	No	8.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266088	636583	1	Peat	Granular	No	7.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266043	636580	0.6	Peat	Granular	No	7.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	265998	636561	0.2	Peat	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265950	636564	0.3	Peat	Granular	No	4.30	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265962	636546	0.3	Peat	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265938	636499	0.3	Peat	Granular	No	5.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265915	636457	0.3	Peat	Granular	No	5.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265878	636423	0.5	Peat	Granular	No	5.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265847	636383	0.4	Peat	Granular	No	5.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265810	636355	0.4	Peat	Granular	No	5.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265763	636342	0.9	Peat	Granular	No	4.85	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	265708	636355	0.8	Peat	Granular	No	1.79	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	265705	636388	0.4	Peat	Granular	No	1.79	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	265734	636429	0.2	Peat	Granular	No	1.82	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	265763	636472	0.3	Peat	Granular	No	2.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265785	636522	0.6	Peat	Granular	No	1.89	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	265801	636558	0.2	Peat	Granular	No	3.83	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265802	636590	0.4	Peat	Granular	No	3.83	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265841	636591	0.9	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	265894	636583	0.9	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	265744	636598	0.2	Peat	Granular	No	4.25	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265706	636619	0.6	Peat	Granular	No	4.93	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	265673	636627	0.2	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265638	636623	0.3	Peat	Granular	No	6.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	265651	636575	0.9	Peat	Granular	No	2.38	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	265668	636525	1	Peat	Granular	No	1.94	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	265691	636433	0.3	Peat	Granular	No	2.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	265738	636283	0.4	Peat	Granular	No	3.30	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267006	635114	0.1	Superficial	Granular	No	15.14	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266973	635153	0.1	Superficial	Granular	No	14.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266952	635194	0.1	Superficial	Granular	No	14.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266933	635237	0.1	Superficial	Granular	No	12.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266939	635289	0.1	Superficial	Granular	No	11.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266946	635317	0.1	Superficial	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266968	635359	0.1	Superficial	Granular	No	10.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266992	635400	0.1	Superficial	Granular	No	9.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267012	635436	0.1	Superficial	Granular	No	12.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267450	635574	0.1	Soil	Granular	No	17.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267458	635520	0.4	Peat	Granular	No	12.84	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267459	635467	0.4	Peat	Granular	No	9.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267458	635418	0.3	Peat	Granular	No	7.87	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	267459	635366	0.7	Peat	Granular	No	4.10	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267459	635316	0.8	Peat	Granular	No	3.47	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267457	635269	0.8	Peat	Granular	No	5.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267451	635219	0.3	Peat	Granular	No	7.29	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267448	635163	0.8	Peat	Granular	No	9.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267449	635146	0.2	Soil	Granular	No	8.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267391	635145	0.8	Peat	Granular	No	10.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267343	635139	0.2	Peat	Granular	No	11.97	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267299	635126	0.3	Peat	Granular	No	14.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267152	635214	0.2	Soil	Granular	No	15.47	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267201	635169	0.2	Peat	Granular	No	16.88	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267250	635160	0.3	Peat	Granular	No	16.88	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267100	635264	0.1	Peat	Granular	No	16.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267150	635265	0.2	Soil	Granular	No	16.50	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267197	635261	0.2	Soil	Granular	No	14.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267250	635269	0.3	Soil	Granular	No	13.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267300	635264	0.2	Soil	Granular	No	12.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267350	635262	0.3	Peat	Granular	No	10.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267401	635266	0.3	Peat	Granular	No	5.58	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267398	635375	0.4	Peat	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267356	635372	0.2	Soil	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267302	635364	0.3	Peat	Granular	No	12.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267251	635366	0.3	Peat	Granular	No	14.15	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267201	635365	0.3	Peat	Granular	No	14.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267147	635367	0.3	Peat	Granular	No	17.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267104	635367	0.2	Soil	Granular	No	17.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267060	635375	0.3	Peat	Granular	No	17.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266927	635288	0.3	Peat	Granular	No	11.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266915	635273	0.4	Peat	Granular	No	11.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266898	635228	0.3	Peat	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266904	635175	0.2	Peat	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266919	635131	0.5	Peat	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266954	635093	0.7	Peat	Granular	No	9.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266979	635061	0.3	Peat	Granular	No	9.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266836	635050	0.8	Peat	Granular	No	7.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266816	635052	0.9	Peat	Granular	No	7.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266783	635106	0	Peat	Granular	No	7.71	No Peat	1	0	3	1	0	None
ITPEnergised		1	266761	635147	0.2	Peat	Granular	No	7.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266718	635358	0.9	Peat	Granular	No	5.87	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266712	635410	0.6	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266709	635456	0.7	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266708	635512	0.6	Peat	Granular	No	4.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266721	635548	0.7	Peat	Granular	No	4.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266748	635566	0.7	Peat	Granular	No	4.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266806	635644	0.9	Peat	Granular	No	5.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266887	635693	1.2	Peat	Granular	No	3.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267507	635615	0.2	Soil	Granular	No	15.08	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267507	635568	0.1	Superficial	Granular	No	14.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267504	635519	0.1	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267512	635466	0.2	Soil	Granular	No	7.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267508	635421	0.6	Peat	Granular	No	3.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267496	635368	1.2	Peat	Granular	No	4.10	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267499	635310	0.9	Peat	Granular	No	3.47	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267503	635269	0.9	Peat	Granular	No	5.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267499	635216	1.1	Peat	Granular	No	7.29	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267504	635169	0.2	Soil	Granular	No	5.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267410	635218	0.4	Peat	Granular	No	8.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267360	635226	0.3	Soil	Granular	No	10.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267301	635234	0.3	Soil	Granular	No	12.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267260	635231	0.2	Soil	Granular	No	14.47	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267185	635228	0.2	Soil	Granular	No	15.47	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	267149	635315	0.4	Peat	Granular	No	17.14	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267107	635316	0.5	Peat	Granular	No	17.14	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267052	635315	0.4	Soil	Granular	No	17.52	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267192	635324	0.1	Soil	Granular	No	13.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267236	635316	0.1	Soil	Granular	No	13.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267292	635316	0.2	Soil	Granular	No	13.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267339	635323	0.2	Soil	Granular	No	11.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267402	635315	0.1	Soil	Granular	No	4.76	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267390	635410	0.2	Soil	Granular	No	12.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267388	635459	0.2	Soil	Granular	No	13.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267402	635515	0.4	Soil	Granular	No	14.68	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267358	635447	0.8	Peat	Granular	No	12.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267356	635421	0.8	Peat	Granular	No	12.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267291	635394	0.9	Peat	Granular	No	14.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267254	635405	0.5	Peat	Granular	No	15.56	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267208	635405	0.5	Peat	Granular	No	16.17	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267162	635410	0.5	Peat	Granular	No	16.47	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267107	635409	0.5	Peat	Granular	No	17.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267074	635408	0.2	Soil	Granular	No	16.77	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266985	635436	0.3	Soil	Granular	No	9.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266945	635410	0.7	Peat	Granular	No	8.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266897	635389	0.3	Soil	Granular	No	8.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266857	635369	0.4	Peat	Granular	No	8.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266811	635346	0.6	Peat	Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266762	635325	0.4	Peat	Granular	No	6.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266688	635292	0.5	Peat	Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266654	635275	0.5	Peat	Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266624	635261	0.7	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266585	635243	0.4	Soil	Granular	No	7.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266688	635251	0.5	Peat	Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266726	635209	1.1	Peat	Granular	No	7.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266747	635187	0.9	Peat	Granular	No	7.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266610	635321	0.9	Peat	Granular	No	4.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266573	635353	0.7	Peat	Granular	No	4.20	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266541	635382	0.9	Peat	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266778	635596	0.8	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266834	635681	1	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266930	635720	0.9	Peat	Granular	No	4.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266738	635260	1	Peat	Granular	No	6.81	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266742	635225	1	Peat	Granular	No	7.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266722	635307	0.9	Peat	Granular	No	6.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267372	635827	0.7	Peat	Granular	No	9.75	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267293	635858	1	Peat	Granular	No	5.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267193	635876	0.4	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267099	635903	0.9	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267004	635940	1.1	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266902	636039	0.9	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266804	636086	0.4	Peat	Granular	No	5.81	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266715	636107	0.8	Peat	Granular	No	5.17	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266623	636135	0.3	Soil	Granular	No	6.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266535	636163	0.7	Peat	Granular	No	8.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266345	636190	0.5	Peat	Granular	No	2.56	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266328	636230	0.3	Soil	Granular	No	1.90	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	266278	636316	0.9	Peat	Granular	No	2.45	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266277	636349	0.4	Peat	Granular	No	2.45	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266096	635921	0.4	Soil	Granular	No	2.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266237	635909	0.4	Soil	Granular	No	2.56	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266291	635898	0.2	Soil	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266341	635889	0.1	Soil	Granular	No	4.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267388	635864	0.4	Peat	Granular	No	8.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267351	635865	0.3	Peat	Granular	No	8.98	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	267240	635868	0.9	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267153	635892	0.2	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267053	635911	0.2	Peat	Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266935	636021	0.4	Peat	Granular	No	5.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266864	636081	0.9	Peat	Granular	No	5.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266779	636098	0.6	Peat	Granular	No	5.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266578	636157	0.3	Peat	Granular	No	8.20	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266307	636278	0.3	Soil	Granular	No	2.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267288	635768	0.1	Soil	Granular	No	8.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267262	635771	0.7	Peat	Granular	No	8.17	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267170	635768	0.9	Peat	Granular	No	5.29	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267180	635709	0.9	Peat	Granular	No	6.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267159	635696	0.5	Peat	Granular	No	7.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267157	635672	0.8	Peat	Granular	No	7.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267065	635602	0.6	Peat	Granular	No	7.29	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267041	635664	0.5	Peat	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267024	635726	1.6	Peat	Granular	No	4.75	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		1	267047	635751	0.9	Peat	Granular	No	3.78	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	267052	635715	0.9	Peat	Granular	No	5.49	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266989	635744	0.9	Peat	Granular	No	4.22	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266906	635672	0.2	Superficial	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266899	635628	0.2	Superficial	Granular	No	4.54	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266867	635568	0.2	Soil	Granular	No	5.61	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266897	635558	0.8	Peat	Granular	No	5.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266889	635522	0.7	Peat	Granular	No	6.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266884	635458	0.7	Peat	Granular	No	7.75	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266848	635421	0.9	Peat	Granular	No	6.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266806	635435	0.7	Peat	Granular	No	6.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266797	635460	1	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266804	635519	0.3	Superficial	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266801	635573	0.4	Soil	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266762	635524	0.9	Peat	Granular	No	5.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266614	635470	0.6	Peat	Granular	No	4.89	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266605	635416	0.2	Soil	Granular	No	5.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266606	635375	0.2	Soil	Granular	No	5.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266536	635413	0.4	Superficial	Granular	No	4.01	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266442	635457	0.2	Soil	Granular	No	5.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266461	635502	0.2	Soil	Granular	No	4.27	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266486	635510	0.4	Soil	Granular	No	4.27	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266409	635665	0.7	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266401	635699	0.7	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266396	635755	0.5	Peat	Granular	No	3.19	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266387	635805	0.7	Peat	Granular	No	3.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266448	635829	0.7	Peat	Granular	No	2.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266491	635777	0.4	Soil	Granular	No	4.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	267202	635764	0.4	Peat	Granular	No	6.15	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267210	635721	0.9	Peat	Granular	No	8.17	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267203	635665	0.7	Peat	Granular	No	10.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267102	635612	0.9	Peat	Granular	No	8.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267096	635671	0.7	Peat	Granular	No	6.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	267103	635716	0.5	Peat	Granular	No	6.14	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	267106	635770	1	Peat	Granular	No	4.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266954	635665	0.7	Peat	Granular	No	4.91	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266942	635619	1.1	Peat	Granular	No	4.22	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266965	635569	0.5	Peat	Granular	No	6.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266959	635518	0.2	Peat	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266971	635470	0.8	Peat	Granular	No	8.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266861	635463	1.2	Peat	Granular	No	7.75	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266849	635514	0.3	Peat	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266861	635615	0.7	Peat	Granular	No	4.54	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266649	635514	1.2	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		1	266648	635470	0.9	Peat	Granular	No	4.89	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266657	635412	0.4	Peat	Granular	No	5.61	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266657	635365	0.5	Peat	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266659	635310	0.4	Peat	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266359	635908	0.5	Peat	Granular	No	3.56	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266354	635958	0.5	Peat	Granular	No	3.17	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266343	636050	0.6	Peat	Granular	No	1.69	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	266399	636051	0.6	Peat	Granular	No	1.50	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	266436	636052	0.8	Peat	Granular	No	2.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266435	636022	0.8	Peat	Granular	No	2.49	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266488	636006	0.8	Peat	Granular	No	3.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266314	636156	0.3	Soil	Granular	No	2.56	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266267	636225	0.5	Peat	Granular	No	1.71	Peaty Soil	1	1	0	1	0	None
ITPEnergised		1	266252	636165	0.8	Peat	Granular	No	2.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266261	636259	0.7	Peat	Granular	No	1.67	Thin Peat	1	3	0	1	0	None
ITPEnergised		1	266251	636304	0.5	Peat	Granular	No	2.45	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		1	266220	636354	0.9	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		1	266206	636414	0.4	Soil	Granular	No	7.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266071	636461	0.2	Soil	Granular	No	6.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266055	636486	0.4	Soil	Granular	No	6.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266014	636501	0.7	Peat	Granular	No	7.81	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	266004	636465	0.5	Peat	Granular	No	7.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266001	636426	0.4	Soil	Granular	No	7.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		1	266102	636515	0.6	Peat	Granular	No	8.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		1	265960	636152	0.7	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269054.2	634651.61	0	Peat	Granular	No	11.73	No Peat	1	0	3	1	0	None
ITPEnergised		2	268953.95	634661.47	0	Peat	Granular	No	5.38	No Peat	1	0	3	1	0	None
ITPEnergised		2	269253.88	634381.25	0	Peat	Granular	No	5.58	No Peat	1	0	3	1	0	None
ITPEnergised		2	269214.84	634402.2	0	Peat	Granular	No	6.00	No Peat	1	0	3	1	0	None
ITPEnergised		2	267912.27	634662.97	0	Superficial	Granular	No	7.27	No Peat	1	0	3	1	0	None
ITPEnergised		2	268021.97	635292.71	0	Peat	Granular	No	4.42	No Peat	1	0	2	1	0	None
ITPEnergised		2	267684.23	634801.1	0	Soil	Granular	No	7.70	No Peat	1	0	3	1	0	None
ITPEnergised		2	267635.33	634801.44	0	Superficial	Granular	No	7.45	No Peat	1	0	3	1	0	None
ITPEnergised		2	269286.16	634370.69	2	Peat	Granular	No	5.58	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269304.67	634364.4	2	Peat	Granular	No	5.93	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269233.96	634371.6	2	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269225.24	634402.38	2	Peat	Granular	No	6.00	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269496.33	634308	2	Peat	Granular	No	7.34	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269195.6	634358.64	2	Peat	Granular	No	6.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269196.41	634401.81	2	Peat	Granular	No	6.45	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269203.41	634401.47	2	Peat	Granular	No	6.00	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267911.41	634833.24	2	Peat	Granular	No	7.00	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269241.89	634389.74	2.2	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269233.42	634392.22	2.2	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269223.91	634391.19	2.3	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269222.83	634381.53	2.3	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269244.68	634383.2	2.5	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269538.27	634273.51	2.5	Peat	Granular	No	7.49	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269556.21	634303.56	2.6	Peat	Granular	No	5.52	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268715.07	633939.63	1	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269046.91	634666.79	1	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269035.33	634680.26	1	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269025.78	634667.92	1	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269022.35	634651.51	1	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268978.58	634629.19	1	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268972.43	634641.14	1	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268965.02	634623.6	1	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269825.91	634701.4	1	Peat	Granular	No	5.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269814.07	634689.85	1	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269812.91	634679.16	1	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269803.36	634660.53	1	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269765.27	634650.75	1	Peat	Granular	No	5.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268996.11	634672.51	1	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268997.05	634673.6	1	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269013.72	634665.08	1	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268965.75	634643.22	1	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268951.11	634610.64	1	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268944.86	634610.99	1	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268944.81	634621.29	1	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269703.29	634538.93	1	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269699.73	634575.56	1	Peat	Granular	No	7.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269577.9	634468.14	1	Peat	Granular	No	6.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269602.9	634488.78	1	Peat	Granular	No	7.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269582.25	634352.68	1	Peat	Granular	No	6.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269212.83	634412.79	1	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269185.3	634425.25	1	Peat	Granular	No	6.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269147.03	634426.58	1	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269043.35	634002.52	1	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269014.7	633961.12	1	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269000.84	633977.68	1	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268993.91	633941.84	1	Superficial	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268935.26	633879.03	1	Peat	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269721	634619.46	1	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269460.4	634340.35	1	Peat	Granular	No	7.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269144.18	634361.65	1	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269126.46	634377.21	1	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269124.59	634393.82	1	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269135.64	634392.86	1	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269145.12	634386.6	1	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269162.04	634390.2	1	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268922.3	633791.88	1	Peat	Granular	No	8.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268914.68	633801.56	1	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268882.99	633793.91	1	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268867.75	633803.5	1	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268935.44	633811.09	1	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268245.37	634773.99	1	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268233.68	634763.34	1	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268243.11	634753.55	1	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268257.96	634753.31	1	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268224.79	634732.63	1	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268174.7	634712.09	1	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268148.86	634670.21	1	Peat	Granular	No	3.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268140.93	634688.96	1	Peat	Granular	No	3.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268182.85	634736.53	1	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268200.46	634748.54	1	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267568.08	634638.69	1	Peat	Granular	No	10.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268315.22	634830.71	1	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268313.59	634840.33	1	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268313.1	634792.41	1	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268059.27	634709.96	1	Peat	Granular	No	3.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268028.82	634749.77	1	Peat	Granular	No	4.24	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267728.68	634678.92	1	Peat	Granular	No	10.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267733.69	634672.14	1	Peat	Granular	No	10.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267533.99	634693.2	1	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267752.24	634470.5	1	Peat	Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267766.41	634459.55	1	Peat	Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267794.07	634430.29	1	Peat	Granular	No	7.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267813.37	634421.1	1	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267824.11	634361.32	1	Peat	Granular	No	8.60	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267832.93	634361.83	1	Superficial	Granular	No	8.60	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267845.52	634371.57	1	Peat	Granular	No	8.60	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267852.83	634331.54	1	Peat	Granular	No	9.72	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267864.83	634373.6	1	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267874.38	634381.69	1	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267983.64	635222.37	1	Peat	Granular	No	4.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268021.46	635312.99	1	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268025.27	635324.09	1	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268036.55	635299.06	1	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268045.14	635311.74	1	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268044.64	635332.88	1	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268053.05	635353.02	1	Peat	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268062.99	635320.33	1	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268066.31	635300.84	1	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268055.48	635344.11	1	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268049.49	635341.95	1	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267878.14	634949.16	1	Peat	Granular	No	6.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267849.45	634853.27	1	Peat	Granular	No	7.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267859.04	634814.35	1	Peat	Granular	No	7.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267876.48	634382.72	1	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267915.31	634373.3	1	Peat	Granular	No	8.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267885.79	634362.72	1	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267927.31	634342.76	1	Peat	Granular	No	9.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267956.33	634342.33	1	Superficial	Rock	No	8.82	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	267963.91	635160.67	1	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268058.42	635297.53	1	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268081.72	635353.81	1	Peat	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267919.73	635052.1	1	Peat	Granular	No	6.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267823.78	634813.02	1	Peat	Granular	No	7.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269023.34	634003.16	1	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268990.97	634004.31	1	Peat	Granular	No	5.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268991.72	634013.78	1	Peat	Granular	No	5.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268944.64	634000.19	1	Peat	Granular	No	5.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268735.59	633912.1	1	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268693.37	633872.49	1	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269442.07	634099.4	1	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269603.24	634049.69	1	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269592.38	634042.56	1	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269588.94	634040.49	1	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269552.9	634043.46	1	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267852.45	633817.45	1	Peat	Granular	No	9.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267868.9	633853	1	Peat	Granular	No	5.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267878.57	633851.08	1	Peat	Granular	No	5.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268655.48	633900.49	1	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268674.28	633886	1	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269237.76	633966.78	1	Peat	Granular	No	8.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269286.06	633971.04	1	Peat	Granular	No	7.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269444.11	633991.82	1	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269464.21	634022.46	1	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269473.89	634042.47	1	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269484.51	634032.39	1	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269484.2	634011.84	1	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269484.71	634001.56	1	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269487.38	633986	1	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269503.23	634043.03	1	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268932.32	634612.05	1.1	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267906.15	634993.47	1.1	Peat	Granular	No	5.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269023.68	634661.58	1.1	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269770.26	634658.1	1.1	Peat	Granular	No	5.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268933.3	634630.61	1.1	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268921.75	634609.98	1.1	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268885.15	634593.53	1.1	Peat	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269312.26	634537.54	1.1	Peat	Granular	No	7.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269600.85	634397.47	1.1	Peat	Granular	No	5.82	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269091	633983.29	1.1	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269774.59	634620.98	1.1	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269755.51	634642.15	1.1	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269746.59	634623.45	1.1	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269742.95	634627.64	1.1	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269524.9	634260.93	1.1	Peat	Cohesive	No	7.49	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	269489.23	634302.37	1.1	Peat	Granular	No	7.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269412.33	634373.45	1.1	Peat	Granular	No	9.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269361.5	634378.29	1.1	Peat	Granular	No	7.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269134.7	634385.41	1.1	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269155.63	634382.5	1.1	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269153.18	634389.74	1.1	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269155.79	634400.95	1.1	Peat	Granular	No	6.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268965.99	633790.7	1.1	Peat	Granular	No	7.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268916.48	633793.47	1.1	Peat	Granular	No	8.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268904.91	633802.11	1.1	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268889.6	633794.2	1.1	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268873.66	633794.34	1.1	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268885.05	633819.48	1.1	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268881.91	633832.27	1.1	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268203.25	634729.95	1.1	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268144.8	634692.2	1.1	Peat	Granular	No	3.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268285.08	634831.34	1.1	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268042.47	634696.33	1.1	Peat	Granular	No	5.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268042.37	634648.46	1.1	Peat	Granular	No	5.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268011.48	634660.36	1.1	Peat	Granular	No	5.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267852.83	634577.81	1.1	Peat	Granular	No	7.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267860.82	634571.96	1.1	Peat	Granular	No	7.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267824.47	634413.93	1.1	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267822.73	634402.81	1.1	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267815.1	634400.65	1.1	Peat	Cohesive	No	7.36	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	267863.09	634360.85	1.1	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267962.79	635179.47	1.1	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267965.94	635192.46	1.1	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268056.69	635361.69	1.1	Peat	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267856.65	634834.91	1.1	Peat	Granular	No	7.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267887.8	634607.82	1.1	Peat	Granular	No	7.68	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267882.66	634391.68	1.1	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267901.63	634314.21	1.1	Peat	Granular	No	9.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268943.94	634008.21	1.1	Peat	Granular	No	5.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268684.29	633862.72	1.1	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269574.52	634034.44	1.1	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269520.63	634042.77	1.1	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269524.25	634032.84	1.1	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269524.75	634009.29	1.1	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268645.22	633906.68	1.1	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268679.12	633874.72	1.1	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269135.81	633987.5	1.1	Peat	Granular	No	9.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269420.11	633985.59	1.1	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269435.24	634002.01	1.1	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269463.32	634000.32	1.1	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269473.1	634032.23	1.1	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269505.87	634050.9	1.1	Peat	Granular	No	6.20	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269504.53	634033.19	1.1	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269512.52	634012.31	1.1	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267902.31	633929.13	1.1	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269005.01	634633.11	1.2	Peat	Granular	No	8.86	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269846.74	634721.51	1.2	Peat	Granular	No	5.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269814.92	634699.42	1.2	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269780.06	634662	1.2	Peat	Granular	No	5.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269784.89	634653.95	1.2	Peat	Granular	No	5.53	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269023.54	634686.08	1.2	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268983.79	634662.7	1.2	Superficial	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268984.05	634672.84	1.2	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268994.02	634682.51	1.2	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269004.21	634683.82	1.2	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269011.81	634695.85	1.2	Peat	Cohesive	No	6.00	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	269034.55	634679.81	1.2	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268984.34	634650.98	1.2	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269573.18	634353.91	1.2	Peat	Granular	No	6.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269203.02	634424.61	1.2	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268912.17	633872.76	1.2	Peat	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269774.86	634647.59	1.2	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269786.53	634649.71	1.2	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269345	634362.58	1.2	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269149.01	634329.73	1.2	Peat	Granular	No	7.10	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269144.76	634371.43	1.2	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269124.76	634401.49	1.2	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269145.13	634376.19	1.2	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269156.23	634372.03	1.2	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269194.02	634386.36	1.2	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268890.5	633801.48	1.2	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268184.8	634725.72	1.2	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268191.58	634734.98	1.2	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268191.78	634741.01	1.2	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268329.75	634256.84	1.2	Peat	Granular	No	16.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268275.35	634831.82	1.2	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268096.73	634686.47	1.2	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267765.04	634472.53	1.2	Peat	Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267833.34	634403.55	1.2	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267957.72	635181.54	1.2	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267963.7	635200.94	1.2	Peat	Granular	No	4.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267992.91	635232.15	1.2	Peat	Granular	No	4.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268037.65	635338.79	1.2	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267872.19	634898.96	1.2	Peat	Granular	No	6.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267862.71	634526.22	1.2	Peat	Granular	No	7.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267823.02	634492.99	1.2	Peat	Granular	No	7.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267901.76	634333.56	1.2	Peat	Granular	No	9.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267896.46	634333.43	1.2	Peat	Granular	No	9.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267976.14	635192.73	1.2	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268055.77	635283.15	1.2	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267883.37	634870.52	1.2	Peat	Granular	No	6.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267890.25	634870.15	1.2	Peat	Granular	No	6.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267907	634840.83	1.2	Peat	Granular	No	7.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268943.31	634006.74	1.2	Peat	Granular	No	5.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268898.18	633972.79	1.2	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268783.52	633960.9	1.2	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268785.42	633943.92	1.2	Peat	Granular	No	6.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268695.36	633911.93	1.2	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269615.02	634050.7	1.2	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269618.71	634046.3	1.2	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269546.43	634023.55	1.2	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269546.24	634012.42	1.2	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269534.93	634039.76	1.2	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269524.22	634053.28	1.2	Peat	Granular	No	6.20	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269524.16	634002.87	1.2	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269525.25	633991.77	1.2	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269435.8	633991.68	1.2	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269444.67	634002.4	1.2	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269448.48	633984.36	1.2	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269475.33	633973.4	1.2	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269469.13	633975.67	1.2	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269457.91	633985.08	1.2	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269452.74	634001.29	1.2	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269474.26	633991.86	1.2	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269473.75	634022.34	1.2	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269484.9	634040.71	1.2	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269478.39	633985.69	1.2	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269475.67	633981.26	1.2	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269505.54	634022.74	1.2	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269512.99	634021.43	1.2	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269512.81	634031.97	1.2	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267913.75	633893.23	1.2	Peat	Granular	No	11.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269835.42	634698.92	1.3	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269004.54	634690.98	1.3	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269025.7	634694.63	1.3	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268954.47	634643.32	1.3	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269324.52	634362.29	1.3	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269334.3	634371.09	1.3	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269176.01	634424.23	1.3	Peat	Granular	No	6.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269155.56	634412.87	1.3	Peat	Granular	No	6.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269691.43	634601.57	1.3	Peat	Granular	No	6.97	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269751.58	634623.04	1.3	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269352.15	634372.04	1.3	Peat	Granular	No	7.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269144.28	634381.17	1.3	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269136.76	634403.08	1.3	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269183.07	634394.28	1.3	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268933.07	633819.6	1.3	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268216.18	634744.93	1.3	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268067.32	634697.4	1.3	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267989.35	634776.69	1.3	Peat	Granular	No	4.47	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267852.89	634369.31	1.3	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268034.02	635332.12	1.3	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268043.64	635343.3	1.3	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267885.53	634945.07	1.3	Peat	Granular	No	6.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267964.2	635153.98	1.3	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267982.45	635181.62	1.3	Superficial	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268091.92	635338.22	1.3	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267894.74	634946.75	1.3	Peat	Cohesive	No	6.23	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	268794.67	633943.01	1.3	Peat	Granular	No	6.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269623.66	634051.68	1.3	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269642.22	634061.38	1.3	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268693.39	633874.09	1.3	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268659.26	633904.94	1.3	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269454.38	633991.86	1.3	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269474.69	634011.45	1.3	Soil	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269514.78	633992.07	1.3	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269822.72	634710.01	1.4	Peat	Granular	No	5.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269773.57	634652.1	1.4	Peat	Granular	No	5.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268963.59	634652.28	1.4	Superficial	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268964.02	634662.75	1.4	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269012.43	634704.13	1.4	Peat	Granular	No	6.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269306.76	634381.38	1.4	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269322.15	634381.59	1.4	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269335.93	634360.85	1.4	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269265.94	634371.78	1.4	Peat	Granular	No	5.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269234.66	634382.81	1.4	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269225.88	634410.88	1.4	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269212.46	634370.02	1.4	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269212.7	634424	1.4	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269090.34	633989.81	1.4	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268945.45	633892.6	1.4	Peat	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269765.65	634621.99	1.4	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269763.53	634626.6	1.4	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269744.41	634642.07	1.4	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269407.67	634361.94	1.4	Peat	Granular	No	9.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269346.36	634369.74	1.4	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269201.23	634361.48	1.4	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269184.41	634373.58	1.4	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269154.59	634376.11	1.4	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269177.01	634382.68	1.4	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269202.75	634385.77	1.4	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269201.59	634374	1.4	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268227.99	634744.13	1.4	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268193.74	634720.66	1.4	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268182.77	634712.88	1.4	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268202.11	634741.27	1.4	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267815.02	634411.3	1.4	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267955.74	635170.57	1.4	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267767.28	634479.53	1.4	Peat	Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267969.1	635181.73	1.4	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267974.54	635180.67	1.4	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267985.68	635192.64	1.4	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267988.74	635201.39	1.4	Peat	Granular	No	4.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267884.54	634909.87	1.4	Peat	Granular	No	6.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268682.01	633874.47	1.4	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269662.89	634069.93	1.4	Peat	Granular	No	6.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269635.31	634061.77	1.4	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269569.41	634047.88	1.4	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267846.42	633821.74	1.4	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268670.66	633899.05	1.4	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269393.39	633992.44	1.4	Peat	Granular	No	5.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269440.8	633983.92	1.4	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269457.09	633982.39	1.4	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269463.23	633991.99	1.4	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269493.97	634011.08	1.4	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269514.17	634000.03	1.4	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267912.5	633882.28	1.4	Peat	Granular	No	11.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269304.2	634371.84	1.5	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269322.11	634372.79	1.5	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269161.18	634423.11	1.5	Peat	Granular	No	6.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269779.99	634630.49	1.5	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269163.05	634374.76	1.5	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269186.94	634384.59	1.5	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268953.04	633820.73	1.5	Peat	Granular	No	9.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267833.95	634372.11	1.5	Superficial	Granular	No	8.60	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267944.97	635159.15	1.5	Peat	Granular	No	3.60	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268055.56	635305.13	1.5	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267904.38	634823.8	1.5	Peat	Granular	No	7.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267775.99	634472.66	1.5	Peat	Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268726.49	633902.35	1.5	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269655.72	634057.93	1.5	Peat	Granular	No	6.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269663.56	634061.8	1.5	Peat	Granular	No	6.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269659.29	634080.88	1.5	Peat	Granular	No	6.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268634.2	633911.5	1.5	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269387.6	633991.56	1.5	Peat	Granular	No	5.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269483.48	633970.69	1.5	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269493.49	634002.59	1.5	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269492.48	634020.8	1.5	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269832.94	634712.92	1.6	Peat	Granular	No	5.74	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269311.8	634382.73	1.6	Peat	Granular	No	5.93	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269174	634392.42	1.6	Peat	Granular	No	6.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268193.52	634703.26	1.6	Peat	Granular	No	2.71	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268162.44	634692.37	1.6	Peat	Granular	No	3.90	Thick Peat	1	2	2	1	4	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268296.14	634830.06	1.6	Peat	Granular	No	4.34	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268305.83	634782.14	1.6	Peat	Granular	No	5.19	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267945	635171.66	1.6	Peat	Granular	No	3.60	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267983.15	635211.65	1.6	Peat	Granular	No	4.30	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268893.32	633993.41	1.6	Peat	Granular	No	7.01	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268742.44	633932.53	1.6	Peat	Granular	No	5.67	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268731.86	633922.49	1.6	Peat	Granular	No	5.67	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269654.27	634072.36	1.6	Peat	Granular	No	6.05	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269535.18	634052.65	1.6	Peat	Granular	No	6.20	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269515.26	634052.54	1.6	Peat	Granular	No	6.20	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269388.17	633974.11	1.6	Peat	Granular	No	5.02	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269390.68	633984.24	1.6	Peat	Granular	No	5.02	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269494.23	634041.05	1.6	Peat	Granular	No	6.25	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267904.13	633883.68	1.6	Peat	Granular	No	11.11	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269804.34	634694.15	1.7	Peat	Granular	No	6.24	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269799.97	634704.97	1.7	Peat	Granular	No	5.50	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269765.69	634591.67	1.7	Peat	Granular	No	4.44	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269313.16	634371.96	1.7	Peat	Granular	No	5.93	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269274.83	634369.43	1.7	Peat	Granular	No	5.58	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269263.82	634381.9	1.7	Peat	Granular	No	5.58	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269771.43	634629.98	1.7	Peat	Granular	No	5.28	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269467.25	634144.76	1.7	Peat	Granular	No	6.53	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269505.98	634180.65	1.7	Peat	Granular	No	6.35	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269525.87	634271.58	1.7	Peat	Granular	No	7.49	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269481.69	634294.59	1.7	Peat	Granular	No	7.68	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269380.57	634365.96	1.7	Peat	Granular	No	7.63	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269360.45	634360.56	1.7	Peat	Granular	No	7.63	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269354.8	634361.92	1.7	Peat	Granular	No	7.63	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269162.34	634362.27	1.7	Peat	Granular	No	6.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269176.53	634362.91	1.7	Peat	Granular	No	6.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269186.43	634363.61	1.7	Peat	Granular	No	6.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269193.05	634373.86	1.7	Peat	Granular	No	6.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269172.7	634371.91	1.7	Peat	Granular	No	6.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269137.11	634414.55	1.7	Peat	Granular	No	7.36	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269198.06	634391.44	1.7	Peat	Granular	No	6.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269165.39	634399.06	1.7	Peat	Granular	No	6.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267975.96	635212.32	1.7	Peat	Granular	No	4.30	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268753.19	633920.42	1.7	Peat	Granular	No	6.63	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269626.15	634072.06	1.7	Peat	Granular	No	5.95	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269593.13	634029.04	1.7	Peat	Granular	No	5.56	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269560.79	634043.28	1.7	Peat	Granular	No	5.56	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269514.51	634044.19	1.7	Peat	Granular	No	5.88	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268668.2	633891.59	1.7	Peat	Granular	No	7.01	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268662.82	633909.66	1.7	Peat	Granular	No	4.90	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268676.51	633891.6	1.7	Peat	Granular	No	7.01	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269342.2	633983.15	1.7	Peat	Granular	No	6.13	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269466.62	633983.13	1.7	Peat	Granular	No	4.70	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267941.66	633891.51	1.7	Peat	Granular	No	11.11	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267887.62	633848.11	1.7	Peat	Granular	No	9.32	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269285.21	634382.56	1.8	Peat	Granular	No	5.58	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269294.27	634382.57	1.8	Peat	Granular	No	5.58	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269270.61	634383.46	1.8	Peat	Granular	No	5.58	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269273.12	634390.7	1.8	Peat	Granular	No	5.58	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269253.78	634370.28	1.8	Peat	Granular	No	5.58	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269244.14	634373.04	1.8	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269213.75	634383.64	1.8	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269212.39	634392	1.8	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269202.32	634352.63	1.8	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269202.69	634391.13	1.8	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268743.78	633922.52	1.8	Peat	Granular	No	5.67	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269533.24	634062.84	1.8	Peat	Granular	No	6.20	Thick Peat	1	2	3	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269468.89	633935.28	1.8	Peat	Granular	No	3.07	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		2	269585.17	634486.8	1.9	Peat	Granular	No	6.46	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269295.12	634371.98	1.9	Peat	Granular	No	5.58	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269263.87	634391.88	1.9	Peat	Granular	No	5.58	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269253.13	634391.7	1.9	Peat	Granular	No	5.58	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269231.75	634403.46	1.9	Peat	Granular	No	6.00	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269224.14	634371.15	1.9	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269152.35	634423.23	1.9	Peat	Granular	No	6.45	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269038.64	633981.76	1.9	Peat	Granular	No	7.08	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269187.1	634411.41	1.9	Peat	Granular	No	6.45	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269615.07	634056.19	1.9	Peat	Granular	No	5.95	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268597.9	634343.4	0.1	Soil	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268382.81	634296.76	0.1	Soil	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267954.73	633890.74	0.1	Superficial	Granular	No	13.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269087.93	634668.29	0.1	Soil	Granular	No	11.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269095.48	634664.89	0.1	Soil	Granular	No	11.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269105.83	634665.53	0.1	Soil	Granular	No	6.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269073.36	634691.78	0.1	Superficial	Granular	No	11.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269013.08	634631.96	0.1	Soil	Granular	No	8.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269005.34	634660.76	0.1	Soil	Granular	No	6.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268995.23	634643.13	0.1	Soil	Granular	No	6.58	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268648.38	634360.05	0.1	Superficial	Granular	No	8.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268647.37	634367.21	0.1	Superficial	Granular	No	8.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268740.82	634384.06	0.1	Superficial	Granular	No	10.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268748.24	634377.95	0.1	Superficial	Granular	No	10.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268841.28	634421.54	0.1	Superficial	Granular	No	15.72	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268915.41	634487.94	0.1	Superficial	Granular	No	15.12	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268999.09	634543.62	0.1	Superficial	Granular	No	15.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268999.97	634533.57	0.1	Superficial	Granular	No	15.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269811.74	634672.96	0.1	Superficial	Granular	No	6.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269813.18	634673.62	0.1	Superficial	Granular	No	6.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267743.8	633651.37	0.1	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267734.2	633658.1	0.1	Soil	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267714.9	633672.36	0.1	Soil	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267705.32	633684.03	0.1	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267696.71	633688.63	0.1	Soil	Granular	No	8.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267690	633687.13	0.1	Soil	Granular	No	8.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267714.37	633682.29	0.1	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268677.92	634397.42	0.1	Superficial		No	8.96	Peaty Soil	1	1	3	0	0	None
ITPEnergised		2	268684.85	634389.24	0.1	Superficial	Granular	No	8.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268687.82	634382.03	0.1	Superficial	Granular	No	8.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268694.78	634373.82	0.1	Soil	Granular	No	8.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268699.1	634368.19	0.1	Soil	Granular	No	8.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268796.47	634398.33	0.1	Soil	Granular	No	12.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268789.97	634408.3	0.1	Soil	Granular	No	12.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268877.6	634451.8	0.1	Soil	Granular	No	12.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268870.96	634460.07	0.1	Soil	Granular	No	12.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268950.25	634516.38	0.1	Soil	Granular	No	15.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268946.96	634528.04	0.1	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269694.54	634532.63	0.1	Superficial	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269705.66	634551.38	0.1	Soil	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269694.08	634549.78	0.1	Soil	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269705.46	634560.16	0.1	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269713.97	634561.18	0.1	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269754.12	634578.28	0.1	Superficial	Granular	No	4.44	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269744.15	634572.99	0.1	Soil	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269733.38	634568.53	0.1	Soil	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269720.5	634569.64	0.1	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269712.89	634574.77	0.1	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269723.08	634573.83	0.1	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267756.67	633673.59	0.1	Superficial	Granular	No	8.31	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267749	633682.89	0.1	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267740.44	633690.28	0.1	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267724.89	633698.1	0.1	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267722.53	633693.73	0.1	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267732.68	633683.32	0.1	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269048.31	634527.67	0.1	Soil	Granular	No	12.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269050.03	634522.11	0.1	Soil	Granular	No	2.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269097.1	634527.17	0.1	Soil	Granular	No	2.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269139.51	634555.27	0.1	Soil	Granular	No	3.89	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269136.38	634560.97	0.1	Soil	Granular	No	3.89	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269185.49	634581.88	0.1	Soil	Granular	No	5.97	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269180.89	634590.15	0.1	Soil	Granular	No	5.97	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269173.5	634593.56	0.1	Soil	Granular	No	5.97	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269228	634591.3	0.1	Soil	Granular	No	4.78	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269222.5	634584.34	0.1	Soil	Granular	No	4.78	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269271.41	634566.86	0.1	Soil	Granular	No	8.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269316.74	634547.2	0.1	Soil	Granular	No	7.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269318.81	634556.85	0.1	Superficial	Granular	No	10.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269361.65	634526.93	0.1	Soil	Granular	No	4.94	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269410	634510.74	0.1	Soil	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269457.3	634496.67	0.1	Soil	Granular	No	7.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269504.89	634482.17	0.1	Soil	Granular	No	6.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269578.15	634476.27	0.1	Soil	Granular	No	6.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269623.57	634491.58	0.1	Soil	Granular	No	7.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269632.48	634491.09	0.1	Soil	Granular	No	7.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269647.35	634510.58	0.1	Soil	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269642.49	634516.15	0.1	Soil	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269621.47	634451.11	0.1	Soil	Granular	No	7.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269618.72	634444.06	0.1	Superficial	Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269608.52	634399.87	0.1	Soil	Granular	No	5.82	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269575.6	634302.91	0.1	Soil	Granular	No	5.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269073.16	633968.24	0.1	Soil	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269006.34	633953.83	0.1	Peat	Granular	No	7.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268984.16	633941.67	0.1	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268985	633930.51	0.1	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268973.78	633921.9	0.1	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268974.85	633910.56	0.1	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268983.75	633911.28	0.1	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268951.84	633904.24	0.1	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268968.01	633880.88	0.1	Superficial	Granular	No	9.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268952.74	633871.69	0.1	Superficial	Granular	No	9.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268902.98	633863.2	0.1	Superficial	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268924.83	633858.85	0.1	Superficial	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268914.78	633851.06	0.1	Superficial	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268904.09	633851.23	0.1	Superficial	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268153.45	634122.05	0.1	Superficial	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268173.35	634132.37	0.1	Superficial	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268184.07	634133.64	0.1	Superficial	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268145.88	634130.6	0.1	Superficial	Granular	No	10.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268114.41	634140.99	0.1	Superficial	Granular	No	10.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268132.92	634141.48	0.1	Superficial	Granular	No	10.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268191.72	634140.72	0.1	Superficial	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268187.13	634152.3	0.1	Superficial	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269731.61	634584.56	0.1	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269724.39	634581.27	0.1	Peat	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269693.14	634583.11	0.1	Superficial	Granular	No	7.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269683.46	634584.57	0.1	Superficial	Granular	No	7.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269483.28	634134.35	0.1	Superficial	Granular	No	6.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269511.18	634173.85	0.1	Superficial	Granular	No	6.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269536.23	634221.1	0.1	Superficial	Granular	No	7.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269530.26	634221.44	0.1	Superficial	Granular	No	7.02	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269536.76	634245.25	0.1	Superficial	Granular	No	7.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268942.09	633781.34	0.1	Superficial	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268933.51	633842.18	0.1	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268924.38	633843.51	0.1	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268184.32	634172.09	0.1	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268174.96	634173.86	0.1	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268143.16	634172.16	0.1	Soil	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268194.1	634162.37	0.1	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268186.94	634153.88	0.1	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268143.46	634150.59	0.1	Soil	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268133.03	634152.35	0.1	Soil	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268205.34	634121.86	0.1	Soil	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268209.42	634114	0.1	Soil	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268233.13	634136.95	0.1	Soil	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268245.7	634133.45	0.1	Superficial	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268254.26	634153.2	0.1	Superficial	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268244.2	634141.84	0.1	Superficial	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268274.12	634182.64	0.1	Soil	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268283.89	634162.24	0.1	Soil	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268315.18	634210.99	0.1	Soil	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268296.68	634181.07	0.1	Soil	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268234.74	634165.26	0.1	Superficial	Granular	No	15.23	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268240.55	634161.77	0.1	Superficial	Granular	No	15.23	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267549.26	634600.77	0.1	Soil	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267546.74	634604.44	0.1	Soil	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267515.68	634594.9	0.1	Soil	Granular	No	11.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267499.12	634589.11	0.1	Soil	Granular	No	11.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267457.36	634569.4	0.1	Superficial	Granular	No	11.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267445.97	634573.42	0.1	Superficial	Granular	No	12.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267595.57	634633	0.1	Soil	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267523.1	634629.2	0.1	Soil	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267513.58	634634.89	0.1	Soil	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267506.26	634639.69	0.1	Soil	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267605.35	634652.78	0.1	Soil	Granular	No	11.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267560.96	634650.56	0.1	Soil	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267472.78	634673.41	0.1	Soil	Granular	No	11.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268035.21	634122.28	0.1	Soil	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268025.02	634090.09	0.1	Soil	Granular	No	7.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268598.05	634351.06	0.1	Soil	Cohesive	No	11.79	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	268579.58	634349.33	0.1	Soil	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268541.63	634351.46	0.1	Soil	Granular	No	14.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268495.79	634337.84	0.1	Soil	Granular	No	17.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268491.6	634345.35	0.1	Soil	Granular	No	17.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268491.94	634357.24	0.1	Soil	Granular	No	15.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268440.87	634342.53	0.1	Soil	Granular	No	17.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268446.09	634336.34	0.1	Soil	Granular	No	17.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268448.92	634324.03	0.1	Soil	Granular	No	17.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268374.07	634310.17	0.1	Superficial	Granular	No	16.72	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268344.25	634292.54	0.1	Soil	Granular	No	16.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268333.75	634263.16	0.1	Soil	Granular	No	16.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268344.28	634269.97	0.1	Soil	Granular	No	16.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268365.79	634280.42	0.1	Soil	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268384.44	634291.13	0.1	Soil	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268394.55	634301.64	0.1	Soil	Granular	No	16.72	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268402.77	634308.67	0.1	Soil	Granular	No	17.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268404.21	634302.06	0.1	Soil	Granular	No	17.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268354.47	634272.69	0.1	Soil	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268336.47	634254.73	0.1	Soil	Granular	No	16.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268356.32	634251.07	0.1	Soil	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268386.55	634270.8	0.1	Soil	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268394.82	634273.59	0.1	Superficial	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268307.01	634841.83	0.1	Superficial	Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268304.44	634830.35	0.1	Superficial	Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268306.86	634813.86	0.1	Soil	Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268303.92	634800.2	0.1	Soil	Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268294.52	634771.75	0.1	Soil	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268296.35	634782.63	0.1	Superficial	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268051.22	634642.59	0.1	Peat	Granular	No	4.67	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267985	634631.24	0.1	Superficial	Granular	No	6.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267908.78	634655.87	0.1	Superficial	Granular	No	7.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267879.78	634696.47	0.1	Superficial	Granular	No	7.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267880.75	634703.61	0.1	Superficial	Granular	No	7.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267831.61	634694.09	0.1	Superficial	Granular	No	8.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267779.79	634691.14	0.1	Superficial	Granular	No	9.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267728.67	634687.34	0.1	Superficial	Granular	No	10.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267687.23	634658.73	0.1	Superficial	Granular	No	10.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267689.85	634653.57	0.1	Superficial	Granular	No	10.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267640.93	634638.05	0.1	Superficial	Granular	No	10.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267593.96	634621.8	0.1	Superficial	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267583.67	634713.11	0.1	Superficial	Granular	No	9.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267584.76	634701.33	0.1	Superficial	Granular	No	9.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267573.31	634702.16	0.1	Superficial	Granular	No	9.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267595.81	634691.94	0.1	Superficial	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267595.57	634680.7	0.1	Superficial	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267493.1	634682	0.1	Superficial	Granular	No	11.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268180.54	634079.36	0.1	Superficial	Granular	No	10.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268163.95	634090.42	0.1	Superficial	Granular	No	10.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268173.5	634082.99	0.1	Soil	Granular	No	10.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268145.11	634039.13	0.1	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268153.69	634037.33	0.1	Soil	Granular	No	13.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268137.55	634048.63	0.1	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268114.24	634001.64	0.1	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268120.31	634011.92	0.1	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268100.2	633994.66	0.1	Soil	Granular	No	13.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268097.74	634001.1	0.1	Soil	Granular	No	8.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268110.29	634009.93	0.1	Superficial	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268109.78	634010.74	0.1	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268063.56	634071.57	0.1	Superficial	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268076.08	634079.81	0.1	Soil	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268062.82	634079.65	0.1	Superficial	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268055.18	634081.23	0.1	Soil	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268054.89	634090.24	0.1	Soil	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268063.75	634090.12	0.1	Soil	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268086.77	634101.91	0.1	Soil	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268074.8	634100.95	0.1	Soil	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268063.07	634102.6	0.1	Soil	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268033.25	634093.44	0.1	Superficial	Granular	No	7.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267931.87	634638.73	0.1	Superficial	Granular	No	7.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267882.77	634321.68	0.1	Superficial	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267884.7	634310.99	0.1	Superficial	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267879.16	634911.24	0.1	Superficial	Granular	No	6.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267792.56	634852.2	0.1	Superficial	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267791.83	634836	0.1	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267794.8	634830.27	0.1	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267814.33	634821.05	0.1	Superficial	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267743.74	634851.62	0.1	Superficial	Granular	No	8.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267753.08	634841.98	0.1	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267780.78	634824.7	0.1	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267773.63	634832.71	0.1	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267771.6	634836.22	0.1	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267934.78	633874.77	0.1	Superficial	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267941.29	633879.53	0.1	Superficial	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267931.12	633877.04	0.1	Superficial	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267921.28	633868.4	0.1	Superficial	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267911.38	633856.77	0.1	Superficial	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267902.46	633847.31	0.1	Superficial	Granular	No	11.84	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267904.36	633840.8	0.1	Superficial	Granular	No	11.84	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267909.55	633839.71	0.1	Superficial	Granular	No	11.84	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267904.41	633831.68	0.1	Superficial	Granular	No	11.84	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267912.52	633852.61	0.1	Superficial	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267786.01	634460.98	0.1	Soil	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267857.34	634400.6	0.1	Soil	Granular	No	7.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267851.34	634393.76	0.1	Soil	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267864.38	634392.49	0.1	Soil	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268061.39	635272.71	0.1	Soil	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267858.53	634847.87	0.1	Soil	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267782.89	634809.6	0.1	Soil	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267782.02	634802.81	0.1	Soil	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267773.06	634808.13	0.1	Soil	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267753.96	634783.19	0.1	Soil	Granular	No	9.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267744.11	634793.19	0.1	Soil	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267702.41	634793.16	0.1	Superficial	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267724.16	634801.09	0.1	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267724.76	634813.62	0.1	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267773.65	634821.66	0.1	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267734.07	634830.01	0.1	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267713.06	634822.16	0.1	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267693.54	634810.63	0.1	Soil	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268724.05	633911.92	0.1	Superficial	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269387.76	634020.99	0.1	Soil	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269368.75	634024.34	0.1	Soil	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269417.68	634056.44	0.1	Superficial	Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269412.1	634062.02	0.1	Soil	Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269454.77	634093.27	0.1	Soil	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269448.36	634099.44	0.1	Superficial	Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269563.19	634019.46	0.1	Soil	Granular	No	5.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267863.74	633821.86	0.1	Soil	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267854.67	633810.37	0.1	Soil	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267851.68	633804.17	0.1	Soil	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267874.4	633831.83	0.1	Soil	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267884.98	633832.03	0.1	Superficial	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267891.89	633842.79	0.1	Soil	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267885.59	633843.72	0.1	Superficial	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267892.41	633849.04	0.1	Soil	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267602	634801.08	0.1	Superficial	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267625.2	634802.38	0.1	Superficial	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267642.75	634812.73	0.1	Soil	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267643.11	634802.75	0.1	Soil	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267655.26	634812.09	0.1	Superficial	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267664.75	634802.26	0.1	Superficial	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267672.65	634792.46	0.1	Superficial	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267673.24	634801.72	0.1	Superficial	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267672.75	634811.69	0.1	Superficial	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268608.56	633865.42	0.1	Superficial	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268654.85	633872.24	0.1	Superficial	Granular	No	7.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269238.21	633978.41	0.1	Superficial	Granular	No	8.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269237.07	633968.47	0.1	Superficial	Granular	No	8.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269339.57	633972.3	0.1	Superficial	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269468.21	633947.09	0.1	Superficial	Granular	No	3.07	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269454.16	634010.93	0.1	Superficial	Granular	No	6.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267914.3	633860.69	0.1	Soil	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267904.18	633850.62	0.1	Soil	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267902.61	633859.48	0.1	Soil	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267904.67	633872.32	0.1	Soil	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267904.25	633902.48	0.1	Superficial	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267914.26	633872.07	0.1	Soil	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267924.63	633882.17	0.1	Soil	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267921.97	633891.4	0.1	Soil	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267930.66	633898.1	0.1	Soil	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267932.04	633890.78	0.1	Soil	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268911.12	633859.02	0.2	Superficial	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269003.79	634652.75	0.2	Soil	Granular	No	6.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268649.33	634355.48	0.2	Superficial	Granular	No	8.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268847.64	634417.29	0.2	Superficial	Granular	No	15.72	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268906.67	634494.2	0.2	Superficial	Granular	No	15.12	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269004.09	634528.72	0.2	Superficial	Granular	No	12.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269802.15	634677.4	0.2	Peat	Granular	No	6.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267746.31	633662.52	0.2	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267735.27	633662.15	0.2	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267689.97	633681.64	0.2	Soil	Granular	No	8.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267725.31	633683.37	0.2	Soil	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267713.94	633689.49	0.2	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268783.07	634501.34	0.2	Superficial	Granular	No	11.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268759.06	634453.03	0.2	Soil	Granular	No	9.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268746.99	634467.33	0.2	Superficial	Granular	No	9.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269685.15	634537.37	0.2	Superficial	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269746.6	634549.33	0.2	Superficial	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269725.46	634541.75	0.2	Superficial	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269732.25	634551.06	0.2	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269683.77	634550.07	0.2	Superficial	Granular	No	7.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269724.79	634560.65	0.2	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269733.51	634558.29	0.2	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267743.14	633672.31	0.2	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269048.1	634530.61	0.2	Soil	Granular	No	12.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269509.62	634490.97	0.2	Superficial	Granular	No	6.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269649.75	634508.92	0.2	Superficial	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269612.52	634452.06	0.2	Superficial	Granular	No	7.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269568.54	634306.26	0.2	Superficial	Granular	No	5.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268973.26	633901.87	0.2	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268965.8	633901.52	0.2	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268946.18	633900.92	0.2	Superficial	Granular	No	6.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268951.63	633889.32	0.2	Superficial	Granular	No	9.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268966.4	633891.07	0.2	Superficial	Granular	No	9.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268934.2	633861.84	0.2	Superficial	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268943.64	633863.39	0.2	Superficial	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268934.58	633851.61	0.2	Peat	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268174.95	634121.39	0.2	Superficial	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268164.07	634130.85	0.2	Superficial	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268143.7	634141.65	0.2	Peat	Granular	No	10.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268155.61	634141.96	0.2	Superficial	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268166.04	634141.72	0.2	Peat	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269713.29	634585.39	0.2	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269703.56	634588.42	0.2	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269754.07	634604.38	0.2	Peat	Granular	No	5.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269753.49	634612.25	0.2	Peat	Granular	No	5.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269735.62	634621.56	0.2	Peat	Granular	No	5.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269712.5	634612.56	0.2	Peat	Granular	No	5.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269704.56	634610.74	0.2	Peat	Granular	No	5.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269541.1	634244.75	0.2	Superficial	Granular	No	7.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269533.15	634245.95	0.2	Superficial	Granular	No	7.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269146.38	634339.2	0.2	Peat	Granular	No	7.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268916.4	633782.7	0.2	Superficial	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268913.46	633734.51	0.2	Superficial	Granular	No	6.68	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268873.84	633771.56	0.2	Superficial	Granular	No	7.08	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268935.03	633792.43	0.2	Superficial	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268891.32	633822.92	0.2	Peat	Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268895.39	633830.22	0.2	Peat	Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268904.36	633830.45	0.2	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268948.12	633841.46	0.2	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268912.36	633842.46	0.2	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268896.45	633841.62	0.2	Superficial	Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268125.31	634181.7	0.2	Soil	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268164.31	634179.73	0.2	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268152.96	634172.8	0.2	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268115.34	634161.44	0.2	Soil	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268126.14	634162.84	0.2	Soil	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268135.25	634161.06	0.2	Soil	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268144.19	634161.85	0.2	Soil	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268174.13	634162.47	0.2	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268184.14	634162.45	0.2	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268171.84	634150.47	0.2	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268252.68	634141.37	0.2	Peat	Granular	No	16.61	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268265.47	634149.8	0.2	Soil	Granular	No	16.61	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268266.01	634166.07	0.2	Superficial	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268266.33	634173.11	0.2	Soil	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268312.79	634220.02	0.2	Soil	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268306.27	634201.86	0.2	Soil	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268336.1	634242.13	0.2	Superficial	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268252.53	634769.54	0.2	Superficial	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268254.81	634781.34	0.2	Superficial	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267465.72	634564.58	0.2	Soil	Granular	No	11.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267504.75	634601.87	0.2	Soil	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267503.76	634610.66	0.2	Soil	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267492.82	634609.21	0.2	Soil	Granular	No	12.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267515.38	634621.1	0.2	Superficial	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267494.43	634639.96	0.2	Superficial	Granular	No	12.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267554.7	634639.08	0.2	Soil	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267493.36	634651.15	0.2	Soil	Granular	No	11.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267603.41	634662.01	0.2	Superficial	Granular	No	11.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267594.63	634661.96	0.2	Superficial	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268014.49	634112.71	0.2	Soil	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268590.33	634360.57	0.2	Soil	Cohesive	No	11.79	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	268545.64	634361.62	0.2	Soil	Granular	No	14.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268373.72	634331.45	0.2	Superficial	Granular	No	16.72	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268323.04	634266.62	0.2	Soil	Granular	No	16.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268351.69	634280.31	0.2	Soil	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268344.69	634263.5	0.2	Superficial	Granular	No	16.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268403.38	634291.95	0.2	Superficial	Granular	No	16.12	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268374.57	634261.06	0.2	Superficial	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268363.61	634242.74	0.2	Soil	Granular	No	13.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268375.18	634228.89	0.2	Soil	Granular	No	13.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268395.21	634262.81	0.2	Superficial	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268304.73	634851.26	0.2	Superficial	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268297.52	634887.22	0.2	Superficial	Granular	No	4.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268265.54	634822.74	0.2	Superficial	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268265.35	634791.04	0.2	Soil	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267912.73	634670.79	0.2	Superficial	Granular	No	7.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267596.7	634640.78	0.2	Superficial	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268064.19	634061.64	0.2	Soil	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267851.09	634530.73	0.2	Superficial	Granular	No	7.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267822.99	634382.16	0.2	Peat	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267825.73	634372.99	0.2	Superficial	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267815.02	634367.22	0.2	Superficial	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267832.6	634382.15	0.2	Superficial	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267832.18	634392.91	0.2	Superficial	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267844.7	634395.74	0.2	Superficial	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267852.81	634379.2	0.2	Superficial	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267873.2	634323.83	0.2	Superficial	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267932.94	635138.26	0.2	Superficial	Granular	No	4.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267832.94	634835.93	0.2	Superficial	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267822.4	634834.95	0.2	Superficial	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267812.72	634839.1	0.2	Superficial	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267781.92	634876.37	0.2	Superficial	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267781.48	634837.09	0.2	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267749.47	634837.1	0.2	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267919.39	633856.06	0.2	Superficial	Granular	No	11.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267794.51	634451.27	0.2	Superficial	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267904.57	634343.87	0.2	Superficial	Granular	No	9.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267916.25	634331.55	0.2	Superficial	Granular	No	9.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268014.25	635233.21	0.2	Superficial	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268012.83	635241.42	0.2	Superficial	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268042.38	635253.26	0.2	Superficial	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268070.69	635271.06	0.2	Soil	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267901.72	635041.83	0.2	Superficial	Granular	No	6.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267813.35	634813.78	0.2	Soil	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267794.52	634814.13	0.2	Soil	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267775.87	634801.31	0.2	Soil	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267777.53	634789.33	0.2	Soil	Granular	No	9.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267746.79	634780.44	0.2	Soil	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267747.01	634803.63	0.2	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267757.23	634789.18	0.2	Soil	Granular	No	9.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267765.83	634792.43	0.2	Superficial	Granular	No	9.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267756.16	634804.06	0.2	Soil	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267753.72	634812.45	0.2	Soil	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267761.86	634809.49	0.2	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267746.23	634811.73	0.2	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267734.1	634814.43	0.2	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267737.1	634779.41	0.2	Superficial	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267723.21	634781.65	0.2	Peat	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267704.44	634785.19	0.2	Peat	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267712.89	634800.71	0.2	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267724.26	634788.34	0.2	Superficial	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267716.02	634809.12	0.2	Peat	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267735.34	634842.59	0.2	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267764.2	634831.84	0.2	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267781.31	634815.74	0.2	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267754.18	634820.23	0.2	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267744.5	634832.51	0.2	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267693.95	634822.03	0.2	Soil	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267702.88	634809.94	0.2	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268832.76	633971.88	0.2	Superficial	Granular	No	7.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268714.44	633910.47	0.2	Superficial	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268705.76	633943.12	0.2	Superficial	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268684.22	633890.18	0.2	Superficial	Granular	No	7.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268686.94	633933.4	0.2	Superficial	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268674	633933.73	0.2	Superficial	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269380.04	634026.31	0.2	Superficial	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269406.5	634065.14	0.2	Soil	Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269632.89	634052.21	0.2	Superficial	Granular	No	5.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269591.19	634048.72	0.2	Superficial	Granular	No	5.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267593.99	634801.23	0.2	Superficial	Granular	No	7.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267603.59	634812.41	0.2	Superficial	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267615.18	634800.68	0.2	Superficial	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267625.73	634791.95	0.2	Superficial	Granular	No	7.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267664.51	634791.84	0.2	Superficial	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268617.74	633866.21	0.2	Superficial	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268597.75	633862.5	0.2	Superficial	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268625.25	633870.01	0.2	Superficial	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268621.71	633881.75	0.2	Superficial	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268624.63	633911.62	0.2	Superficial	Granular	No	4.08	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268654.04	633882.23	0.2	Superficial	Granular	No	7.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269135.64	633977.24	0.2	Peat	Granular	No	9.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269240.32	633988.29	0.2	Superficial	Granular	No	8.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269287.41	633981.06	0.2	Superficial	Cohesive	No	7.83	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	269288.79	633989.67	0.2	Superficial	Granular	No	7.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269455.01	634019.95	0.2	Superficial	Granular	No	6.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269484.98	633981.97	0.2	Superficial	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269191.97	633987.42	0.3	Superficial	Cohesive	No	9.34	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	269847.26	634710.54	0.3	Peat	Granular	No	5.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267724.97	633663.69	0.3	Peat	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268821.86	634531.27	0.3	Superficial	Granular	No	4.95	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268777.37	634507.67	0.3	Superficial	Granular	No	11.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268718.3	634422.34	0.3	Superficial	Granular	No	9.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268725.59	634418.15	0.3	Superficial	Granular	No	9.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268958.58	634509.97	0.3	Superficial	Granular	No	15.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269708.99	634515.5	0.3	Peat	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269772.59	634549.25	0.3	Superficial	Granular	No	4.44	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269670.01	634550	0.3	Superficial	Granular	No	7.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269693.08	634562.52	0.3	Superficial	Granular	No	7.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267714.31	633702.46	0.3	Superficial	Granular	No	9.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269098.82	634533.71	0.3	Superficial	Granular	No	2.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269232.93	634599.06	0.3	Superficial	Granular	No	4.78	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269408.22	634505.41	0.3	Superficial	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269602.27	634445.61	0.3	Superficial	Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269594.06	634350.69	0.3	Peat	Granular	No	6.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268984.15	633921.29	0.3	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268963.04	633911.83	0.3	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268951.52	633859.79	0.3	Superficial	Granular	No	9.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268942.66	633851	0.3	Peat	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268925.92	633850.89	0.3	Superficial	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268116.53	634122.44	0.3	Peat	Granular	No	10.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268124.59	634119.43	0.3	Superficial	Granular	No	10.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268133.37	634119.69	0.3	Superficial	Granular	No	10.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268142.34	634119.64	0.3	Superficial	Granular	No	10.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268134.39	634132.22	0.3	Superficial	Cohesive	No	10.54	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	268114.67	634131.76	0.3	Superficial	Granular	No	10.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268124.59	634139.03	0.3	Superficial	Granular	No	10.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269701.5	634583.01	0.3	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269724.71	634593.36	0.3	Superficial	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269746.62	634595.01	0.3	Peat	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269132.24	634372.68	0.3	Peat	Granular	No	6.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268924.15	633783.84	0.3	Superficial	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268912.95	633743.75	0.3	Superficial	Granular	No	6.68	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268906.36	633771.4	0.3	Superficial	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268893.33	633772.68	0.3	Superficial	Granular	No	7.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268884.2	633770.73	0.3	Superficial	Granular	No	7.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268894.78	633781.35	0.3	Peat	Granular	No	7.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268904.29	633781.47	0.3	Superficial	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268869.99	633813.22	0.3	Peat	Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268944.81	633833.06	0.3	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268901.89	633843.7	0.3	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268103.85	634183.56	0.3	Superficial	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268102.82	634171.47	0.3	Superficial	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268136.26	634181.5	0.3	Soil	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268144.92	634183.82	0.3	Soil	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268154.17	634181.33	0.3	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268174.78	634181.07	0.3	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268132.47	634171.69	0.3	Superficial	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268153.73	634160.69	0.3	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268165.29	634163.18	0.3	Soil	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268196.2	634151.91	0.3	Superficial	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268153.26	634153.33	0.3	Superficial	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268123.53	634150.59	0.3	Peat	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268113.21	634152.22	0.3	Soil	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268239.48	634122.04	0.3	Peat	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268274.52	634171.84	0.3	Soil	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268275.35	634161.14	0.3	Soil	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268276.16	634152.08	0.3	Soil	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268282.73	634155.61	0.3	Soil	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268282.93	634171.07	0.3	Soil	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268364.54	634213.31	0.3	Superficial	Granular	No	13.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268354.59	634222.72	0.3	Peat	Granular	No	13.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268326.83	634231.67	0.3	Soil	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268266.98	634774.6	0.3	Superficial	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267514.21	634599.79	0.3	Soil	Granular	No	11.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267493.67	634602.23	0.3	Soil	Granular	No	12.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267575.36	634623.96	0.3	Superficial	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267605.77	634637.33	0.3	Soil	Granular	No	10.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267562.78	634632.49	0.3	Soil	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267483.32	634635.53	0.3	Superficial	Granular	No	12.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267483.74	634639.87	0.3	Superficial	Granular	No	12.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267580.78	634654.75	0.3	Soil	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267474.97	634652.22	0.3	Soil	Granular	No	11.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268025	634080.97	0.3	Soil	Granular	No	7.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268542.81	634344.65	0.3	Soil	Granular	No	14.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268361.65	634290.9	0.3	Superficial	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268395.2	634292.51	0.3	Superficial	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268374.41	634282.15	0.3	Superficial	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268345.64	634250.11	0.3	Superficial	Granular	No	16.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268354.92	634258.83	0.3	Superficial	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268396.42	634280.69	0.3	Superficial	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268383.81	634230.08	0.3	Superficial	Granular	No	13.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268403.15	634259.88	0.3	Superficial	Granular	No	16.12	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268295.38	634855.6	0.3	Superficial	Granular	No	4.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268242.81	634810.3	0.3	Superficial	Granular	No	4.19	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268305.32	634792.7	0.3	Superficial	Granular	No	5.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268006.89	634787.52	0.3	Superficial	Granular	No	4.25	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267955.02	634644.19	0.3	Superficial	Granular	No	6.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267604.54	634641.32	0.3	Superficial	Granular	No	10.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267595.22	634703.11	0.3	Superficial	Granular	No	9.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267584.25	634681.54	0.3	Superficial	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268120.41	633996.19	0.3	Superficial	Granular	No	13.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268109.35	633994.55	0.3	Soil	Granular	No	13.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268104.41	633986.29	0.3	Soil	Granular	No	13.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268046.09	634090.38	0.3	Soil	Granular	No	7.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268083.14	634092.61	0.3	Superficial	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268074.42	634110.98	0.3	Soil	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268044.46	634102.66	0.3	Superficial	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267843.68	634380.7	0.3	Superficial	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267862.41	634352.83	0.3	Peat	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267862.26	634343.74	0.3	Peat	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267872.9	634311.64	0.3	Superficial	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267885.12	634350.85	0.3	Superficial	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267885.37	634340.93	0.3	Superficial	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267883.15	634331.73	0.3	Superficial	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267880.82	634997.39	0.3	Superficial	Granular	No	6.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267780.47	634853.77	0.3	Superficial	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267784.08	634852.57	0.3	Peat	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267792.93	634822.66	0.3	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267782.99	634842.3	0.3	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267776.44	634851.46	0.3	Superficial	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267754.39	634850.89	0.3	Superficial	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267742.37	634840.8	0.3	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267775.6	634840.52	0.3	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267906.11	634814.89	0.3	Superficial	Granular	No	7.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267840.81	634530.5	0.3	Superficial	Granular	No	7.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267813.89	634439.64	0.3	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267844.4	634411.81	0.3	Peat	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267930.48	634306.77	0.3	Peat	Granular	No	9.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267927.27	634329.45	0.3	Peat	Granular	No	9.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267905.51	634321.72	0.3	Peat	Granular	No	9.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268022.02	635251.39	0.3	Superficial	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268032.68	635250.96	0.3	Superficial	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268065.47	635260.38	0.3	Superficial	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268056.11	635268.1	0.3	Superficial	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267735.29	634802.65	0.3	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267734.39	634791.54	0.3	Superficial	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267705.07	634802.58	0.3	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267713.73	634792.33	0.3	Superficial	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267702.79	634821.62	0.3	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267684.08	634823.52	0.3	Soil	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268848.85	633969.43	0.3	Superficial	Granular	No	7.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268821.94	633961.92	0.3	Soil	Granular	No	7.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268814.22	633963.47	0.3	Superficial	Granular	No	7.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268692.99	633941.87	0.3	Superficial	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268693.5	633921.71	0.3	Superficial	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268684.71	633924.17	0.3	Superficial	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269564.59	634053.93	0.3	Superficial	Granular	No	5.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269544.05	634028.37	0.3	Superficial	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267878.27	633823.93	0.3	Soil	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267863.26	633845.62	0.3	Soil	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267573.9	634802.3	0.3	Peat	Granular	No	7.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267584.39	634802.35	0.3	Peat	Granular	No	7.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267595.76	634811.03	0.3	Peat	Granular	No	7.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267613.52	634791.8	0.3	Superficial	Granular	No	7.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267612.84	634811.61	0.3	Superficial	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267636.16	634812.17	0.3	Peat	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267661.86	634820.72	0.3	Peat	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267664.47	634812.09	0.3	Superficial	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267674.94	634822.09	0.3	Superficial	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268643.06	633862.98	0.3	Superficial	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268655.03	633862.88	0.3	Superficial	Granular	No	7.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269336.38	633991.12	0.3	Superficial	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269056.24	634616.34	0.4	Peat	Granular	No	13.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269056.88	634627.44	0.4	Superficial	Granular	No	13.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269033.3	634642.79	0.4	Superficial	Granular	No	8.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269022.99	634643.77	0.4	Peat	Granular	No	8.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269022.17	634633.12	0.4	Peat	Granular	No	8.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268995.5	634673.03	0.4	Peat	Granular	No	5.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269838.89	634725.83	0.4	Superficial	Granular	No	5.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267724.7	633674	0.4	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267735.34	633672.32	0.4	Superficial	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268812.41	634538.4	0.4	Peat	Granular	No	4.95	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268751.1	634458.94	0.4	Superficial	Granular	No	9.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269755.56	634551.28	0.4		Granular	No	4.44	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269097.76	634522.74	0.4	Superficial	Granular	No	2.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269504.22	634472.91	0.4	Superficial	Granular	No	6.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269601.48	634450.61	0.4	Superficial	Granular	No	7.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268974.53	633892.73	0.4	Superficial	Granular	No	9.12	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268174.33	634141.12	0.4	Peat	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269752.45	634591.46	0.4	Peat	Granular	No	4.44	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269715.2	634593.31	0.4	Peat	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269745	634612.11	0.4	Peat	Granular	No	5.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268931.28	633782.98	0.4	Peat	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268914.31	633753.18	0.4	Superficial	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268893.77	633811.69	0.4	Peat	Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268915.82	633831.11	0.4	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268114.86	634181.93	0.4	Superficial	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268163.61	634153.15	0.4	Peat	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268215.98	634107.7	0.4	Superficial	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268258.53	634170	0.4	Soil	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268286.84	634192.85	0.4	Peat	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268295.11	634200.57	0.4	Peat	Granular	No	16.44	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268305.82	634209.9	0.4	Superficial	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268314.44	634200.43	0.4	Soil	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268293.46	634192.26	0.4	Superficial	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268323.57	634211.38	0.4	Superficial	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268352.84	634208.81	0.4	Peat	Granular	No	13.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268363.48	634220.89	0.4	Peat	Granular	No	13.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268344.86	634222.57	0.4	Peat	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268334.2	634222.65	0.4	Peat	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268325.43	634221.67	0.4	Soil	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268337.16	634228.59	0.4	Superficial	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268346.73	634230.45	0.4	Superficial	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268247.03	634763.01	0.4	Superficial	Granular	No	3.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268224.01	634753.38	0.4	Superficial	Granular	No	3.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268268.18	634783.22	0.4	Superficial	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267522.93	634612.53	0.4	Peat	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267495.26	634620.76	0.4	Peat	Granular	No	12.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267525.93	634621.7	0.4	Peat	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267563.43	634621.37	0.4	Peat	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267584.47	634629.68	0.4	Peat	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267525.21	634638.34	0.4	Peat	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267524.83	634655.28	0.4	Peat	Granular	No	11.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267473.17	634660	0.4	Soil	Granular	No	11.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267556.65	634669.87	0.4	Peat	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267594.58	634671.56	0.4	Peat	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267605.34	634669.9	0.4	Peat	Granular	No	11.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268015.59	634103.83	0.4	Soil	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268023.72	634112.16	0.4	Superficial	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268002.39	634092.83	0.4	Superficial	Granular	No	7.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268343.81	634242.03	0.4	Peat	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268366.91	634261.59	0.4	Superficial	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268410.96	634290.37	0.4	Superficial	Granular	No	16.12	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268405.75	634249.15	0.4	Superficial	Granular	No	10.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268251.28	634811.53	0.4	Peat	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268281.91	634812.93	0.4	Superficial	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268324.1	634803.4	0.4	Superficial	Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268314.17	634800.06	0.4	Superficial	Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267563.86	634700.5	0.4	Superficial	Granular	No	9.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267575.98	634692.21	0.4	Peat	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268054.13	634070.26	0.4	Peat	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268073.89	634094.09	0.4	Soil	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268063.4	634112.45	0.4	Peat	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268044.16	634111.21	0.4	Superficial	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267794.63	634450.21	0.4	Soil	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267756.09	634482.51	0.4	Peat	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267935.98	635150.6	0.4	Superficial	Granular	No	3.60	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268012.8	635273.05	0.4	Peat	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268017.24	635253.93	0.4	Superficial	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268010.31	635337.4	0.4	Superficial	Granular	No	3.86	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267801.5	634840.89	0.4	Superficial	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267782.49	634866.32	0.4	Superficial	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267804.98	634822.48	0.4	Superficial	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267804.88	634828.76	0.4	Superficial	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267786.58	634832.71	0.4	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267762.34	634837.91	0.4	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267741.22	634837.5	0.4	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267844.33	634401.27	0.4	Superficial	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267892.41	634361.11	0.4	Superficial	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267915.97	634309.77	0.4	Superficial	Granular	No	9.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267912.47	634323.35	0.4	Superficial	Granular	No	9.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268021.2	635240.93	0.4	Superficial	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268040.73	635241.77	0.4	Superficial	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268044.5	635261.23	0.4	Superficial	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268069.66	635279.83	0.4	Superficial	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267803.97	634814.01	0.4	Superficial	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267764.87	634779.93	0.4	Superficial	Granular	No	9.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267714.49	634781.38	0.4	Superficial	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267724.2	634841.84	0.4	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267763.44	634822.38	0.4	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267754.14	634830.76	0.4	Superficial	Granular	No	8.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267743.43	634822.56	0.4	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267733.77	634821.63	0.4	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267725.43	634832.72	0.4	Superficial	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267693.98	634801.86	0.4	Superficial	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267684.45	634812	0.4	Soil	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268845.17	633979.14	0.4	Superficial	Granular	No	7.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268774.74	633930.99	0.4	Superficial	Granular	No	6.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268775.47	633940.95	0.4	Superficial	Granular	No	6.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268717.14	633902.91	0.4	Superficial	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268702.96	633907.47	0.4	Superficial	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268675.63	633920.76	0.4	Superficial	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269189.71	633977.17	0.4	Superficial	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269530.47	634029.78	0.4	Peat	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267861.92	633811.14	0.4	Soil	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267623.76	634812.97	0.4	Superficial	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267654.46	634798.69	0.4	Peat	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268647.21	633817.38	0.4	Superficial	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268634.46	633907.78	0.4	Superficial	Granular	No	4.08	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268661.1	633879.38	0.4	Superficial	Granular	No	7.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268653.49	633919.07	0.4	Superficial	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269135.47	633969.53	0.4	Peat	Granular	No	9.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269442.72	634011.63	0.4	Peat	Granular	No	6.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269494.63	633981.34	0.4	Superficial	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269504.36	633981.91	0.4	Peat	Granular	No	4.83	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268577.96	634358.18	0.5	Superficial	Granular	No	11.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269064.36	634691.01	0.5	Peat	Granular	No	11.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269077.62	634665.87	0.5	Peat	Granular	No	11.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269063.86	634651.67	0.5	Peat	Granular	No	11.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269056.98	634656.28	0.5	Peat	Granular	No	11.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269043.67	634642.85	0.5	Peat	Granular	No	8.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269013.62	634621.35	0.5	Peat	Granular	No	8.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268993.32	634692.08	0.5	Peat	Granular	No	5.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268749.68	634373.11	0.5	Superficial	Granular	No	10.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269014.5	634682.03	0.5	Peat	Granular	No	6.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269033.4	634713.6	0.5	Peat	Granular	No	6.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269006.37	634663.88	0.5	Peat	Granular	No	6.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268701.51	634363.25	0.5	Peat	Granular	No	10.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268882.95	634445.11	0.5	Peat	Granular	No	15.89	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269741.62	634540.99	0.5	Peat	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269715.74	634551.28	0.5	Peat	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269762.09	634579.89	0.5	Peat	Granular	No	4.44	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269132.92	634569.18	0.5	Peat	Granular	No	3.89	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269273.66	634571.75	0.5	Soil	Granular	No	8.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269615.59	634448.42	0.5	Peat	Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269194.09	634423.26	0.5	Peat	Granular	No	6.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268903.83	633870.39	0.5	Peat	Cohesive	No	7.37	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	268164.61	634121.22	0.5	Peat	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268153.15	634131.75	0.5	Peat	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268184.47	634141.61	0.5	Peat	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268200.54	634143.37	0.5	Soil	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269756.77	634632.83	0.5	Peat	Granular	No	5.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269745.33	634601.43	0.5	Peat	Granular	No	5.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269734.88	634614.85	0.5	Peat	Granular	No	5.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269524.64	634224.84	0.5	Superficial	Granular	No	7.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268945.97	633812.16	0.5	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268943.04	633822.01	0.5	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268903.79	633823.45	0.5	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268934.41	633833.78	0.5	Peat	Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268164.1	634170.16	0.5	Superficial	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268124.17	634170.79	0.5	Superficial	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268114.43	634171.19	0.5	Peat	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268234.42	634131.81	0.5	Superficial	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268282.74	634181.45	0.5	Peat	Granular	No	16.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268328.14	634199.4	0.5	Peat	Granular	No	14.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268355.01	634201.06	0.5	Peat	Granular	No	13.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268343.7	634201.55	0.5	Peat	Granular	No	15.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268285.18	634764.4	0.5	Superficial	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268236.76	634743.37	0.5	Peat	Granular	No	3.30	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268234.94	634769.93	0.5	Peat	Granular	No	3.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268255.1	634788.27	0.5	Peat	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267512.31	634612.67	0.5	Peat	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267483.82	634621.29	0.5	Peat	Granular	No	12.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267504.75	634621.79	0.5	Peat	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267553.7	634620.08	0.5	Peat	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267554.7	634633.51	0.5	Peat	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267544.4	634632.82	0.5	Peat	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267534.06	634628.34	0.5	Soil	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267494.69	634634.12	0.5	Peat	Granular	No	12.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267515.69	634639.52	0.5	Peat	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267575.32	634639.29	0.5	Peat	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267585.2	634641.66	0.5	Peat	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267594.94	634650.13	0.5	Peat	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267554.14	634650.7	0.5	Peat	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267523.57	634661.26	0.5	Peat	Granular	No	11.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267509.38	634669.72	0.5	Peat	Granular	No	11.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267486.78	634650.99	0.5	Peat	Granular	No	11.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267481.96	634662.37	0.5	Peat	Granular	No	11.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268028.43	634132.97	0.5	Superficial	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268035.56	634130.96	0.5	Superficial	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268034.82	634101.28	0.5	Peat	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268364.53	634299.36	0.5	Peat	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268364.61	634274.18	0.5	Peat	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268376.27	634268.54	0.5	Peat	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268424.18	634292.99	0.5	Peat	Granular	No	16.12	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268375.85	634251.18	0.5	Peat	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268362.75	634231.42	0.5	Peat	Granular	No	13.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268393.89	634251.44	0.5	Peat	Granular	No	15.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268402.8	634268.9	0.5	Peat	Granular	No	16.12	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268295.77	634865.84	0.5	Peat	Granular	No	4.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268256.2	634839.06	0.5	Peat	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268252.45	634802.38	0.5	Peat	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268325.99	634791.91	0.5	Peat	Granular	No	5.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268274.22	634801.04	0.5	Peat	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268273.41	634780.46	0.5	Peat	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268017.18	634742.79	0.5	Peat	Granular	No	4.24	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267978.06	634654.08	0.5	Peat	Granular	No	6.29	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267563.25	634691.29	0.5	Peat	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267584.7	634693.39	0.5	Peat	Granular	No	12.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268055.28	634062.56	0.5	Peat	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268054.95	634121.29	0.5	Peat	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268053.91	634100.56	0.5	Peat	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268035.29	634102.82	0.5	Peat	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267876.17	634331.52	0.5	Superficial	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267925.23	635143.61	0.5	Peat	Granular	No	4.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268003.33	635251.6	0.5	Peat	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268059.64	635318.26	0.5	Superficial	Granular	No	4.17	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267893.79	634994.57	0.5	Peat	Granular	No	6.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267782.02	634888.96	0.5	Superficial	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267763.34	634853.16	0.5	Superficial	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267840.04	634580.38	0.5	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267894.37	634382.81	0.5	Peat	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267892.8	634353.16	0.5	Superficial	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267895.11	634321.31	0.5	Peat	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268054.7	635261.11	0.5	Superficial	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267724.24	634819.63	0.5	Peat	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268849.84	633959.25	0.5	Peat	Granular	No	7.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268725.06	633920.04	0.5	Peat	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268712.93	633921.22	0.5	Superficial	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268693.1	633931.73	0.5	Peat	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268705.31	633921.34	0.5	Peat	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268695.1	633900.36	0.5	Peat	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268626.44	633864.13	0.5	Peat	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268614.97	633871.15	0.5	Superficial	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268612.84	633883.1	0.5	Superficial	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268633.81	633873.09	0.5	Superficial	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268654.78	633890.82	0.5	Peat	Granular	No	7.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268699.42	633863.4	0.5	Superficial	Granular	No	7.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268662.07	633883.84	0.5	Peat	Granular	No	7.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269494.22	634030.49	0.5	Peat	Granular	No	6.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267913.24	633904.95	0.5	Superficial	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269054.29	634701.41	0.6	Peat	Granular	No	12.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269057.15	634647.03	0.6	Peat	Granular	No	13.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269044.24	634650.41	0.6	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269026.08	634673.3	0.6	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268921.37	634485.24	0.6	Peat	Granular	No	15.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269804.75	634669.02	0.6	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269006.43	634670.75	0.6	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269023.3	634680.69	0.6	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268953.23	634633.04	0.6	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268913.28	634610.3	0.6	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268916.24	634603.83	0.6	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268876.09	634583.04	0.6	Peat	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269367.62	634531.13	0.6	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269358.62	634518.76	0.6	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269407.65	634516.23	0.6	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269237.68	634413.77	0.6	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268995.44	633930.23	0.6	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268952.2	633879.95	0.6	Peat	Granular	No	9.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268943.64	633881.34	0.6	Peat	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268922.82	633868.54	0.6	Peat	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268932.85	633868.67	0.6	Peat	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268893.92	633851.31	0.6	Peat	Granular	No	6.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268124.49	634131.2	0.6	Peat	Granular	No	10.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269735.12	634641.53	0.6	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269143.66	634349.17	0.6	Peat	Granular	No	7.10	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269097.3	634378.01	0.6	Peat	Granular	No	6.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269137.06	634377.49	0.6	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268917.36	633770.2	0.6	Peat	Granular	No	8.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268914.41	633761.68	0.6	Peat	Granular	No	8.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268884.6	633814.93	0.6	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268873.96	633811.09	0.6	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268923.83	633821.22	0.6	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268912.49	633821.11	0.6	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268315.23	634191.72	0.6	Superficial	Granular	No	14.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268304.21	634190.29	0.6	Peat	Granular	No	14.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268337.17	634212.05	0.6	Peat	Granular	No	15.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268344.58	634211.46	0.6	Peat	Granular	No	15.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268323.47	634242.09	0.6	Peat	Granular	No	15.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268272.68	634764.19	0.6	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267534.04	634634.16	0.6	Peat	Granular	No	11.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267496.88	634672.59	0.6	Peat	Granular	No	11.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267493.53	634680.78	0.6	Peat	Granular	No	11.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267484.16	634670.27	0.6	Peat	Granular	No	11.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267516.23	634682.42	0.6	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267562.53	634663.44	0.6	Peat	Granular	No	12.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267565.03	634669.86	0.6	Peat	Granular	No	12.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267583.38	634659.89	0.6	Superficial	Granular	No	12.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268024.62	634122.67	0.6	Superficial	Granular	No	11.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268033.61	634110.76	0.6	Peat	Granular	No	11.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268014.4	634091.46	0.6	Superficial	Granular	No	7.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268353.82	634288.73	0.6	Peat	Granular	No	15.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268373.8	634321.26	0.6	Peat	Granular	No	16.72	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268365.24	634250.91	0.6	Peat	Granular	No	15.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268354.96	634234.61	0.6	Peat	Granular	No	13.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268375.6	634220.25	0.6	Peat	Granular	No	13.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268393.5	634240.39	0.6	Peat	Granular	No	13.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268294.84	634876.57	0.6	Peat	Granular	No	4.80	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268241.75	634802.3	0.6	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268297.51	634821	0.6	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268025.73	634744.44	0.6	Peat	Granular	No	4.24	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267962.34	634656.26	0.6	Peat	Granular	No	6.29	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267613.64	634641.84	0.6	Peat	Granular	No	10.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267554.39	634702.46	0.6	Peat	Granular	No	9.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267503.52	634684.36	0.6	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268043.51	634071.82	0.6	Peat	Granular	No	7.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268044.32	634082.64	0.6	Peat	Granular	No	7.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267934.13	634616.39	0.6	Peat	Granular	No	7.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267852.81	634777.07	0.6	Peat	Granular	No	7.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267840.5	634480.38	0.6	Peat	Granular	No	7.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267771.46	634472	0.6	Peat	Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267863.82	634321.74	0.6	Peat	Granular	No	9.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268036.86	635322.53	0.6	Superficial	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268058.74	635389.56	0.6	Peat	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268064.04	635341.85	0.6	Superficial	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268055.07	635333.32	0.6	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267793.55	634841.81	0.6	Superficial	Granular	No	8.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267957.17	634825.71	0.6	Superficial	Granular	No	5.39	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267903.56	634352.57	0.6	Peat	Granular	No	8.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267945.35	634342.42	0.6	Superficial	Granular	No	9.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267964.32	634344.18	0.6	Superficial	Granular	No	8.82	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268002.22	635223.49	0.6	Peat	Granular	No	4.81	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268045.25	635279.61	0.6	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268071.87	635287.82	0.6	Superficial	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268077.66	635301.59	0.6	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268093.87	635301.34	0.6	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267924.16	635089.61	0.6	Superficial	Granular	No	6.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267833.1	634811.61	0.6	Peat	Granular	No	7.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268823.78	633950.48	0.6	Peat	Granular	No	7.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268763.14	633922.35	0.6	Peat	Granular	No	6.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268728.31	633928.76	0.6	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268723.79	633931.25	0.6	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268714.75	633932.43	0.6	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268695.07	633889.89	0.6	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268683.89	633911.18	0.6	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269622.33	634063.4	0.6	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269583.61	634029.97	0.6	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269531.26	634021.03	0.6	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269525.62	634023.76	0.6	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268645.36	633871.08	0.6	Peat	Granular	No	5.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268655.7	633906.05	0.6	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268662.82	633870.03	0.6	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269452.34	634030.79	0.6	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268643.57	633890.34	0.7	Peat	Granular	No	5.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269055.43	634715.29	0.7	Peat	Granular	No	12.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269063.18	634702.81	0.7	Peat	Granular	No	12.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269064.21	634680.67	0.7	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269067.18	634666.09	0.7	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269074.13	634660.67	0.7	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269054.15	634691.56	0.7	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269034.2	634651.89	0.7	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268995.18	634681.82	0.7	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269793.83	634656.47	0.7	Peat	Granular	No	5.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268961.12	634670.96	0.7	Superficial	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268982.49	634681.42	0.7	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268905.65	634592.06	0.7	Peat	Granular	No	6.59	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268893.29	634581.69	0.7	Peat	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268857.88	634564.12	0.7	Peat	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268806.32	634545.83	0.7	Peat	Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268790.8	634494.69	0.7	Peat	Granular	No	9.42	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269696.11	634557.97	0.7	Peat	Granular	No	7.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269555.39	634485.67	0.7	Peat	Granular	No	6.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269692.84	634590.34	0.7	Peat	Granular	No	7.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269116.53	634375.26	0.7	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269144.5	634401.08	0.7	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269184.45	634399.49	0.7	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268889.11	633779.47	0.7	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268925.24	633802	0.7	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268902.89	633791.37	0.7	Peat	Granular	No	8.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268873.03	633818.66	0.7	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268908.05	633812.45	0.7	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268915.6	633812.72	0.7	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268925.58	633830.63	0.7	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268262.95	634763.57	0.7	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268174	634703.83	0.7	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268156.04	634700.14	0.7	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268156.75	634673.98	0.7	Peat	Granular	No	3.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268275.19	634770.75	0.7	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267533.49	634613.22	0.7	Peat	Granular	No	11.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267503.41	634633.97	0.7	Peat	Granular	No	11.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267545.11	634640.5	0.7	Peat	Granular	No	11.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267571.42	634648.84	0.7	Peat	Granular	No	10.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267544.04	634651.78	0.7	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267534.74	634652.47	0.7	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
ITPEnergised		2	267492.88	634659.16	0.7	Peat	Granular	No	11.91	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267502.91	634680.76	0.7	Peat	Granular	No	11.78	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267513.79	634674.58	0.7	Peat	Granular	No	11.78	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267523.19	634672.53	0.7	Peat	Granular	No	11.78	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267535.08	634664.27	0.7	Peat	Granular	No	11.78	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267554.39	634670.03	0.7	Peat	Granular	No	12.00	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267574.36	634672.9	0.7	Peat	Granular	No	12.00	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267586.13	634673.76	0.7	Peat	Granular	No	12.00	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268045.52	634121.5	0.7	Superficial	Granular	No	11.09	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268024.44	634103.19	0.7	Superficial	Granular	No	11.09	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268340.47	634284.3	0.7	Peat	Granular	No	16.35	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268346.37	634289.47	0.7	Peat	Granular	No	16.35	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268331.03	634271.56	0.7	Peat	Granular	No	16.35	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268386.31	634282.18	0.7	Peat	Granular	No	15.71	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268385.03	634264.51	0.7	Peat	Granular	No	15.71	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268384.17	634240.85	0.7	Peat	Granular	No	13.55	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268374.32	634241.5	0.7	Peat	Granular	No	13.55	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268386.4	634247.73	0.7	Peat	Granular	No	13.55	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268346.01	634838	0.7	Peat	Granular	No	5.12	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268325.48	634830.62	0.7	Peat	Granular	No	5.12	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268274.47	634841.22	0.7	Peat	Granular	No	4.34	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268263.01	634835.18	0.7	Peat	Granular	No	4.34	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268253.01	634821.22	0.7	Peat	Granular	No	4.34	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268261.79	634802.62	0.7	Peat	Granular	No	4.34	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268315.09	634821.71	0.7	Peat	Granular	No	5.12	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268272.53	634791.92	0.7	Peat	Granular	No	4.00	Thin Peat	1	3	1	6	Low
ITPEnergised		2	267996.09	634780.75	0.7	Peat	Granular	No	4.47	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268026.33	634659.9	0.7	Peat	Granular	No	5.09	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267832.99	634685.6	0.7	Peat	Granular	No	8.49	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267643.57	634628.85	0.7	Peat	Granular	No	10.06	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267595.67	634612.2	0.7	Peat	Granular	No	10.45	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267572.59	634681.14	0.7	Peat	Granular	No	12.00	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267543.16	634682.58	0.7	Peat	Granular	No	11.78	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268052.33	634111.74	0.7	Peat	Granular	No	11.33	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267888.7	634601.17	0.7	Peat	Granular	No	7.68	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267795.11	634441.62	0.7	Peat	Granular	No	7.90	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267783.62	634451.96	0.7	Peat	Granular	No	7.45	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267783.6	634442.71	0.7	Peat	Granular	No	7.90	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267824.1	634388.68	0.7	Peat	Granular	No	8.60	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267994.62	635240.75	0.7	Peat	Granular	No	4.30	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268004.11	635242.54	0.7	Peat	Granular	No	4.81	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268003.29	635262.91	0.7	Peat	Granular	No	4.42	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268022.39	635282.99	0.7	Peat	Granular	No	4.42	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268062.61	635311.77	0.7	Peat	Granular	No	4.17	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268054.99	635311.37	0.7	Peat	Granular	No	4.17	Thin Peat	1	3	1	6	Low
ITPEnergised		2	267841.93	634857.8	0.7	Peat	Granular	No	7.23	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267764.18	634843.13	0.7	Peat	Granular	No	8.05	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267881.39	634621.84	0.7	Peat	Granular	No	7.68	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267808.08	634446.07	0.7	Peat	Granular	No	7.36	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267823.24	634430.62	0.7	Peat	Granular	No	7.36	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267837.64	634416.08	0.7	Peat	Granular	No	7.36	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267892.84	634371.42	0.7	Peat	Granular	No	8.53	Thin Peat	1	3	1	9	Low
ITPEnergised		2	267992.24	635219.45	0.7	Peat	Granular	No	4.30	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268003.22	635229.89	0.7	Peat	Granular	No	4.81	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268035.36	635258.08	0.7	Peat	Granular	No	4.42	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268039.15	635274.41	0.7	Peat	Granular	No	4.42	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268063.11	635300.63	0.7	Superficial	Granular	No	4.17	Thin Peat	1	3	1	6	Low
ITPEnergised		2	268087.64	635311.37	0.7	Superficial	Granular	No	4.17	Thin Peat	1	3	1	6	Low
ITPEnergised		2	267765.55	634802.25	0.7	Peat	Granular	No	8.05	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268783.62	633934.38	0.7	Peat	Granular	No	6.63	Thin Peat	1	3	1	9	Low
ITPEnergised		2	268703.61	633901.51	0.7	Peat	Granular	No	5.67	Thin Peat	1	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269640.95	634052.52	0.7	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269571.18	634041.46	0.7	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268656.28	633850.14	0.7	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268643.59	633870.16	0.7	Superficial	Granular	No	5.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268644.18	633880.15	0.7	Peat	Granular	No	5.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268643.95	633900.7	0.7	Superficial	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268666.07	633861.06	0.7	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269468.11	633964.15	0.7	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269505.64	634012.55	0.7	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267902.59	633912.2	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267902.07	633939.15	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269015.47	634672.79	0.8	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269184.97	633970.87	0.8	Peat	Cohesive	No	9.34	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	269055.95	634707	0.8	Peat	Granular	No	12.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269063.35	634670.25	0.8	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269057.45	634636.79	0.8	Peat	Granular	No	13.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269057.72	634677.06	0.8	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269057.49	634696.39	0.8	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269043.89	634662.48	0.8	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269036.89	634667.83	0.8	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268994.59	634662.9	0.8	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268984.26	634644.13	0.8	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268973.43	634630.7	0.8	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269044.45	634691.5	0.8	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268974.3	634672.84	0.8	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268995.48	634689.49	0.8	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269035.96	634702.99	0.8	Peat	Granular	No	6.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268942.82	634629.27	0.8	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268953.11	634619.93	0.8	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268935.1	634623.13	0.8	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268905.11	634609.81	0.8	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268894.43	634601.32	0.8	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268875.11	634570.71	0.8	Peat	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268862.4	634570.81	0.8	Peat	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268863.37	634582.98	0.8	Peat	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268857.13	634585.29	0.8	Peat	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268852.03	634572.57	0.8	Peat	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268713.26	634430.55	0.8	Peat	Granular	No	9.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269711.15	634537.67	0.8	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269723.01	634529.93	0.8	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269719.85	634521.63	0.8	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269726.06	634514.35	0.8	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269733.25	634541.39	0.8	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269754.69	634571.55	0.8	Peat	Granular	No	4.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269701.74	634572.24	0.8	Peat	Granular	No	5.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269461.05	634503.15	0.8	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269557.32	634466.74	0.8	Peat	Granular	No	6.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269555.87	634476.75	0.8	Peat	Granular	No	6.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269611.83	634493.88	0.8	Peat	Granular	No	7.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269594.27	634399.24	0.8	Peat	Granular	No	6.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269146.86	634417.4	0.8	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269029.81	633996.04	0.8	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269005.19	633971.54	0.8	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269002.32	633961.43	0.8	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268973.79	633931.72	0.8	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268944.68	633874.16	0.8	Peat	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269745.56	634585.93	0.8	Peat	Granular	No	5.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269765	634643.91	0.8	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269721.95	634635.54	0.8	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269707.4	634604.07	0.8	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269714.45	634601.8	0.8	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269734.24	634600.37	0.8	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269455.15	634335.29	0.8	Peat	Granular	No	7.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269445.43	634329.51	0.8	Peat	Granular	No	7.81	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269402.76	634354.18	0.8	Peat	Granular	No	9.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269377.92	634381.61	0.8	Peat	Granular	No	7.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269107.38	634376.22	0.8	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269207.28	634410.77	0.8	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268952.87	633782.8	0.8	Peat	Granular	No	7.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268862.8	633785.48	0.8	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268870.11	633779.23	0.8	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268931.76	633804.72	0.8	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268875.01	633800.24	0.8	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268253.12	634761.21	0.8	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268231.64	634754.66	0.8	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268155.48	634691.51	0.8	Peat	Granular	No	3.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268214.48	634749.01	0.8	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268266.52	634792.21	0.8	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267543.06	634614.52	0.8	Peat	Granular	No	11.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267534.44	634620.89	0.8	Peat	Granular	No	11.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267571.63	634632.01	0.8	Peat	Granular	No	10.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267533.42	634670.98	0.8	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267543.99	634670.85	0.8	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267545.98	634665.9	0.8	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267574.2	634661	0.8	Peat	Granular	No	12.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268015.04	634082.05	0.8	Peat	Granular	No	7.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268581.21	634339.04	0.8	Peat	Granular	No	10.98	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268335.93	634282.57	0.8	Peat	Granular	No	16.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268371.95	634339.39	0.8	Peat	Granular	No	16.72	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268407.01	634283.17	0.8	Peat	Granular	No	16.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268355.49	634244.13	0.8	Peat	Granular	No	13.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268412.88	634260.85	0.8	Peat	Granular	No	16.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268333.95	634834.69	0.8	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268257.03	634793.61	0.8	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268266.7	634810.51	0.8	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268275.39	634808.78	0.8	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268274.2	634821.84	0.8	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268282.19	634820.47	0.8	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268306.32	634824.06	0.8	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268323.77	634821.86	0.8	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268313.85	634810.16	0.8	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268296.28	634792.02	0.8	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268283.65	634780.63	0.8	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268283.52	634791.11	0.8	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268285.69	634772.44	0.8	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268105.08	634648.37	0.8	Peat	Granular	No	4.23	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268102.29	634660.57	0.8	Peat	Granular	No	3.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268098.61	634671.51	0.8	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268093.4	634677.81	0.8	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268054.94	634699.7	0.8	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268051.14	634653.45	0.8	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268017.29	634639.75	0.8	Peat	Granular	No	5.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267959.31	634635.02	0.8	Peat	Granular	No	6.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267873.01	634688.86	0.8	Peat	Granular	No	7.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267780.49	634677.85	0.8	Peat	Granular	No	9.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267552.76	634694.95	0.8	Peat	Granular	No	12.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267564.91	634682.24	0.8	Peat	Granular	No	12.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267554.49	634681	0.8	Peat	Granular	No	12.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267534.35	634683.02	0.8	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267773.39	634452.51	0.8	Peat	Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267775.86	634441.18	0.8	Peat	Granular	No	7.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267799.4	634438.71	0.8	Peat	Granular	No	7.90	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267804.94	634430.04	0.8	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267835.8	634350.59	0.8	Superficial	Granular	No	8.60	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267864.67	634330.43	0.8	Soil	Granular	No	9.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267873.13	634342.58	0.8	Peat	Granular	No	9.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267873.06	634351.27	0.8	Superficial	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267875.33	634371.49	0.8	Superficial	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267936.81	635160.58	0.8	Peat	Granular	No	3.60	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268021.54	635300.57	0.8	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268059.76	635346.66	0.8	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268061.68	635327.72	0.8	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268056.32	635323.08	0.8	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267894.85	635045.45	0.8	Peat	Granular	No	7.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267865.35	634901.4	0.8	Peat	Granular	No	6.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267955.55	634813.31	0.8	Peat	Granular	No	5.39	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267927.8	634629.2	0.8	Peat	Granular	No	7.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267805.43	634437.84	0.8	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267825.46	634420.75	0.8	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267886.76	634383.17	0.8	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267915.48	634382.15	0.8	Peat	Granular	No	8.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267902.91	634370.76	0.8	Peat	Granular	No	8.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267875	634369.6	0.8	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267904.98	634361.68	0.8	Superficial	Granular	No	8.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267921.19	634349.61	0.8	Peat	Granular	No	9.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267915.32	634300.51	0.8	Peat	Granular	No	9.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267896.53	634340.92	0.8	Peat	Granular	No	9.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268053.37	635248.59	0.8	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268060.65	635281.78	0.8	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268052.17	635291.83	0.8	Superficial	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268081.06	635302.02	0.8	Superficial	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268086.21	635334.7	0.8	Superficial	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268092.17	635327.19	0.8	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268083.64	635343.88	0.8	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268093.01	635349.4	0.8	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268836.92	633956.13	0.8	Peat	Granular	No	7.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268836.75	633964.21	0.8	Peat	Granular	No	7.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268815.17	633951.14	0.8	Peat	Granular	No	7.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268803.96	633952.94	0.8	Peat	Granular	No	7.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268795.7	633952.54	0.8	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268784.2	633951.84	0.8	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268762.37	633931.19	0.8	Peat	Granular	No	6.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268754.26	633931.8	0.8	Peat	Granular	No	6.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268743.89	633941.14	0.8	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268704.64	633929.92	0.8	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268682.8	633880.9	0.8	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268674.04	633912.09	0.8	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269561.75	634029.12	0.8	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269536.97	633994.28	0.8	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267847.01	633811.79	0.8	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267862.87	633831.73	0.8	Peat	Granular	No	9.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267873.29	633845.52	0.8	Superficial	Granular	No	9.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268643.9	633827.97	0.8	Peat	Granular	No	6.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268647.54	633843.19	0.8	Peat	Granular	No	6.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268643.57	633852.07	0.8	Peat	Granular	No	5.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268632.12	633860.67	0.8	Peat	Granular	No	5.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268633.01	633893.14	0.8	Peat	Granular	No	5.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268632.98	633883.18	0.8	Peat	Granular	No	5.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268665.25	633919.05	0.8	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269190.36	633965.83	0.8	Peat	Granular	No	9.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269462.85	633971.06	0.8	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269463.11	634031.81	0.8	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269467.9	634004.6	0.8	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269473.3	634001.21	0.8	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269484.9	633990.79	0.8	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269505.67	634000.23	0.8	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269064.68	634661.49	0.9	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269054.16	634663.27	0.9	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269057.85	634665.98	0.9	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269053.72	634672.6	0.9	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269054.82	634682.22	0.9	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269058.16	634686.72	0.9	Peat	Granular	No	11.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269045.22	634671.78	0.9	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269035.17	634662.33	0.9	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269033.44	634672.02	0.9	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269012.38	634640.63	0.9	Peat	Granular	No	8.86	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269014.84	634651.84	0.9	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269013.91	634662.28	0.9	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269000.35	634642.57	0.9	Peat	Granular	No	8.86	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268996.56	634633.13	0.9	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268994.5	634653.34	0.9	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268973.17	634620.76	0.9	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268966.97	634631.25	0.9	Peat	Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269826.76	634688.99	0.9	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269792.02	634658.17	0.9	Peat	Granular	No	5.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268974.21	634662.81	0.9	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269021.65	634701.41	0.9	Peat	Granular	No	6.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269034.31	634693.17	0.9	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269046.52	634680.68	0.9	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269024.83	634672.79	0.9	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268994.46	634663.68	0.9	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268974.16	634651.54	0.9	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268934.49	634603.34	0.9	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268923.12	634600.53	0.9	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268915.6	634592.62	0.9	Peat	Granular	No	6.59	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268902	634600.56	0.9	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268894.67	634611.27	0.9	Peat	Cohesive	No	4.84	Thin Peat	1	3	2	2	12	Low
ITPEnergised		2	268895.11	634592.28	0.9	Peat	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268885.5	634579.36	0.9	Peat	Granular	No	4.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268847.77	634580.34	0.9	Peat	Granular	No	7.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268796.77	634391.5	0.9	Peat	Granular	No	12.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269721.58	634509.31	0.9	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269744.01	634562.89	0.9	Peat	Granular	No	5.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269754	634564.89	0.9	Peat	Granular	No	4.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269267.13	634559.76	0.9	Peat	Granular	No	8.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269606.19	634481.22	0.9	Peat	Granular	No	7.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269606.6	634480.62	0.9	Peat	Granular	No	7.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269601.71	634495.41	0.9	Superficial	Granular	No	7.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269317.78	634363.38	0.9	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269145.1	634413.2	0.9	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269167.07	634407.2	0.9	Peat	Granular	No	6.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269037.42	633988.33	0.9	Peat	Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268993.09	633950.85	0.9	Peat	Granular	No	5.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268973.28	633940.86	0.9	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268916.6	633884.02	0.9	Peat	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269736.77	634593.26	0.9	Peat	Granular	No	5.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269763.41	634615.48	0.9	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269733.36	634631.73	0.9	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269725.5	634613.29	0.9	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269713.05	634622.5	0.9	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269723.41	634598.84	0.9	Peat	Granular	No	5.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269476.92	634139.98	0.9	Peat	Granular	No	6.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269496.9	634185.45	0.9	Peat	Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269363.72	634367.42	0.9	Peat	Granular	No	7.63	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269148.24	634357.93	0.9	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269144.44	634394.75	0.9	Peat	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269169.12	634379.09	0.9	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269175.91	634403.43	0.9	Peat	Granular	No	6.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269196.57	634417.97	0.9	Peat	Granular	No	6.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269173.52	634409.38	0.9	Peat	Granular	No	6.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268883.75	633801.44	0.9	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268926.38	633811.08	0.9	Peat	Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268884.48	633842.76	0.9	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268263.14	634740.44	0.9	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268273.83	634751.03	0.9	Superficial	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268266.78	634752.89	0.9	Peat	Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268163.37	634710.96	0.9	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268164.44	634702.22	0.9	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268186.12	634702.52	0.9	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268188.83	634712.09	0.9	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268153.53	634680.32	0.9	Peat	Granular	No	3.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268144.31	634676.66	0.9	Peat	Granular	No	3.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267502	634586.35	0.9	Peat	Granular	No	11.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267544.89	634619.81	0.9	Peat	Granular	No	11.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268044.05	634111.54	0.9	Superficial	Granular	No	11.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268325.22	634844.29	0.9	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268285.51	634840.44	0.9	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268247.54	634835.83	0.9	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268322.42	634812.54	0.9	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268295.67	634801.02	0.9	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268293.48	634810.85	0.9	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268286.03	634801.61	0.9	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268091.69	634668.15	0.9	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268042.32	634703.22	0.9	Peat	Granular	No	4.24	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268052.64	634702.31	0.9	Peat	Granular	No	3.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268056.58	634660.08	0.9	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268033.35	634652.46	0.9	Peat	Granular	No	5.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268016.66	634648.14	0.9	Peat	Granular	No	5.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267979.08	634639.74	0.9	Peat	Granular	No	6.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267683.88	634668.02	0.9	Peat	Granular	No	10.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267524.42	634691.47	0.9	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267544.99	634691.66	0.9	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267523.84	634684.25	0.9	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267514.65	634681.85	0.9	Peat	Granular	No	11.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267772.84	634460.45	0.9	Peat	Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267803.05	634422.28	0.9	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267804.29	634411.83	0.9	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267845.2	634360.42	0.9	Peat	Granular	No	8.60	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267845.26	634350.73	0.9	Superficial	Granular	No	8.60	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267845.82	634341.51	0.9	Peat	Granular	No	9.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267854.63	634341.69	0.9	Peat	Granular	No	9.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267855.25	634352.18	0.9	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267852.18	634361.2	0.9	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267873.55	634362.39	0.9	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267942.35	635128.73	0.9	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267972.07	635202.99	0.9	Peat	Granular	No	4.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267984.57	635232.53	0.9	Peat	Granular	No	4.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268017.24	635263.38	0.9	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268019.57	635272.6	0.9	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268014.91	635301.72	0.9	Superficial	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268037.58	635311.91	0.9	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268034.56	635290.81	0.9	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268037.67	635280.91	0.9	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268043.43	635292.51	0.9	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268044.17	635302.39	0.9	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268043.36	635321.17	0.9	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268027.85	635339.34	0.9	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268020.26	635339.46	0.9	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268057.07	635370.74	0.9	Peat	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268058.38	635380.59	0.9	Peat	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268066.56	635350.98	0.9	Peat	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268070.2	635338.21	0.9	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268058.83	635339.63	0.9		Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268064.82	635331.86	0.9	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267913	635096.34	0.9	Peat	Granular	No	6.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267903.1	635096.91	0.9	Peat	Granular	No	6.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267868.04	634907.72	0.9	Peat	Granular	No	6.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267857.89	634825.13	0.9	Peat	Granular	No	7.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267951.83	634805.36	0.9	Peat	Granular	No	5.39	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267812.62	634432.28	0.9	Peat	Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267864.84	634383.13	0.9	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267917.13	634390.49	0.9	Peat	Granular	No	8.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267911.5	634363.19	0.9	Peat	Granular	No	8.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267882.1	634371.41	0.9	Peat	Granular	No	8.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267912.32	634351.29	0.9	Peat	Granular	No	8.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267936.77	634342.75	0.9	Peat	Granular	No	9.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267919.12	634288.72	0.9	Peat	Granular	No	10.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268021.29	635261.82	0.9	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268056.2	635290.47	0.9	Superficial	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268061.89	635293.95	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268082.26	635289.79	0.9	Superficial	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268093.2	635311.36	0.9	Superficial	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268084.51	635321.93	0.9	Superficial	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268077.07	635312.82	0.9	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268075.5	635322.44	0.9	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268072.17	635327.66	0.9	Superficial	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268105.7	635343.9	0.9	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267877.38	634870.5	0.9	Peat	Granular	No	6.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268947.73	633990.33	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268891.61	633982.09	0.9	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268804.33	633942.38	0.9	Peat	Granular	No	7.87	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268791.94	633961.34	0.9	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268744.5	633911.9	0.9	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268705.81	633890.29	0.9	Peat	Granular	No	7.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268704.75	633881.13	0.9	Peat	Granular	No	7.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268704.1	633873.3	0.9	Peat	Granular	No	7.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268695.57	633879.18	0.9	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269606.38	634043.33	0.9	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269552.06	634022.8	0.9	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269552.93	634034.56	0.9	Peat	Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269543.37	634041.62	0.9	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269535.66	634015.05	0.9	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267851.97	633833.17	0.9	Peat	Granular	No	9.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267885.97	633849.22	0.9	Peat	Granular	No	9.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268647.07	633833.38	0.9	Peat	Granular	No	6.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268626	633891.54	0.9	Peat	Granular	No	5.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268634.49	633900.58	0.9	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268676.14	633857.14	0.9	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268674.58	633870.07	0.9	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269430.56	633984.45	0.9	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269470.13	633956	0.9	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269463.92	634011.09	0.9	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269469.68	633994.9	0.9	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269482.39	634022.28	0.9	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269495.16	633991.44	0.9	Peat	Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269504.89	633990.82	0.9	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269514.53	633983.03	0.9	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267903.37	633920.45	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268685.84	633859.11	1.2	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270689.7	635291.81	1.7	Peat	Granular	No	3.02	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268015.27	633938.35	0.2	Superficial	Granular	No	12.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270746.55	635209.09	2	Peat	Granular	No	2.66	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270014.12	635676.57	2	Peat	Granular	No	4.39	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270111.4	635663.92	2	Peat	Granular	No	2.83	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270093.81	635652.99	2	Peat	Granular	No	3.53	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270377.63	634213.32	2	Peat	Granular	No	3.34	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270371.18	634214.56	2	Peat	Granular	No	3.34	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269894.43	633848.43	2	Peat	Granular	No	1.89	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	270923.7	634471.74	2	Peat	Granular	No	3.36	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270940.68	634518.74	2	Peat	Granular	No	3.60	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270994.05	634476.95	2	Peat	Granular	No	3.50	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270160.88	634597.89	2	Peat	Granular	No	2.85	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270182.17	634611.36	2	Peat	Granular	No	2.57	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270201.09	634608.5	2	Peat	Granular	No	3.54	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270177.11	635632.81	2.1	Peat	Granular	No	2.58	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271087.67	635023.23	2.1	Peat	Rock	No	4.21	Thick Peat	1	2	2	2	8	Low
ITPEnergised		2	270773.19	634397.18	2.1	Peat	Granular	No	3.54	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270816.8	634422.55	2.1	Peat	Granular	No	3.63	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270251.67	634390.28	2.1	Peat	Granular	No	4.17	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270151.53	635653.18	2.2	Peat	Granular	No	3.42	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270987.31	634736.09	2.2	Peat	Granular	No	3.37	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270514.6	634240.59	2.2	Peat	Granular	No	2.73	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270512.96	634250.86	2.2	Peat	Granular	No	3.07	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270475.65	634216.68	2.3	Peat	Granular	No	2.55	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270480.02	634207.55	2.4	Peat	Granular	No	2.55	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270784.15	634378.83	2.4	Peat	Granular	No	3.54	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270189.39	635637.92	2.5	Peat	Granular	No	2.58	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271101.65	635044.57	2.5	Peat	Granular	No	4.90	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270967.42	634751.19	2.5	Peat	Granular	No	3.51	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270425.57	634197.62	2.5	Peat	Granular	No	3.10	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270969.9	634472.35	2.5	Peat	Granular	No	3.50	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270976.86	634743.04	2.6	Peat	Granular	No	3.37	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270777.92	634388.06	2.7	Peat	Granular	No	3.54	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269624.21	634941.76	1	Peat	Granular	No	5.49	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269561.9	634942.52	1	Peat	Granular	No	4.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269587.04	634920.46	1	Peat	Granular	No	4.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270013.7	635044.83	1	Peat	Granular	No	7.17	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269995.76	635178.15	1	Peat	Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269990.13	635184.79	1	Peat	Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270218.14	635509.59	1	Peat	Granular	No	4.29	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270243.52	635430.26	1	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270726.35	635261.57	1	Peat	Granular	No	2.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270791.45	635183.02	1	Peat	Granular	No	3.89	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270844.29	635112.55	1	Peat	Granular	No	4.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269908.89	635064.72	1	Peat	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269780.88	635609.12	1	Peat	Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271143.31	635070.96	1	Peat	Granular	No	4.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271145.69	635061.61	1	Peat	Granular	No	4.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271143.6	635012.91	1	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271168.58	635020.06	1	Peat	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270063.53	634097.76	1	Peat	Granular	No	3.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270063.32	634080.24	1	Peat	Granular	No	3.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270057.28	634069.15	1	Peat	Granular	No	3.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270195.49	634080.98	1	Peat	Granular	No	4.56	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270459.69	634314.6	1	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270908.56	634981.96	1	Soil	Granular	No	5.87	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270672.7	635089.66	1	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270668.03	635002.04	1	Peat	Granular	No	5.51	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	270458.65	634084.55	1	Peat	Granular	No	2.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270402.47	634149.77	1	Peat	Granular	No	3.39	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270605.22	634289.11	1	Peat	Granular	No	2.39	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270692.36	634337.87	1	Peat	Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270687.53	634346.02	1	Peat	Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270837.37	634434.09	1	Peat	Granular	No	3.63	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271009.5	634526.88	1	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271019.84	634525.72	1	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271040.33	634526.66	1	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271068.61	634525.21	1	Peat	Granular	No	4.13	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270910.43	635055.86	1	Peat	Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270138.29	634194.31	1	Peat	Granular	No	3.40	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269053.76	633807.83	1	Peat	Granular	No	5.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269918.49	634092.29	1	Peat	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270136.97	634290.15	1	Peat	Granular	No	4.06	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270143.32	634294.49	1	Peat	Granular	No	4.06	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269658.94	634968.08	1.1	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270119.75	635104.61	1.1	Peat	Granular	No	6.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270030.18	635201.94	1.1	Peat	Granular	No	4.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267812.16	633815.7	1.1	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270824.48	635149.23	1.1	Peat	Granular	No	4.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270937.41	635109.2	1.1	Peat	Granular	No	1.97	Thin Peat	1	3	0	1	0	None
ITPEnergised		2	271142.67	635031.98	1.1	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271151.17	635002.52	1.1	Peat	Cohesive	No	4.62	Thin Peat	1	3	2	2	12	Low
ITPEnergised		2	269972.23	633957.93	1.1	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270866.49	634538.77	1.1	Peat	Granular	No	3.93	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271019.44	634885.54	1.1	Peat	Granular	No	2.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271041.48	634887.11	1.1	Peat	Granular	No	2.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270136.22	634030.34	1.1	Peat	Granular	No	2.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270845.6	634439.38	1.1	Peat	Granular	No	3.63	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271080.45	634526.44	1.1	Peat	Granular	No	4.13	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271087.97	634524.33	1.1	Peat	Granular	No	4.13	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270126.11	634197.72	1.1	Peat	Granular	No	3.40	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267952.33	634050.05	1.1	Peat	Granular	No	6.10	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270160.75	634584.43	1.1	Peat	Granular	No	2.85	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270157.98	634655.65	1.1	Peat	Granular	No	3.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270154.82	634647.66	1.1	Peat	Granular	No	2.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267160.49	634390.07	1.1	Peat	Granular	No	7.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269581.94	634904.75	1.2	Peat	Granular	No	4.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269583.99	634912.39	1.2	Peat	Granular	No	4.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269968.15	635046.01	1.2	Peat	Granular	No	6.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269934.04	635101.78	1.2	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270813.2	635141.19	1.2	Peat	Granular	No	4.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269781.53	635639.95	1.2	Peat	Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269834.68	635662.85	1.2	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271162.98	635058.8	1.2	Peat	Granular	No	3.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271144.48	635041.15	1.2	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271176.2	635022.05	1.2	Peat	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271142.85	634969.71	1.2	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270080.61	634000.16	1.2	Peat	Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270247.78	634090.75	1.2	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270246.34	634099.26	1.2	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270342	634120.03	1.2	Peat	Granular	No	3.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270449.69	634314.6	1.2	Peat	Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270456.04	634320.59	1.2	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270452.23	634304.73	1.2	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270453.22	634285.69	1.2	Peat	Granular	No	3.46	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270861.92	634478.6	1.2	Peat	Granular	No	3.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270886.36	634520.94	1.2	Peat	Granular	No	3.93	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271026.72	634831.22	1.2	Peat	Granular	No	3.46	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	271034.67	634887.93	1.2	Peat	Granular	No	2.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270762.64	635038.17	1.2	Peat	Granular	No	6.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270734.29	634981.39	1.2	Peat	Granular	No	5.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270624.57	635036.5	1.2	Peat	Granular	No	6.94	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270674.1	635051.26	1.2	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270663.77	635009.27	1.2	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270736.08	634361.69	1.2	Peat	Granular	No	3.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271039.08	634545.98	1.2	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271037.85	634555.15	1.2	Peat	Granular	No	4.54	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271058.02	634529.35	1.2	Peat	Granular	No	4.13	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271246.62	634901.37	1.2	Peat	Granular	No	4.50	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269770.25	634067.7	1.2	Peat	Granular	No	5.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270157.05	634291.99	1.2	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269047.71	633812.46	1.2	Peat	Granular	No	7.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267847.5	634084.05	1.2	Peat	Granular	No	6.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270150.74	634393.23	1.2	Peat	Granular	No	3.93	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269006.7	633858.4	1.2	Peat	Granular	No	9.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267372.49	634230.44	1.2	Peat	Granular	No	4.29	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269583.65	634996.27	1.3	Peat	Granular	No	3.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269587.66	634985.28	1.3	Peat	Granular	No	3.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270238.1	635160.7	1.3	Peat	Granular	No	5.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270885.94	635111.08	1.3	Peat	Granular	No	2.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270971.79	635117.86	1.3	Peat	Granular	No	1.30	Thin Peat	1	3	0	1	0	None
ITPEnergised		2	270235.69	635570.37	1.3	Peat	Cohesive	No	4.03	Thin Peat	1	3	2	2	12	Low
ITPEnergised		2	271143.51	635020.64	1.3	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271182.51	635017.28	1.3	Peat	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269951.89	633916.53	1.3	Peat	Granular	No	3.03	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270093.34	633984.86	1.3	Peat	Granular	No	2.07	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270243.66	634078	1.3	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270305.38	634117.7	1.3	Peat	Granular	No	3.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270453.45	634333.9	1.3	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270850.2	634475.64	1.3	Peat	Granular	No	3.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271011.03	634936.84	1.3	Peat	Granular	No	5.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269863	633800.87	1.3	Peat	Granular	No	1.89	Thin Peat	1	3	0	1	0	None
ITPEnergised		2	270022.44	633971.1	1.3	Peat	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271039.74	634535.42	1.3	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269973.17	634084.76	1.3	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270209.5	634313.74	1.3	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270322.12	634355.36	1.3	Peat	Granular	No	4.55	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269009.83	633821.1	1.3	Peat	Granular	No	7.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267991.31	634051.83	1.3	Peat	Cohesive	No	6.10	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	269792.99	634102.84	1.3	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270160.3	634576.32	1.3	Peat	Granular	No	2.85	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270113.65	634623.44	1.3	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267363.73	634229.71	1.3	Peat	Granular	No	4.29	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269581.43	634902.01	1.4	Peat	Granular	No	4.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269584.52	634975.16	1.4	Peat	Granular	No	3.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269605.06	634945.19	1.4	Peat	Granular	No	5.49	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269546.29	634946.94	1.4	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270230.92	635480.75	1.4	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270222.98	635473.95	1.4	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270898.38	635117.78	1.4	Peat	Granular	No	2.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270946.17	635095.97	1.4	Peat	Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269788.09	635690.65	1.4	Peat	Granular	No	5.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271124.8	635018.79	1.4	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269800.39	633842.64	1.4	Peat	Granular	No	1.93	Thin Peat	1	3	0	1	0	None
ITPEnergised		2	270358.48	634131.31	1.4	Peat	Granular	No	3.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270452.14	634274.45	1.4	Peat	Granular	No	3.46	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270874.99	634531.56	1.4	Peat	Granular	No	3.93	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270909.28	634950.78	1.4	Peat	Granular	No	5.87	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270632.77	635040.99	1.4	Peat	Granular	No	6.94	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270055.27	633966.3	1.4	Peat	Granular	No	2.07	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270127.55	634043.15	1.4	Peat	Granular	No	2.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270436.8	634182.09	1.4	Peat	Granular	No	3.10	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270826.94	634405.15	1.4	Peat	Granular	No	3.63	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270858.06	634427.12	1.4	Peat	Granular	No	3.36	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270855.45	634431.05	1.4	Peat	Granular	No	3.36	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270847.13	634428.63	1.4	Peat	Cohesive	No	3.63	Thin Peat	1	3	2	2	12	Low
ITPEnergised		2	271039.62	634516.06	1.4	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270900.36	635048.49	1.4	Peat	Granular	No	5.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269035.08	633810.64	1.4	Peat	Granular	No	7.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269713.33	634074.9	1.4	Peat	Granular	No	5.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269803.41	634078.27	1.4	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269913.95	634101.45	1.4	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270131.99	634394.17	1.4	Peat	Granular	No	3.54	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269006.38	633850.04	1.4	Peat	Granular	No	9.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266940.99	634478.28	1.4	Peat	Granular	No	5.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266952.36	634469.23	1.4	Peat	Granular	No	9.94	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270025.86	635227.23	1.5	Peat	Granular	No	4.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269621.37	634937.48	1.5	Peat	Granular	No	5.49	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269583.56	634897.5	1.5	Peat	Granular	No	6.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270227.2	635514.48	1.5	Peat	Granular	No	4.29	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270236.61	635522.23	1.5	Peat	Granular	No	4.29	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270230.23	635431.9	1.5	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270697.9	635299.25	1.5	Peat	Granular	No	3.02	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270778.82	635169.28	1.5	Peat	Granular	No	3.89	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269905.42	635073.59	1.5	Peat	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270048.66	635658.77	1.5	Peat	Granular	No	4.39	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270226.54	635603	1.5	Peat	Granular	No	3.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271160.56	635018.59	1.5	Peat	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269812.77	633846.74	1.5	Peat	Granular	No	1.93	Thin Peat	1	3	0	1	0	None
ITPEnergised		2	269820.73	633841.38	1.5	Peat	Granular	No	1.93	Thin Peat	1	3	0	1	0	None
ITPEnergised		2	270116.88	634087.81	1.5	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270348.7	634140.95	1.5	Peat	Granular	No	3.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270387.23	634261.42	1.5	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270438.74	634314.76	1.5	Peat	Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270883.74	634572.02	1.5	Peat	Granular	No	4.40	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270896.4	634575.64	1.5	Peat	Granular	No	4.40	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270723.17	635042.27	1.5	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270701.32	635040.04	1.5	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270666.28	635027.4	1.5	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270701.8	635013.82	1.5	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270051.33	633975.7	1.5	Peat	Granular	No	2.07	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270155.57	634144.27	1.5	Peat	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270380.81	634043.59	1.5	Peat	Granular	No	3.32	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270561.67	634265.64	1.5	Peat	Granular	No	2.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270697.71	634328.88	1.5	Peat	Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270731.44	634370.69	1.5	Peat	Granular	No	3.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270853.04	634423.4	1.5	Peat	Granular	No	3.36	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271030.66	634526.48	1.5	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271049.41	634525.06	1.5	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271295.44	634886.46	1.5	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271242.39	634893.42	1.5	Peat	Granular	No	4.78	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270998.2	634968.2	1.5	Peat	Granular	No	5.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270988.53	634965.28	1.5	Peat	Granular	No	5.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269027.61	633808.86	1.5	Peat	Granular	No	7.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269018.2	633845.51	1.5	Peat	Granular	No	7.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267729.19	634255.13	1.5	Peat	Granular	No	7.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266953.33	634459.75	1.5	Peat	Granular	No	9.94	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266955.74	634450.08	1.5	Peat	Granular	No	9.94	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269567.86	634954.13	1.6	Peat	Granular	No	3.71	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270058.41	635256.47	1.6	Peat	Granular	No	4.19	Thick Peat	1	2	2	1	4	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269531.93	634945.55	1.6	Peat	Granular	No	3.73	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		2	270656.14	635328.44	1.6	Peat	Granular	No	3.65	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		2	270650.32	635323.81	1.6	Peat	Granular	No	3.65	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		2	270929.17	635103.08	1.6	Peat	Granular	No	1.97	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	270931.49	635095.92	1.6	Peat	Granular	No	3.11	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		2	269811.52	635663.73	1.6	Peat	Granular	No	5.16	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269825.38	635659.05	1.6	Peat	Granular	No	5.16	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270140.96	635645.73	1.6	Peat	Granular	No	2.38	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270217.43	635597.88	1.6	Peat	Granular	No	4.03	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271193.51	635018.38	1.6	Peat	Granular	No	4.62	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271129.99	635022.52	1.6	Peat	Granular	No	4.90	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271102.7	635022.58	1.6	Peat	Granular	No	4.90	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269851.52	633881.61	1.6	Peat	Granular	No	2.46	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269821.74	633881.09	1.6	Peat	Granular	No	2.53	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270117.79	634080.78	1.6	Peat	Granular	No	3.30	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270307.57	634103.82	1.6	Peat	Granular	No	3.96	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270297.39	634123.39	1.6	Peat	Granular	No	4.75	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270329.73	634140.94	1.6	Peat	Granular	No	3.96	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270333.18	634135.16	1.6	Peat	Granular	No	3.96	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270451.26	634354.7	1.6	Peat	Granular	No	5.52	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270874.59	634482.31	1.6	Peat	Granular	No	3.42	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270690.81	635038.91	1.6	Peat	Granular	No	5.51	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270669.93	635037.57	1.6	Peat	Granular	No	5.51	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270662.91	635038.58	1.6	Peat	Granular	No	5.51	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270643.95	635047.1	1.6	Peat	Granular	No	6.94	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270675.64	635061.72	1.6	Peat	Granular	No	5.33	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269854.12	633808.26	1.6	Peat	Granular	No	1.89	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	269855.63	633816.27	1.6	Peat	Granular	No	1.89	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	270036.04	633992.24	1.6	Peat	Granular	No	3.37	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270611.45	634280.34	1.6	Peat	Granular	No	2.39	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270741.7	634352.86	1.6	Peat	Granular	No	3.98	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270890.2	634452.32	1.6	Peat	Granular	No	3.42	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271040.76	634565.64	1.6	Peat	Granular	No	4.54	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271296.61	634895.33	1.6	Peat	Granular	No	4.61	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271294.08	634905.17	1.6	Peat	Granular	No	4.90	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271251.85	634920.02	1.6	Peat	Granular	No	4.90	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271199.82	634916.47	1.6	Peat	Granular	No	5.19	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	271006.39	634972.54	1.6	Peat	Granular	No	5.13	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270275.59	634260.57	1.6	Peat	Granular	No	4.53	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270292.3	634319.74	1.6	Peat	Granular	No	4.63	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270230.2	634379.63	1.6	Peat	Granular	No	3.75	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268967.69	633813.66	1.6	Peat	Granular	No	9.63	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268965.24	633823.64	1.6	Peat	Granular	No	9.63	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268957.71	633812.46	1.6	Peat	Granular	No	9.63	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267919.14	634089.62	1.6	Peat	Granular	No	5.51	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267933.64	634050.76	1.6	Peat	Granular	No	5.51	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269713.88	634084.41	1.6	Peat	Granular	No	5.64	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269796.41	634090.19	1.6	Peat	Granular	No	5.08	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270134.1	634344.23	1.6	Peat	Granular	No	3.98	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270161.17	634563.15	1.6	Peat	Granular	No	2.85	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270169.81	634608.15	1.6	Peat	Granular	No	2.57	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270145.36	634578.7	1.6	Peat	Granular	No	2.68	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269008.72	633793.71	1.6	Peat	Granular	No	5.21	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269076.51	633861.13	1.6	Peat	Granular	No	8.11	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270030.91	635221.85	1.7	Peat	Granular	No	4.52	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270076.85	635242.2	1.7	Peat	Granular	No	4.31	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270066.33	635253.46	1.7	Peat	Granular	No	4.19	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269585.42	634961.59	1.7	Peat	Granular	No	3.71	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269591.01	634942.23	1.7	Peat	Granular	No	4.35	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269616.56	634943.43	1.7	Peat	Granular	No	5.49	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269554.24	634944.53	1.7	Peat	Granular	No	4.35	Thick Peat	1	2	2	1	4	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269587.06	634930.02	1.7	Peat	Granular	No	4.35	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270660.78	635336.69	1.7	Peat	Granular	No	3.65	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270718.76	635254.22	1.7	Peat	Granular	No	2.18	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270763.45	635219.36	1.7	Peat	Granular	No	2.04	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270891.77	635130.27	1.7	Peat	Granular	No	2.98	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269785.86	635680.06	1.7	Peat	Cohesive	No	5.21	Thick Peat	1	2	3	2	12	Low
ITPEnergised		2	269856.08	635672.63	1.7	Peat	Granular	No	5.26	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270063.65	635671.87	1.7	Peat	Granular	No	3.53	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271152.57	634988.85	1.7	Peat	Granular	No	4.98	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271146.04	634976.41	1.7	Peat	Granular	No	5.12	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269831.22	633843.19	1.7	Peat	Granular	No	1.93	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	269852.06	633869.24	1.7	Peat	Granular	No	2.46	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270113.06	634068.36	1.7	Peat	Granular	No	3.30	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270414.47	634337.25	1.7	Peat	Granular	No	4.95	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270453.28	634363.03	1.7	Peat	Granular	No	5.52	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270881.07	634583.59	1.7	Peat	Granular	No	4.40	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270922.54	634679.97	1.7	Peat	Granular	No	3.87	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270995.41	634793.65	1.7	Peat	Granular	No	3.51	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271027.43	634783.58	1.7	Peat	Granular	No	3.35	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270712.36	635040.24	1.7	Peat	Granular	No	5.76	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270682.69	635038.98	1.7	Peat	Granular	No	5.51	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270666.67	635019	1.7	Peat	Granular	No	5.51	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269853.21	633825.68	1.7	Peat	Cohesive	No	1.89	Thick Peat	1	2	0	2	0	None
ITPEnergised		2	269901.48	633848.26	1.7	Peat	Granular	No	1.61	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	270159.26	634094.49	1.7	Peat	Granular	No	4.56	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270134.21	634097.91	1.7	Peat	Granular	No	3.30	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270874.35	634462.7	1.7	Peat	Granular	No	3.42	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271001.01	634524.5	1.7	Peat	Granular	No	4.26	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271035.77	634571.99	1.7	Peat	Granular	No	4.54	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271197.2	634906.43	1.7	Peat	Granular	No	5.19	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	271055.39	634928.87	1.7	Peat	Granular	No	5.38	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269711.92	634093.23	1.7	Peat	Granular	No	5.64	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270144.1	634402.18	1.7	Peat	Granular	No	3.59	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270160.78	634607.97	1.7	Peat	Granular	No	2.57	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270192.21	634606.2	1.7	Peat	Granular	No	2.57	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270712.93	635247.9	1.8	Peat	Granular	No	2.66	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269879.82	635693.64	1.8	Peat	Granular	No	5.26	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269926.23	635690.55	1.8	Peat	Granular	No	5.46	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269996.29	635673.89	1.8	Peat	Granular	No	5.09	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270008.25	635667.73	1.8	Peat	Granular	No	4.39	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270004.69	635658	1.8	Peat	Granular	No	4.39	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270101.46	635658.12	1.8	Peat	Granular	No	2.83	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270131.25	635641.72	1.8	Peat	Granular	No	2.38	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270207.98	635594.66	1.8	Peat	Granular	No	4.03	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269844.84	633841.26	1.8	Peat	Granular	No	1.93	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	269853.16	633852.09	1.8	Peat	Granular	No	2.46	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269851.8	633859.57	1.8	Peat	Granular	No	2.46	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269879.61	633882.37	1.8	Peat	Granular	No	2.46	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269899.98	633916.22	1.8	Peat	Granular	No	3.74	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270142.55	634071.56	1.8	Peat	Granular	No	3.30	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270325.72	634146.59	1.8	Peat	Granular	No	3.96	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270326.03	634146.93	1.8	Peat	Granular	No	3.96	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270358.36	634184.62	1.8	Peat	Granular	No	3.53	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270411.1	634286.97	1.8	Peat	Granular	No	3.56	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270419.02	634315.42	1.8	Peat	Granular	No	4.95	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270408.57	634317.25	1.8	Peat	Granular	No	4.95	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270450.45	634264.19	1.8	Peat	Granular	No	3.46	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270906.97	634613.38	1.8	Peat	Granular	No	4.15	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270885.24	634627.6	1.8	Peat	Granular	No	4.24	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270907.46	634675.54	1.8	Peat	Granular	No	3.87	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270933.89	634672.05	1.8	Peat	Granular	No	3.87	Thick Peat	1	2	2	1	4	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITP Energised		2	270952.68	634709.3	1.8	Peat	Granular	No	3.37	Thick Peat	1	2	1	4	Negligible	
ITP Energised		2	271014.94	634792.51	1.8	Peat	Granular	No	3.35	Thick Peat	1	2	1	4	Negligible	
ITP Energised		2	271019.91	634837.85	1.8	Peat	Granular	No	3.46	Thick Peat	1	2	1	4	Negligible	
ITP Energised		2	271034.75	634832.87	1.8	Peat	Granular	No	3.46	Thick Peat	1	2	1	4	Negligible	
ITP Energised		2	271011.46	634928.22	1.8	Peat	Granular	No	5.26	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	271007.44	634943.11	1.8	Peat	Granular	No	5.26	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	270960.57	634946.82	1.8	Peat	Granular	No	5.10	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	270958.91	634936.88	1.8	Peat	Granular	No	5.10	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	270963.63	634957.57	1.8	Peat	Granular	No	5.62	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	270652.93	635049.29	1.8	Peat	Granular	No	5.51	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	269852.19	633833.52	1.8	Peat	Cohesive	No	1.89	Thick Peat	1	2	0	2	0	None
ITP Energised		2	269912.57	633857.6	1.8	Peat	Granular	No	2.19	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270467.75	634223.43	1.8	Peat	Granular	No	2.55	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270556.76	634273.51	1.8	Peat	Granular	No	2.64	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270564.01	634254.7	1.8	Peat	Granular	No	2.64	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	271198.36	634894.92	1.8	Peat	Granular	No	5.40	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	271058.32	634921.06	1.8	Peat	Granular	No	5.38	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	269019.49	633812.02	1.8	Peat	Granular	No	7.48	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	270125.62	634347.08	1.8	Peat	Granular	No	3.98	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270150.55	634446.96	1.8	Peat	Granular	No	3.34	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270169.26	634492.57	1.8	Peat	Granular	No	3.54	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270109.65	634527.56	1.8	Peat	Granular	No	3.19	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270159.22	634627.36	1.8	Peat	Granular	No	2.57	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270159.08	634637.85	1.8	Peat	Granular	No	2.57	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270141.69	634605.31	1.8	Peat	Granular	No	3.79	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270154.8	634607.33	1.8	Peat	Granular	No	2.57	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	269005.54	633782.22	1.8	Peat	Granular	No	5.21	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	269005.69	633771.27	1.8	Peat	Granular	No	5.21	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	269003.33	633762.97	1.8	Peat	Granular	No	5.21	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	269573.34	634941.12	1.9	Peat	Granular	No	4.35	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270754.53	635215.84	1.9	Peat	Granular	No	2.04	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270056.27	635666.47	1.9	Peat	Granular	No	3.53	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270168.94	635624.75	1.9	Peat	Cohesive	No	2.58	Thick Peat	1	2	2	2	8	Low
ITP Energised		2	270370.65	634213.26	1.9	Peat	Granular	No	3.34	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270901.46	634626.42	1.9	Peat	Granular	No	4.15	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270959.79	634701.68	1.9	Peat	Granular	No	3.37	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270946.82	634721.19	1.9	Peat	Granular	No	3.59	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270660.84	634988.6	1.9	Peat	Granular	No	4.54	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	269855.05	633841.59	1.9	Peat	Cohesive	No	1.89	Thick Peat	1	2	0	2	0	None
ITP Energised		2	269864.2	633841.59	1.9	Peat	Cohesive	No	1.89	Thick Peat	1	2	0	2	0	None
ITP Energised		2	269884.36	633842.53	1.9	Peat	Granular	No	1.89	Thick Peat	1	2	0	1	0	None
ITP Energised		2	270144.35	634098.4	1.9	Peat	Granular	No	3.30	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270135.21	634141.35	1.9	Peat	Granular	No	3.37	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270144.04	634143.74	1.9	Peat	Granular	No	3.37	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270425.23	634172.87	1.9	Peat	Granular	No	3.10	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270522.97	634232.97	1.9	Peat	Granular	No	2.73	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270822.06	634412.92	1.9	Peat	Granular	No	3.63	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270989.65	634524.16	1.9	Peat	Granular	No	3.86	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270160.47	634552.93	1.9	Peat	Granular	No	2.85	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270162.12	634619.64	1.9	Peat	Granular	No	2.57	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	270211.99	634609.18	1.9	Peat	Granular	No	3.54	Thick Peat	1	2	2	1	4	Negligible
ITP Energised		2	269007.69	633790.1	1.9	Peat	Granular	No	5.21	Thick Peat	1	2	3	1	6	Low
ITP Energised		2	269774.04	634974.62	0.1	Superficial	Granular	No	6.74	Peaty Soil	1	1	3	1	3	Negligible
ITP Energised		2	270165.24	635052.65	0.1	Soil	Granular	No	7.78	Peaty Soil	1	1	3	1	3	Negligible
ITP Energised		2	270130.13	635290.84	0.1	Soil	Granular	No	4.44	Peaty Soil	1	1	2	1	2	Negligible
ITP Energised		2	267552.89	633815.55	0.1	Soil	Granular	No	6.60	Peaty Soil	1	1	3	1	3	Negligible
ITP Energised		2	267507.19	633902	0.1	Soil	Granular	No	1.63	Peaty Soil	1	1	0	1	0	None
ITP Energised		2	267525.35	633899.87	0.1	Soil	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
ITP Energised		2	267542.74	633898.79	0.1	Soil	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
ITP Energised		2	267562.63	633894.27	0.1	Superficial	Granular	No	2.76	Peaty Soil	1	1	2	1	2	Negligible
ITP Energised		2	267580.79	633861.79	0.1	Superficial	Granular	No	2.76	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267684.01	633769.02	0.1	Superficial	Granular	No	9.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267717.21	633766.99	0.1	Superficial	Granular	No	8.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267984.85	633905.17	0.1	Superficial	Granular	No	10.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267979.99	633914.63	0.1	Superficial	Granular	No	10.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267986.84	633895.84	0.1	Superficial	Granular	No	13.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268055.5	633977.58	0.1	Soil	Granular	No	12.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269089.7	633927.04	0.1	Soil	Granular	No	9.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269079.62	633906.4	0.1	Peat	Granular	No	9.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269067.85	633897.53	0.1	Soil	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269006.96	633871.12	0.1	Soil	Granular	No	9.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267801.6	634209.8	0.1	Soil	Granular	No	9.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267022.84	634437.59	0.1	Soil	Granular	No	8.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266995.84	634451.66	0.1	Superficial	Granular	No	9.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267454.14	634233.67	0.1	Superficial	Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267468.29	634229.89	0.1	Soil	Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267420.79	634185.95	0.1	Soil	Granular	No	6.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267403.01	634187.38	0.1	Soil	Granular	No	6.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267411.32	634223.2	0.1	Soil	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267396.53	634229.92	0.1	Peat	Granular	No	4.29	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267370.81	634242.28	0.1	Soil	Granular	No	4.29	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267070.1	634427.25	0.1	Soil	Granular	No	7.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267026.94	634444.65	0.1	Soil	Granular	No	8.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267010.69	634478.65	0.1	Soil	Granular	No	10.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266992.48	634472.09	0.1	Soil	Granular	No	9.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266987.49	634496.88	0.1	Soil	Granular	No	9.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269919.07	635030.84	0.2	Soil	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267830.62	633853.96	0.2	Superficial	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267627.92	633804.66	0.2	Soil	Granular	No	4.30	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267596.56	633823.62	0.2	Peat	Granular	No	6.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267513.75	633855.47	0.2	Soil	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267516.01	633862.59	0.2	Soil	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267515.04	633873.83	0.2	Soil	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267515.57	633885.3	0.2	Soil	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267513.39	633903	0.2	Soil	Granular	No	1.63	Peaty Soil	1	1	0	1	0	None
ITPEnergised		2	267551.86	633898.44	0.2	Soil	Granular	No	2.76	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267675.53	633769.37	0.2	Soil	Granular	No	9.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267728.89	633771.26	0.2	Superficial	Granular	No	8.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267722.27	633762.22	0.2	Superficial	Granular	No	8.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267731.06	633753.88	0.2	Superficial	Granular	No	8.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267677.83	633733.03	0.2	Superficial	Granular	No	12.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267683.04	633722.27	0.2	Superficial	Granular	No	12.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270683.12	635285.34	0.2	Peat	Granular	No	3.02	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270906.75	634959.08	0.2	Peat	Granular	No	5.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267853.61	634153.25	0.2	Superficial	Granular	No	8.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267805.67	634172.19	0.2	Soil	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267999.4	634151.57	0.2	Superficial	Granular	No	11.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268012.59	634119.9	0.2	Superficial	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267777.02	634242.36	0.2	Superficial	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267774.66	634234.52	0.2	Superficial	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267811.21	634203.33	0.2	Soil	Granular	No	9.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267854.64	634173.62	0.2	Soil	Granular	No	8.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267862.78	634174.3	0.2	Soil	Cohesive	No	8.91	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	267875.79	634152.34	0.2	Superficial	Granular	No	8.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267892.81	634140.56	0.2	Soil	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267899.28	634152.36	0.2	Soil	Granular	No	8.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267929.36	634123.64	0.2	Soil	Granular	No	8.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267255.67	634601.13	0.2	Soil	Granular	No	12.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267247.44	634581.66	0.2	Superficial	Granular	No	11.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267261.13	634561.05	0.2	Superficial	Granular	No	11.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267242.34	634547.39	0.2	Superficial	Granular	No	10.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267256.68	634503.68	0.2	Superficial	Granular	No	10.67	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267215.33	634371.82	0.2	Superficial	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266981.55	634466.26	0.2	Superficial	Granular	No	9.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266968.8	634456.48	0.2	Superficial	Granular	No	9.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266971.12	634445.34	0.2	Superficial	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266960.42	634475.71	0.2	Superficial	Granular	No	9.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266940.52	634491.08	0.2	Superficial	Granular	No	5.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267363.12	634489.81	0.2	Superficial	Granular	No	10.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267389.55	634475.03	0.2	Superficial	Granular	No	10.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267326.83	634474.24	0.2	Soil	Granular	No	10.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267415.49	634250.37	0.2	Superficial	Granular	No	4.61	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267414.75	634241.37	0.2	Soil	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267431.64	634232.84	0.2	Peat	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267441.98	634227.72	0.2	Peat	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267413.22	634198.4	0.2	Soil	Granular	No	6.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267410.81	634210.83	0.2	Peat	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267413.56	634232.56	0.2	Soil	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267407.19	634234.03	0.2	Soil	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269792.75	634966.96	0.3	Superficial	Granular	No	6.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269836.33	635010.98	0.3	Peat	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270126.72	635011.73	0.3	Superficial	Granular	No	8.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270153.26	635053.43	0.3	Superficial	Granular	No	7.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270058.1	635022.38	0.3	Soil	Granular	No	7.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267517.93	633842.31	0.3	Soil	Granular	No	8.82	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267515.95	633913.72	0.3	Peat	Granular	No	1.63	Peaty Soil	1	1	0	1	0	None
ITPEnergised		2	267510.67	633927.56	0.3	Soil	Granular	No	1.63	Peaty Soil	1	1	0	1	0	None
ITPEnergised		2	267461.19	633897.1	0.3	Soil	Granular	No	7.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267473.35	633895.1	0.3	Soil	Granular	No	7.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267486.1	633899.59	0.3	Soil	Granular	No	7.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267494.9	633903.43	0.3	Soil	Granular	No	4.40	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267535.17	633901.1	0.3	Soil	Granular	No	1.63	Peaty Soil	1	1	0	1	0	None
ITPEnergised		2	270301.89	635391.15	0.3	Superficial	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269007.61	633808.86	0.3	Soil	Granular	No	7.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267966.18	634102.79	0.3	Peat	Granular	No	9.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267928.25	634122.98	0.3	Superficial	Granular	No	8.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267885.96	634145.73	0.3	Superficial	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267876.41	634153.64	0.3	Soil	Granular	No	8.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267849.28	634168.02	0.3	Superficial	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267828.49	634060.11	0.3	Superficial	Granular	No	6.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267876.85	634028.35	0.3	Superficial	Granular	No	5.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268063.61	634041.71	0.3	Superficial	Granular	No	8.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267987.69	634130.9	0.3	Superficial	Granular	No	9.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267996.69	634096.64	0.3	Superficial	Granular	No	6.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267739.13	634264.09	0.3	Superficial	Granular	No	7.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267942	634129.11	0.3	Peat	Granular	No	8.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267249.32	634543.53	0.3	Superficial	Granular	No	10.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267254.2	634511.84	0.3	Soil	Granular	No	10.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267220.24	634519.21	0.3	Superficial	Granular	No	10.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267207.68	634555.42	0.3	Superficial	Granular	No	11.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267216.96	634553.57	0.3	Superficial	Granular	No	11.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267226.67	634549.39	0.3	Superficial	Granular	No	10.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267254.3	634552.4	0.3	Superficial	Granular	No	11.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267275.38	634550.93	0.3	Superficial	Granular	No	11.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267285.68	634541.32	0.3	Superficial	Granular	No	10.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267294.2	634551.84	0.3	Superficial	Granular	No	11.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267171.11	634570.34	0.3	Superficial	Granular	No	11.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267168.33	634560.74	0.3	Superficial	Granular	No	11.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267165.56	634551.13	0.3	Superficial	Granular	No	11.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267121.17	634582.26	0.3	Superficial	Granular	No	11.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267119.75	634572.36	0.3	Superficial	Granular	No	11.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267118.32	634562.46	0.3	Superficial	Granular	No	11.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267080	634521.61	0.3	Superficial	Granular	No	9.02	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267072.31	634506.1	0.3	Superficial	Granular	No	9.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267061.24	634502.15	0.3	Superficial	Granular	No	9.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267082.32	634450.84	0.3	Superficial	Granular	No	9.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267122.53	634424.29	0.3	Superficial	Granular	No	9.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267131.22	634426.13	0.3	Superficial	Granular	No	9.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267163.64	634402.05	0.3	Superficial	Granular	No	11.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267208.95	634372.64	0.3	Superficial	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267201.17	634354.09	0.3	Superficial	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267208.5	634349.96	0.3	Superficial	Granular	No	5.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267231.19	634329.61	0.3	Superficial	Granular	No	5.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267112.85	634392.69	0.3	Superficial	Granular	No	7.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267064.3	634410.65	0.3	Superficial	Granular	No	7.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267065.83	634418.79	0.3	Superficial	Granular	No	7.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267008.66	634430.18	0.3	Superficial	Granular	No	8.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267333.66	634524.74	0.3	Superficial	Granular	No	10.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267288.78	634525.66	0.3	Superficial	Granular	No	10.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267425.17	634231.91	0.3	Superficial	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267446.6	634232.84	0.3	Peat	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269738.33	634970.52	0.4	Peat	Granular	No	6.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269850.2	634988.22	0.4	Superficial	Granular	No	7.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269867.87	635019.06	0.4	Superficial	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270097.5	635039.24	0.4	Soil	Granular	No	7.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267853.3	633887.35	0.4	Superficial	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267513.95	633893.74	0.4	Soil	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267509.35	633938.07	0.4	Soil	Granular	No	1.63	Peaty Soil	1	1	0	1	0	None
ITPEnergised		2	269924.63	635108.17	0.4	Soil	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270306.47	635373.12	0.4	Superficial	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270334.51	635382.96	0.4	Peat	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270423.37	635386.95	0.4	Superficial	Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270533.2	635403.93	0.4	Superficial	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270543.05	635411.08	0.4	Peat	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270542.2	635421.61	0.4	Superficial	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270544.21	635430.91	0.4	Superficial	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269789.73	635666.55	0.4	Superficial	Granular	No	5.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270478.76	634314.2	0.4	Peat	Granular	No	4.87	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270449.09	634296.28	0.4	Peat	Granular	No	3.56	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270650.34	634311.54	0.4	Peat	Granular	No	3.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268064.63	634050.1	0.4	Superficial	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267975.46	634107.64	0.4	Superficial	Granular	No	9.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267817.92	634206.78	0.4	Peat	Granular	No	9.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267895.54	634146.21	0.4	Peat	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267938.99	634124.72	0.4	Peat	Granular	No	8.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268058.63	634033.39	0.4	Superficial	Granular	No	8.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267248.12	634595.95	0.4	Superficial	Granular	No	11.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267217.26	634538.14	0.4	Superficial	Granular	No	10.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267421.68	634462.04	0.4	Superficial	Granular	No	11.61	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267349.49	634295.4	0.4	Superficial	Granular	No	4.59	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267419.14	634275.56	0.4	Peat	Granular	No	4.61	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267386.47	634229.54	0.4	Soil	Granular	No	4.29	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269791.9	634978.17	0.5	Superficial	Granular	No	6.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269799.49	634961.5	0.5	Superficial	Granular	No	6.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269866.24	635030.3	0.5	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270122.1	635003.13	0.5	Peat	Granular	No	8.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270122.63	635043.65	0.5	Superficial	Granular	No	8.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270127.15	635305.63	0.5	Superficial	Granular	No	4.84	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270159.05	635338.54	0.5	Peat	Granular	No	4.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267846.73	633871.4	0.5	Soil	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267508.81	633948.82	0.5	Soil	Granular	No	1.63	Peaty Soil	1	1	0	1	0	None
ITPEnergised		2	267671.53	633763.9	0.5	Peat	Granular	No	9.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270306.38	635381.27	0.5	Peat	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270550.36	635356.26	0.5			No	6.14	Peaty Soil	1	1	3	0	0	None

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269974.81	635135.93	0.5	Peat	Granular	No	4.49	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269758.98	635630.44	0.5	Peat	Granular	No	5.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269785.74	635656.12	0.5	Peat	Granular	No	5.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270429.52	634314.36	0.5	Peat	Granular	No	4.95	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270450.83	634344.97	0.5	Peat	Granular	No	4.87	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	271036.6	634930.17	0.5	Peat	Granular	No	5.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270430.75	634189.99	0.5	Superficial	Granular	No	3.10	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270908.19	635050.08	0.5	Peat	Granular	No	3.11	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268055.89	633972.11	0.5	Soil	Granular	No	12.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269776.45	634089.06	0.5	Peat	Granular	No	5.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270173.3	634274.37	0.5	Peat	Granular	No	4.61	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267933.8	634045.55	0.5	Peat	Granular	No	4.53	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267964.27	634099.77	0.5	Peat	Granular	No	6.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269926.09	634080.78	0.5	Peat	Granular	No	4.99	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270009.31	634079.01	0.5	Peat	Granular	No	5.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269020.51	633899.15	0.5	Peat	Granular	No	9.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267077.58	634563.52	0.5	Peat	Granular	No	9.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267102.84	634473.98	0.5	Superficial	Granular	No	11.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267146.48	634434.1	0.5	Superficial	Granular	No	9.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267160.21	634391.86	0.5	Superficial	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267205.27	634366.69	0.5	Superficial	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267418.27	634263.13	0.5	Peat	Granular	No	4.61	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267112.41	634400.33	0.5	Peat	Granular	No	9.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269846.19	635001.46	0.6	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270128.03	635021.83	0.6	Peat	Granular	No	8.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270120.13	635034.48	0.6	Peat	Granular	No	8.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270126.69	635051.45	0.6	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270121.81	635064.15	0.6	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270086.07	635268.1	0.6	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270166.9	635334.95	0.6	Peat	Granular	No	4.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270194	635129.06	0.6	Peat	Granular	No	6.84	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270241.63	635264.42	0.6	Peat	Granular	No	4.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267696.64	633723.08	0.6	Soil	Granular	No	12.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269943.57	635091.61	0.6	Peat	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270211.31	635372.83	0.6	Peat	Granular	No	5.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270208.19	635364.94	0.6	Peat	Granular	No	5.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270212.96	635344.53	0.6	Peat	Granular	No	4.63	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270257.92	635364.02	0.6	Peat	Granular	No	6.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270258.38	635371.97	0.6	Peat	Granular	No	6.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270255.61	635381.26	0.6	Peat	Granular	No	6.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270380.3	635389.47	0.6	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270464.69	635358.84	0.6	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270509.2	635382.86	0.6	Peat	Granular	No	6.41	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270462.27	635408.7	0.6	Peat	Granular	No	5.97	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270492.21	635402.9	0.6	Peat	Granular	No	5.97	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270503.83	635402.67	0.6	Peat	Granular	No	6.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270514.19	635403.71	0.6	Peat	Granular	No	6.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270525.25	635404.42	0.6	Peat	Granular	No	6.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270543.54	635404.89	0.6	Peat	Granular	No	6.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270542.5	635443.17	0.6	Peat	Granular	No	6.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270544.72	635361.64	0.6	Peat	Granular	No	6.41	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270552.24	635410.96	0.6	Peat	Granular	No	6.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271075.18	635086.45	0.6	Peat	Granular	No	3.16	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269863.03	635617.57	0.6	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269777.14	635620.39	0.6	Peat	Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270144.39	634024.49	0.6	Peat	Granular	No	2.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270643.45	634321.26	0.6	Peat	Granular	No	3.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271044.68	634942.14	0.6	Peat	Granular	No	5.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269773.43	634101.1	0.6	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269974.47	634097.28	0.6	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270143.89	634233.09	0.6	Peat	Granular	No	3.64	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267818.1	634141.06	0.6	Superficial	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267810.98	634103.95	0.6	Superficial	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267762.55	634128.1	0.6	Peat	Granular	No	3.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268019.3	634142.9	0.6	Peat	Granular	No	11.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269997.98	634074.24	0.6	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270127.86	634290.11	0.6	Peat	Granular	No	4.06	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270141.06	634393.75	0.6	Peat	Granular	No	3.54	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269009.45	633829.55	0.6	Peat	Granular	No	7.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267729.43	634263.64	0.6	Peat	Granular	No	7.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267768.48	634226.37	0.6	Peat	Granular	No	7.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267239.88	634573.38	0.6	Peat	Granular	No	11.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267249.45	634534.06	0.6	Peat	Granular	No	10.41	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267254.2	634521.84	0.6	Peat	Granular	No	10.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267233.92	634548.15	0.6	Peat	Granular	No	10.41	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267265.27	634556.06	0.6	Peat	Granular	No	11.55	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267113.15	634410.68	0.6	Peat	Granular	No	9.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269670.77	634926.15	0.7	Peat	Granular	No	6.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270127.13	635056.23	0.7	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270146.91	635057	0.7	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270119.84	635096.69	0.7	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270170.13	635324.86	0.7	Peat	Granular	No	4.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270184.17	635243.91	0.7	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270142.88	635284.75	0.7	Peat	Granular	No	4.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267863.13	633889.37	0.7	Peat	Granular	No	5.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267876.11	633891.63	0.7	Peat	Granular	No	5.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270541.61	635452.31	0.7	Peat	Granular	No	4.20	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270564.59	635401.92	0.7	Peat	Granular	No	6.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270554.03	635399.54	0.7	Peat	Granular	No	6.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270621.4	635363.68	0.7	Peat	Granular	No	5.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269913.18	635056.37	0.7	Peat	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271139.3	635050.36	0.7	Peat	Granular	No	4.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270189.34	634087.6	0.7	Peat	Granular	No	4.56	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270203.41	634073.1	0.7	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270470.23	634320.23	0.7	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269921.36	633883.77	0.7	Peat	Granular	No	2.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270921.07	635037.76	0.7	Peat	Granular	No	5.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270167.7	634281.44	0.7	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270225.09	634295.06	0.7	Peat	Granular	No	4.43	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267815.37	634080.82	0.7	Peat	Granular	No	6.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267891.08	634057.45	0.7	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267968.48	634091.85	0.7	Peat	Granular	No	6.10	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270171.17	634517.58	0.7	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270110.02	634608.83	0.7	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270120.76	634605.61	0.7	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267203.29	634558.18	0.7	Peat	Granular	No	11.83	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267075.79	634548.73	0.7	Peat	Granular	No	9.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267210	634361.19	0.7	Peat	Granular	No	6.75	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267274.89	634315.94	0.7	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267157.4	634378.14	0.7	Peat	Granular	No	7.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267415.89	634284.76	0.7	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270136.86	635060.14	0.8	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270121.65	635073.04	0.8	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270121.56	635085.35	0.8	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269920.98	635047.42	0.8	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270092.99	635059.21	0.8	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270104.88	635065.43	0.8	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270114.2	635061.84	0.8	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270285.17	635195.22	0.8	Peat	Granular	No	5.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270141.04	635239.59	0.8	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270574.31	635287.56	0.8	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270191.91	635311.8	0.8	Peat	Granular	No	4.71	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270006.6	635172.79	0.8	Peat	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270249.61	635438.42	0.8	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270205.22	635355.69	0.8	Peat	Granular	No	5.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270592.72	635403.08	0.8	Peat	Granular	No	6.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270585.73	635401.33	0.8	Peat	Granular	No	6.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270575.05	635400.04	0.8	Peat	Granular	No	6.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270545.4	635390.65	0.8	Peat	Granular	No	6.41	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270544.94	635372.64	0.8	Peat	Granular	No	6.41	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270543.87	635352.65	0.8	Peat	Granular	No	6.41	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270625.53	635373.95	0.8	Peat	Granular	No	5.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270997.37	635078.68	0.8	Peat	Granular	No	2.43	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271059.54	635031.78	0.8	Peat	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269969.31	635145.99	0.8	Peat	Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269967.09	635155.17	0.8	Peat	Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269949.83	635658.85	0.8	Peat	Granular	No	5.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269855.34	633890.67	0.8	Peat	Granular	No	2.46	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269855.82	633900.25	0.8	Peat	Granular	No	3.74	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270871.81	634964.03	0.8	Peat	Granular	No	5.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270869.87	634958.78	0.8	Peat	Granular	No	5.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270863.04	634976.29	0.8	Peat	Granular	No	5.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270808.65	634980	0.8	Peat	Granular	No	6.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270670.61	635072.15	0.8	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270672.99	635079.71	0.8	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268021.53	633933.96	0.8	Peat	Granular	No	12.69	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270655.3	634302.68	0.8	Peat	Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271158	634902.01	0.8	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270933.47	635036.37	0.8	Peat	Granular	No	5.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270907.56	635036.3	0.8	Peat	Granular	No	5.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269848.97	634075.2	0.8	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270137.93	634241.63	0.8	Peat	Granular	No	3.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270130.88	634249.61	0.8	Peat	Granular	No	3.64	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270295.99	634380.78	0.8	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268997.61	633808.86	0.8	Peat	Granular	No	9.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268976.08	633808.56	0.8	Peat	Granular	No	9.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267853.96	634089.88	0.8	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267858.97	634062.58	0.8	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267891.93	634068.74	0.8	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268009.22	634017.62	0.8	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268026.35	634049.62	0.8	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270131.05	634605.2	0.8	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269011.1	633838	0.8	Peat	Granular	No	7.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267071.27	634569.18	0.8	Peat	Granular	No	9.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267221.67	634352.95	0.8	Peat	Granular	No	6.75	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267234.63	634339.65	0.8	Peat	Granular	No	5.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267238.53	634347.08	0.8	Peat	Granular	No	5.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267310.95	634273.61	0.8	Peat	Granular	No	4.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269695.27	634960.43	0.9	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269871.2	635011.54	0.9	Peat	Granular	No	5.42	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270132.73	635067.55	0.9	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270123.48	635318.64	0.9	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270041.25	635070.94	0.9	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267886.2	633892.59	0.9	Peat	Granular	No	5.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267894.2	633891.84	0.9	Peat	Cohesive	No	5.04	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	267773.15	633800.66	0.9	Peat	Granular	No	6.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270240.44	635490.49	0.9	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270544.77	635382.74	0.9	Peat	Granular	No	6.41	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270615.47	635354.55	0.9	Peat	Granular	No	5.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269775.4	635652.78	0.9	Peat	Granular	No	5.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270229.07	635559.12	0.9	Peat	Granular	No	4.03	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270219.16	635558.06	0.9	Peat	Granular	No	4.03	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271113.95	635020.51	0.9	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270030.71	633977.79	0.9	Peat	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270090.26	633996.59	0.9	Peat	Granular	No	2.07	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270398.47	634317.18	0.9	Peat	Granular	No	5.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270495.29	634310.86	0.9	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270909.11	634968.4	0.9	Peat	Granular	No	5.87	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270875.43	634973.31	0.9	Peat	Granular	No	5.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270780.44	635004.73	0.9	Peat	Granular	No	6.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270650.34	635008.28	0.9	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270404.79	634110.39	0.9	Peat	Granular	No	3.39	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270601.27	634297.45	0.9	Peat	Granular	No	2.39	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271039.17	634503.98	0.9	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271038.6	634494.71	0.9	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271037.15	634485.77	0.9	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271162.88	634917.78	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271158.87	634910.79	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269854.42	634101.93	0.9	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269848.9	634091.52	0.9	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269970.33	634070.74	0.9	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270147.45	634197.05	0.9	Peat	Granular	No	3.40	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270253.45	634324.37	0.9	Peat	Granular	No	4.63	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268988.96	633808.73	0.9	Peat	Granular	No	9.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270013.85	634087.73	0.9	Peat	Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267173.47	634406.83	0.9	Peat	Granular	No	11.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267244.3	634337.66	0.9	Peat	Granular	No	5.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267313.19	634246.32	0.9	Peat	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269761	634542	0.8	Peat	Granular	No	4.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269778	634599	0.9	Peat	Granular	No	4.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269815	634576	0.5	Peat	Granular	No	5.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269828	634607	0.1	Soil	Granular	No	5.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269850	634589	1.2	Peat	Granular	No	5.36	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269860	634630	0.3	Soil	Granular	No	5.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269901	634572	0.9	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269901	634595	0.5	Peat	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269928	634607	0.9	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269916	634601	0.5	Peat	Granular	No	5.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269908	634641	0.7	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269623	634890	0.9	Peat	Granular	No	8.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269581	635017	1.4	Peat	Granular	No	3.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269535	635086	1.4	Peat	Granular	No	4.24	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269594	635071	0.9	Peat	Granular	No	3.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269600	635061	0.9	Peat	Granular	No	3.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269604	635053	0.9	Peat	Granular	No	3.88	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269698	635043	1.5	Peat	Granular	No	5.10	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269691	635051	1.2	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269749	635042	1.6	Peat	Granular	No	6.46	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269747	635030	0.9	Peat	Granular	No	6.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269794	635038	1	Peat	Granular	No	5.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269844	635037	0.8	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269844	635023	0.4	Peat	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269894	635036	0.4	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269947	635033	0.6	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269992	635037	0.9	Peat	Granular	No	6.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270043	635050	1.1	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270043	635041	0.9	Peat	Granular	No	7.17	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270086	635062	0.5	Peat	Granular	No	6.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270135	635081	1.5	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270137	635071	1	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270180	635099	1	Peat	Granular	No	7.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270224	635116	0.5	Peat	Granular	No	6.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270220	635157	0.9	Peat	Granular	No	5.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270252	635180	1.1	Peat	Granular	No	5.25	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270287	635204	0.9	Peat	Rock	No	4.73	Thin Peat	1	3	2	12	Low	
ITPEnergised		2	270259	635238	0.6	Peat	Granular	No	4.73	Thin Peat	1	3	2	6	Low	
ITPEnergised		2	270228	635214	0.9	Peat	Granular	No	4.80	Thin Peat	1	3	2	6	Low	
ITPEnergised		2	270193	635193	0.8	Peat	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270176	635160	0.5	Peat	Granular	No	5.38	Peaty Soil	1	1	3	3	Negligible	
ITPEnergised		2	270141	635204	0.7	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270163	635230	0.4	Peat	Granular	No	4.83	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270194	635256	0.9	Peat	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270228	635290	0.5	Peat	Granular	No	4.59	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270192	635328	0.4	Peat	Granular	No	4.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270155	635306	0.5	Peat	Granular	No	4.71	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270121	635273	0.9	Peat	Granular	No	4.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270098	635263	0.8	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270199	635648	2	Peat	Granular	No	2.58	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270168	635668	2.3	Peat	Granular	No	3.42	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270123	635686	1.8	Peat	Granular	No	2.83	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270071	635690	1	Peat	Granular	No	3.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270063	635675	1.6	Peat	Granular	No	3.53	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270244	635119	0.4	Soil	Granular	No	6.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270240	635128	0.4	Peat	Granular	No	6.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270235	635136	0.4	Peat	Granular	No	6.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270270	635140	0.9	Peat	Granular	No	6.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270275	635128	0.5	Soil	Granular	No	6.14	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270280	635122	0.3	Soil	Granular	No	6.14	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270288	635128	0.1	Soil	Granular	No	6.14	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270282	635136	0.3	Peat	Granular	No	6.14	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270283	635150	1.2	Peat	Granular	No	5.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270331	635162	0.9	Peat	Granular	No	5.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270333	635146	1.2	Peat	Granular	No	6.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270341	635140	1.2	Peat	Granular	No	6.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270382	635164	0.9	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270377	635182	0.4	Peat	Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270376	635173	0.8	Peat	Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270429	635182	0.9	Peat	Granular	No	5.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270427	635191	0.5	Peat	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270414	635198	0.6	Peat	Granular	No	5.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270477	635203	0.8	Peat	Granular	No	5.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270468	635212	0.7	Peat	Granular	No	5.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270468	635222	0.9	Peat	Granular	No	5.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269092	633902	0.2	Peat	Granular	No	9.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269073	633898	0.4	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269083	633900	0.4	Peat	Granular	No	9.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269062	633901	0.4	Peat	Granular	No	9.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269051	633901	0.3	Soil	Granular	No	9.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269042	633899	0.1	Soil	Granular	No	9.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269034	633898	0.3	Peat	Granular	No	9.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269022	633899	0.4	Peat	Granular	No	9.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269010	633902	0.4	Peat	Granular	No	8.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269000	633902	0.5	Peat	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269043	633887	0.3	Peat	Granular	No	9.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269043	633879	0.9	Peat	Granular	No	9.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269042	633870	1.7	Peat	Granular	No	9.00	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269957	634638	0.7	Peat	Granular	No	6.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269958	634621	1.1	Peat	Granular	No	6.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269958	634613	0.9	Peat	Granular	No	6.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269954	634605	0.5	Peat	Granular	No	6.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269958	634598	0.9	Peat	Granular	No	5.69	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269959	634586	0.4	Peat	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269956	634576	0.4	Peat	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269957	634567	0.4	Peat	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269958	634559	1	Peat	Granular	No	5.69	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269960	634549	1	Peat	Granular	No	4.60	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270008	634596	0.3	Soil	Granular	No	4.53	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269997	634597	0.4	Peat	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269987	634598	0.8	Peat	Granular	No	5.69	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269978	634600	0.8	Peat	Granular	No	6.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269965	634603	0.6	Peat	Cohesive	No	6.21	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	269942	634603	0.4	Peat	Granular	No	5.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269933	634575	0.7	Peat	Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269685	634912	0.7	Peat	Granular	No	6.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269671	634919	0.6	Peat	Granular	No	6.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269651	634977	0.6	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269642	635045	1.3	Peat	Granular	No	3.68	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269642	635056	1.2	Peat	Granular	No	3.88	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269690	635041	1.9	Peat	Granular	No	5.10	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269696	635030	0.3	Peat	Granular	No	5.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269745	635025	0.6	Peat	Granular	No	6.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269790	635030	0.6	Peat	Granular	No	5.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269795	635018	0.9	Peat	Granular	No	5.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269851	635013	0.3	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269895	635019	0.3	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269892	635011	0.1	Soil	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269944	635011	0.1	Superficial	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269993	635027	0.8	Peat	Granular	No	6.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269998	635017	0.9	Peat	Granular	No	6.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270045	635023	0.6	Peat	Granular	No	7.17	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270097	635044	0.6	Peat	Granular	No	7.85	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270088	635051	0.6	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270143	635055	0.6	Peat	Granular	No	7.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270186	635086	0.9	Peat	Granular	No	7.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270185	635080	0.9	Peat	Granular	No	7.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270230	635102	0.1	Peat	Granular	No	6.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270181	635124	0.9	Peat	Granular	No	6.84	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270152	635117	1.1	Peat	Granular	No	6.84	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270122	635149	1	Peat	Granular	No	6.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270094	635141	0.4	Peat	Granular	No	5.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270074	635110	0.7	Peat	Granular	No	5.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270039	635157	0.4	Peat	Granular	No	4.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270062	635186	0.6	Peat	Granular	No	4.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270048	635188	0.7	Peat	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270039	635182	0.6	Peat	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270027	635181	0.6	Peat	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270018	635184	0.4	Peat	Granular	No	4.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269964	635188	0.5	Peat	Granular	No	4.57	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269987	635187	0.6	Peat	Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269974	635185	0.5	Peat	Granular	No	4.57	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270005	635182	0.6	Peat	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269957	635183	0.6	Peat	Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270006	635175	0.7	Peat	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270011	635160	0.7	Peat	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270010	635156	0.7	Peat	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270008	635146	0.7	Peat	Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270008	635136	0.6	Peat	Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270019	635200	0.7	Peat	Granular	No	4.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270011	635206	0.9	Peat	Granular	No	4.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270007	635216	1.2	Peat	Granular	No	4.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270009	635236	0.9	Peat	Granular	No	4.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270011	635226	1	Peat	Granular	No	4.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270193	635642	2	Peat	Granular	No	2.58	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270162	635662	2.5	Peat	Granular	No	3.42	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270121	635671	1	Peat	Granular	No	2.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270302	635361	0.2	Peat	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270314	635360	0.4	Peat	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270324	635360	0.2	Peat	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270336	635361	0.2	Peat	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270349	635361	0.4	Peat	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270353	635360	0.8	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270364	635361	0.6	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270377	635362	0.6	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270388	635360	0.6	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270394	635360	0.5	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270407	635358	0.7	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270355	635407	0.4	Peat	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270355	635399	0.3	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270357	635390	0.4	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270357	635379	0.4	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270357	635368	0.5	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270352	635348	0.9	Peat	Granular	No	7.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270355	635339	0.9	Peat	Granular	No	7.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270357	635326	0.5	Peat	Granular	No	7.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270353	635318	0.5	Peat	Granular	No	7.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270397	635339	0.7	Peat	Granular	No	7.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270415	635347	0.5	Peat	Granular	No	6.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270454	635323	0.5	Peat	Granular	No	6.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270432	635292	0.4	Peat	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270471	635310	0.4	Peat	Granular	No	6.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270502	635294	0.5	Peat	Granular	No	5.15	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270560	635292	1	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270610	635287	1.4	Peat	Granular	No	3.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270609	635267	1.4	Peat	Granular	No	3.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270612	635258	1.4	Peat	Granular	No	3.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270606	635279	1.4	Peat	Granular	No	3.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270614	635247	1.4	Peat	Granular	No	3.89	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270658	635271	0.7	Peat	Granular	No	3.02	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270651	635254	1.4	Peat	Granular	No	3.02	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270657	635263	0.7	Peat	Granular	No	3.02	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270566	635241	1.4	Peat	Granular	No	4.56	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270559	635247	0.9	Peat	Granular	No	4.56	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270554	635256	0.6	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270519	635224	0.7	Peat	Granular	No	5.21	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270517	635230	0.5	Peat	Granular	No	5.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270509	635240	0.5	Peat	Granular	No	5.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269200	633947	1	Peat	Granular	No	7.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269165	633956	0.2	Soil	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269120	633958	0.3	Peat	Granular	No	9.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269078	633957	0.5	Peat	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269041	633948	0.5	Peat	Granular	No	8.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268963	633907	0.5	Peat	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269045	633939	0.6	Peat	Granular	No	8.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269037	633926	0.5	Peat	Granular	No	8.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269042	633910	0.5	Peat	Granular	No	8.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268961	633919	0.5	Peat	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268961	633900	0.5	Peat	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268915	633916	0.3	Peat	Granular	No	6.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268906	633913	0.3	Peat	Granular	No	6.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268893	633912	0.3	Peat	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269045	633846	0.6	Peat	Granular	No	7.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269050	633858	1	Peat	Granular	No	9.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271041	634939	0.5	Peat	Granular	No	5.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	271041	634950	0.9	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271042	634961	1	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271043	634969	0.9	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271041	634981	0.9	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	271043	634991	0.7	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271042	635002	1.6	Peat	Granular	No	4.18	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	271041	635013	1.2	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271038	635021	0.5	Peat	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	271043	635029	0.8	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271040	635041	0.9	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271093	634987	0.9	Peat	Granular	No	4.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271081	634990	1.1	Peat	Granular	No	4.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271070	634988	1.5	Peat	Granular	No	4.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271057	634989	1.1	Peat	Granular	No	4.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271050	634986	0.9	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271034	634988	0.9	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270919	634938	1.2	Peat	Granular	No	4.50	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270936	634923	1.3	Peat	Granular	No	4.50	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270949	634908	1.2	Peat	Granular	No	4.50	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270939	634906	0.9	Peat	Granular	No	4.50	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270938	634859	0.9	Peat	Granular	No	1.45	Thin Peat	1	3	0	1	0	None
ITPEnergised		2	270936	634811	2.3	Peat	Granular	No	3.36	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270946	634809	2.1	Peat	Granular	No	3.36	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270936	634758	2	Peat	Granular	No	3.42	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270938	634708	2	Peat	Granular	No	3.59	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270927	634709	2	Peat	Granular	No	3.59	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270915	634662	1.8	Peat	Granular	No	3.87	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270909	634610	1.8	Peat	Granular	No	4.15	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270904	634618	1.8	Peat	Granular	No	4.15	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270881	634575	1.8	Peat	Granular	No	4.40	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270866	634524	1.8	Peat	Granular	No	3.93	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270857	634530	2.1	Peat	Granular	No	3.93	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270821	634503	1.8	Peat	Granular	No	4.38	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270783	634470	1.8	Peat	Granular	No	4.74	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270778	634478	2.1	Peat	Granular	No	4.74	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270733	634450	1.8	Peat	Granular	No	5.12	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270696	634421	1.8	Peat	Granular	No	5.03	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270691	634429	2	Peat	Granular	No	5.03	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270647	634403	0.9	Peat	Granular	No	5.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270606	634365	0.6	Peat	Granular	No	5.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270603	634374	1.1	Peat	Granular	No	5.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270565	634350	0.4	Peat	Granular	No	5.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270532	634313	0.6	Peat	Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270527	634319	0.9	Peat	Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270485	634287	1.7	Peat	Granular	No	3.46	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270451	634244	1.8	Peat	Granular	No	2.55	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270446	634255	1.9	Peat	Granular	No	3.56	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270407	634223	1.8	Peat	Granular	No	2.84	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270370	634187	2.1	Peat	Granular	No	3.53	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270366	634191	2	Peat	Granular	No	3.53	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270325	634169	1.5	Peat	Granular	No	3.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270291	634134	2.4	Peat	Granular	No	4.75	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270290	634124	1.8	Peat	Granular	No	4.75	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270252	634101	1.2	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270240	634159	1.2	Peat	Granular	No	4.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270258	634169	0.5	Peat	Granular	No	4.95	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270246	634195	1.4	Peat	Granular	No	4.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270278	634215	1.3	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270237	634231	0.7	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270294	634249	1	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270282	634287	0.9	Peat	Granular	No	4.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270258	634304	0.9	Peat	Granular	No	4.63	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270269	634305	0.8	Peat	Granular	No	4.63	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270276	634304	0.5	Peat	Granular	No	4.63	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270287	634304	0.9	Peat	Granular	No	4.63	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270300	634306	0.8	Peat	Granular	No	4.63	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270317	634303	0.9	Peat	Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270007	634009	0.9	Peat	Granular	No	4.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270003	633998	1	Peat	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270005	633990	1	Peat	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270004	633980	1.4	Peat	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270005	633968	1.3	Peat	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270004	633951	1.3	Peat	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270004	633939	1.6	Peat	Granular	No	2.30	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270004	633928	1.2	Peat	Granular	No	2.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270007	633915	1	Peat	Granular	No	2.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270001	633910	0.9	Peat	Granular	No	2.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269986	633933	1.3	Peat	Granular	No	3.03	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269944	633941	0.9	Peat	Granular	No	3.27	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269895	633933	2	Peat	Granular	No	3.74	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269821	633927	1.3	Peat	Granular	No	3.92	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269791	633916	0.9	Peat	Granular	No	4.15	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269704	633872	1.3	Peat	Granular	No	2.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269699	633887	1.5	Peat	Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269696	633899	1.4	Peat	Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269680	633828	0.9	Peat	Granular	No	2.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269681	633858	1.2	Peat	Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269636	633847	0.4	Superficial	Granular	No	2.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269634	633825	0.9	Peat	Granular	No	2.92	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269586	633844	0.9	Peat	Granular	No	3.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269588	633818	1.1	Peat	Granular	No	3.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269555	633815	0.8	Peat	Granular	No	3.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269551	633836	0.9	Peat	Granular	No	3.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269517	633834	0.9	Peat	Granular	No	3.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269520	633810	0.9	Peat	Granular	No	3.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269486	633805	0.7	Peat	Granular	No	3.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269481	633828	1.2	Peat	Granular	No	3.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269445	633862	1.8	Peat	Granular	No	2.94	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269405	633852	0.9	Peat	Granular	No	2.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269405	633861	1.8	Peat	Granular	No	2.94	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269355	633867	1.3	Peat	Granular	No	3.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269325	633877	2	Peat	Granular	No	3.02	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269309	633878	2.1	Peat	Granular	No	3.02	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269326	633915	1.8	Peat	Granular	No	3.92	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268196	634761	0.9	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268150	634721	0.9	Peat	Granular	No	2.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268109	634737	0.9	Peat	Granular	No	2.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268000	634716	0.5	Peat	Granular	No	5.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268000	634729	0.5	Peat	Granular	No	5.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267947	634705	1	Peat	Granular	No	6.29	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270885	635003	0.6	Peat	Granular	No	5.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270898	635009	0.4	Peat	Granular	No	5.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270905	635015	0.5	Peat	Granular	No	5.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270877	635063	0.9	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270871	635054	0.7	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270861	635050	0.5	Peat	Granular	No	4.05	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270851	635109	1.3	Peat	Granular	No	2.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270856	635088	1.3	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270831	635114	0.5	Peat	Granular	No	4.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270828	635106	0.5	Peat	Granular	No	4.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270833	635122	0.5	Peat	Granular	No	4.35	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270894	635123	1.8	Peat	Granular	No	2.98	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270909	635087	0.8	Peat	Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270943	635071	0.9	Peat	Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270984	635073	0.5	Peat	Cohesive	No	2.43	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	270948	635038	0.4	Peat	Granular	No	5.06	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270998	635037	0.4	Peat	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270990	635020	0.5	Peat	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	271000	634989	0.7	Peat	Granular	No	5.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270994	634988	0.6	Peat	Granular	No	5.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271013	634990	0.8	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270924	634944	0.5	Peat	Granular	No	4.50	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270947	634931	0.9	Peat	Granular	No	4.50	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270956	634934	1.2	Peat	Granular	No	5.10	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270962	634906	1.9	Peat	Granular	No	5.10	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270959	634859	1.8	Peat	Granular	No	2.49	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270952	634859	1.8	Peat	Granular	No	2.49	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270954	634802	1.8	Peat	Granular	No	3.94	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270944	634757	1.8	Peat	Granular	No	3.42	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270955	634760	2	Peat	Granular	No	3.51	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270946	634709	2.4	Peat	Granular	No	3.59	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270933	634658	2.1	Peat	Granular	No	3.87	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270925	634663	1.9	Peat	Granular	No	3.87	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270920	634607	1.5	Peat	Granular	No	4.15	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270900	634562	1.6	Peat	Granular	No	4.40	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270888	634562	1.5	Peat	Granular	No	4.40	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270874	634519	1.8	Peat	Granular	No	3.93	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270837	634483	1	Peat	Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270827	634493	1.8	Peat	Granular	No	4.12	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270788	634456	1.5	Peat	Granular	No	4.74	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270744	634433	1.8	Peat	Granular	No	4.58	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270738	634442	1.8	Peat	Granular	No	4.58	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270708	634412	1.6	Peat	Granular	No	4.58	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270661	634386	0.9	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270652	634391	0.8	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270618	634362	0.7	Peat	Granular	No	5.00	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270576	634331	0.2	Peat	Rock	No	3.96	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	270566	634336	0.2	Peat	Rock	No	3.96	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	270531	634304	0.6	Peat	Rock	No	4.57	Thin Peat	1	3	2	2	12	Low
ITPEnergised		2	270492	634280	1.8	Peat	Granular	No	3.46	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270496	634269	1.8	Peat	Granular	No	3.46	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270462	634237	1.4	Peat	Granular	No	2.55	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270416	634205	2	Peat	Granular	No	2.84	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270406	634214	1.9	Peat	Granular	No	2.84	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270380	634175	1.9	Peat	Granular	No	3.53	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270338	634151	1.2	Peat	Granular	No	3.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270334	634161	1	Peat	Granular	No	3.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270311	634245	0.4	Peat	Granular	No	4.09	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270309	634255	0.3	Peat	Granular	No	4.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270306	634265	0.4	Peat	Granular	No	4.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270312	634274	0.3	Soil	Granular	No	4.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270309	634283	0.3	Peat	Rock	No	4.80	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	270307	634294	0.3	Soil	Rock	No	4.80	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	270304	634309	0.9	Peat	Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270308	634315	0.7	Peat	Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270306	634328	1.2	Peat	Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270302	634346	0	Peat	Granular	No	5.22	No Peat	1	0	3	1	0	None
ITPEnergised		2	270306	634337	0.9	Peat	Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270308	634355	0.7	Peat	Granular	No	4.55	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270343	634307	0.7	Peat	Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270356	634307	0.7	Peat	Granular	No	5.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270334	634306	0.7	Peat	Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270324	634307	0.6	Peat	Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270056	633957	0.9	Peat	Granular	No	2.07	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270044	633961	0.9	Peat	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270034	633961	1	Peat	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270028	633962	0.9	Peat	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270016	633961	0.9	Peat	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270006	633961	1.2	Superficial	Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269995	633960	0.9	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269983	633960	0.9	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269973	633959	1	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269965	633961	1.5	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269957	633970	1.5	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269956	633993	1.5	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269904	633973	0.8	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269869	633924	1.5	Peat	Granular	No	3.74	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269750	633879	0.9	Peat	Granular	No	2.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269753	633891	1	Peat	Granular	No	2.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269749	633903	0.8	Peat	Granular	No	4.54	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269672	633874	1	Peat	Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269656	633889	0.9	Peat	Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269637	633874	0.9	Peat	Granular	No	3.20	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269594	633892	0.7	Peat	Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269581	633869	0.7	Peat	Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269559	633874	1	Peat	Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269546	633862	1	Peat	Granular	No	3.39	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269526	633879	0.4	Peat	Granular	No	3.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269511	633871	1.2	Peat	Granular	No	3.39	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269491	633865	1.2	Peat	Granular	No	2.81	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269479	633853	1.3	Peat	Granular	No	2.81	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269457	633840	0.4	Peat	Granular	No	3.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269448	633851	0.6	Peat	Granular	No	2.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269405	633841	0.9	Peat	Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269355	633842	0.9	Peat	Granular	No	3.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269349	633849	0.9	Peat	Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269302	633867	1.8	Peat	Rock	No	3.02	Thick Peat	1	2	2	2	8	Low
ITPEnergised		2	269310	633927	0.1	Peat	Granular	No	3.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269316	633925	0.2	Soil	Rock	No	3.92	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	268220	634796	0.9	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268158	634792	0.9	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268075	634761	0.3	Superficial	Granular	No	3.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267995	634735	0.3	Peat	Granular	No	5.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267951	634723	0.9	Peat	Granular	No	5.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267950	634730	1	Peat	Granular	No	6.29	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267819	634761	0.9	Peat	Granular	No	9.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267784	634756	0.9	Peat	Granular	No	9.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267742	634731	0.9	Peat	Granular	No	11.14	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267662	634720	0.9	Peat	Granular	No	11.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267593	634752	1	Peat	Granular	No	6.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267619	634710	1	Peat	Granular	No	10.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267836	634806	0.3	Peat	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267895	634807	0.9	Peat	Granular	No	7.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267890	634820	0.2	Peat	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267885	634829	0.3	Peat	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267926	634854	0.9	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267933	634844	1.1	Peat	Granular	No	7.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267938	634832	0.8	Peat	Granular	No	7.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267962	634878	0.9	Peat	Granular	No	5.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267972	634872	0.4	Peat	Granular	No	5.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267976	634865	0.1	Soil	Granular	No	5.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268012	634898	2.5	Peat	Granular	No	5.37	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268001	634909	0.6	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267995	634918	0.1	Peat	Granular	No	5.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268034	634950	0.6	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268021	634900	1	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268019	634901	2.1	Peat	Granular	No	4.96	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268022	634894	1.1	Peat	Granular	No	5.37	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268027	634894	0.5	Peat	Granular	No	5.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268012	634893	2	Peat	Granular	No	5.37	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267417	634565	0.5	Peat	Granular	No	12.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267366	634583	0.1	Peat	Granular	No	12.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267366	634574	0.1	Peat	Granular	No	12.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267321	634575	0.1	Soil	Granular	No	11.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267271	634586	0.1	Peat	Granular	No	11.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267268	634580	0.1	Soil	Granular	No	11.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267270	634428	0.1	Soil	Granular	No	11.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267311	634435	0.2	Soil	Granular	No	10.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267312	634424	0.9	Peat	Granular	No	10.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267310	634413	0.5	Peat	Granular	No	10.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267315	634406	0.5	Peat	Granular	No	10.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267312	634396	0.5	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267312	634386	0.5	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267309	634360	0.5	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267316	634367	0.2	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267313	634337	0.4	Peat	Granular	No	5.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267316	634348	0.2	Peat	Granular	No	5.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267366	634384	0.4	Peat	Granular	No	7.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267354	634386	0.5	Peat	Granular	No	7.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267344	634387	0.4	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267333	634385	0.4	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267327	634387	0.4	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267321	634386	0.2	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267309	634386	0.2	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267295	634385	0.3	Peat	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267287	634382	0.4	Peat	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267279	634385	0.3	Peat	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267269	634387	0.6	Soil	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267261	634385	0.4	Soil	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267218	634383	0.6	Peat	Granular	No	6.75	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267230	634421	0.3	Peat	Granular	No	10.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267189	634423	0.3	Peat	Granular	No	11.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267176	634452	0.2	Peat	Granular	No	12.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267148	634446	0.3	Peat	Granular	No	9.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267121	634477	0.2	Peat	Granular	No	11.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267379	634348	0.4	Peat	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267384	634356	0.2	Peat	Granular	No	7.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267371	634339	0.1	Peat	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267426	634332	0.4	Peat	Granular	No	5.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267431	634341	0.1	Peat	Granular	No	5.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267435	634355	0.3	Peat	Rock	No	7.72	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	267475	634331	0.1	Soil	Granular	No	6.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267483	634340	0.1	Soil	Granular	No	6.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267487	634350	0.4	Peat	Granular	No	8.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267530	634342	0.4	Peat	Granular	No	7.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267526	634333	0.4	Peat	Granular	No	7.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267523	634323	0.1	Peat	Granular	No	7.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267579	634329	0	Soil	Granular	No	7.03	No Peat	1	0	3	1	0	None
ITPEnergised		2	267568	634313	0.1	Soil	Granular	No	7.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267573	634321	0.1	Peat	Granular	No	7.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267619	634283	0.1	Peat	Rock	No	4.82	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	267627	634295	0.2	Peat	Granular	No	4.82	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267633	634304	0.2	Peat	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267236	634624	0.3	Peat	Granular	No	13.82	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267263	634653	0.1	Soil	Rock	No	13.58	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	267293	634671	0.1	Soil	Granular	No	13.58	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267252	634722	0.1	Peat	Granular	No	14.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267222	634739	0.1	Peat	Granular	No	16.15	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267190	634758	0.4	Peat	Granular	No	15.63	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267195	634727	0.1	Peat	Granular	No	14.47	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267224	634699	0.3	Soil	Granular	No	14.82	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267248	634674	0.3	Peat	Granular	No	14.82	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267216	634661	0.1	Peat	Granular	No	14.82	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267194	634685	0.1	Peat	Granular	No	13.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267171	634706	0.2	Soil	Granular	No	14.47	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267152	634731	0.1	Soil	Granular	No	14.47	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267133	634732	0.1		Granular	No	12.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267125	634732	0.1	Peat	Granular	No	12.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267116	634728	0.4	Peat	Granular	No	12.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267105	634729	0.4	Peat	Granular	No	12.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267082	634731	0	Peat	Granular	No	10.40	No Peat	1	0	3	1	0	None
ITPEnergised		2	267074	634729	0.9	Peat	Rock	No	10.40	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	267062	634728	0.9	Peat	Rock	No	10.40	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	267052	634733	1	Peat	Rock	No	10.40	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	267043	634733	0.8	Peat	Granular	No	8.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267070	634761	0.6	Peat	Granular	No	11.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267030	634804	0.6	Peat	Granular	No	9.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267045	634848	0.5	Peat	Granular	No	9.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267034	634894	0.1	Soil	Rock	No	9.73	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	267023	634968	0.1	Peat	Granular	No	10.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267008	635011	0.1	Peat	Granular	No	11.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267002	635058	0.1	Soil	Granular	No	12.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267012	635101	0.1		Rock	No	15.14	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	267001	635089	0.9	Peat	Granular	No	12.59	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266991	635091	0.9	Peat	Granular	No	9.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266950	635185	0.5	Peat	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266966	635187	0.5	Peat	Granular	No	14.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266953	635190	0.1		Rock	No	14.63	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	266948	635333	0.1	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266939	635334	0.5	Peat	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266970	635390	0.8	Peat	Granular	No	10.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266954	635399	0.5	Peat	Granular	No	10.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266958	635410	0.7	Peat	Granular	No	9.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266976	635420	0.9	Peat	Granular	No	9.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266989	635491	1	Peat	Granular	No	8.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266993	635528	1	Peat	Granular	No	7.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267019	635514	0.9	Soil	Granular	No	9.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267018	635504	0.9	Peat	Granular	No	9.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267017	635526	0.3	Peat	Granular	No	9.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267018	635534	0.3	Peat	Granular	No	9.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267014	635544	0.7	Peat	Granular	No	9.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267019	635554	0.4	Peat	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267022	635563	0.3	Peat	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267018	635574	0.3	Peat	Rock	No	8.51	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	267018	635585	0.4	Peat	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267019	635594	0.3	Peat	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267017	635604	0.3	Peat	Granular	No	6.97	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267021	635610	0.3	Peat	Granular	No	6.97	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266995	635586	1.2	Peat	Granular	No	6.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266859	635367	0.4	Peat	Granular	No	8.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266840	635356	0.4	Peat	Granular	No	6.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266807	635344	0.6	Peat	Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266799	635338	0.6	Peat	Granular	No	6.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266789	635333	0.6	Peat	Granular	No	6.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266814	635294	0.4	Peat	Granular	No	6.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266811	635246	0.5	Peat	Granular	No	7.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266838	635229	0.5	Peat	Granular	No	7.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266831	635204	0.5	Peat	Granular	No	7.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266857	635184	0.7	Peat	Granular	No	9.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266836	635162	0.5	Peat	Granular	No	7.68	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	266866	635103	0.2	Peat	Granular	No	7.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266859	635105	0.3	Peat	Granular	No	7.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266883	635156	0.5	Peat	Granular	No	9.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266879	635100	0.3	Peat	Granular	No	7.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266889	635105	0.2	Peat	Granular	No	7.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266899	635106	0.2	Peat	Granular	No	7.86	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266909	635107	0.4	Peat	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266918	635099	0.6	Peat	Granular	No	8.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266928	635104	0.6	Peat	Granular	No	9.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266943	635106	0.1	Soil	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266954	635103	0.4	Peat	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266965	635102	0.1	Peat	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266908	635093	0.7	Peat	Granular	No	8.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266906	635084	0.7	Peat	Granular	No	8.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266907	635074	0.7	Peat	Granular	No	8.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266910	635064	0.7	Peat	Granular	No	8.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267280	634615	0.4	Soil	Granular	No	12.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267283	634602	0.1	Soil	Granular	No	12.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267286	634622	0.4	Peat	Granular	No	12.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267334	634618	0.1	Peat	Granular	No	13.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267387	634628	0.1	Soil	Granular	No	13.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267431	634631	0.3	Peat	Granular	No	13.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267433	634632	0.5	Peat	Granular	No	13.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268083	635040	1	Peat	Granular	No	3.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268038	635071	1.2	Peat	Granular	No	4.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267989	635105	0.3	Peat	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267999	635145	0.2	Peat	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268038	635206	0.3	Peat	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268059	635225	0.8	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268050	635250	0.6	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268088	635280	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268082	635298	0.7	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268079	635282	0.7	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267951	635078	0.4	Peat	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267961	635084	0.3	Peat	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267987	635034	0.9	Peat	Granular	No	5.87	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267979	635032	0.5	Peat	Granular	No	5.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267990	635045	0.6	Peat	Granular	No	5.87	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268030	635009	1.5	Peat	Granular	No	4.76	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268015	635001	1.2	Peat	Granular	No	4.76	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268014	634989	0.6	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268012	634957	1.2	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268024	634956	1.3	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268029	634904	1.2	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268022	634898	1.7	Peat	Granular	No	5.37	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268016	634896	2.3	Peat	Granular	No	5.37	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268018	634890	1.7	Peat	Granular	No	5.37	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268001	634905	1.2	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268004	634904	1.8	Peat	Granular	No	4.96	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267418	634575	0.1	Soil	Granular	No	12.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267421	634585	0.4	Peat	Granular	No	12.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267373	634594	0.4	Peat	Granular	No	12.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267332	634601	0.4	Peat	Granular	No	13.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267319	634599	0.5	Peat	Granular	No	11.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267324	634588	0.1	Soil	Granular	No	11.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267272	634600	0.4	Peat	Granular	No	12.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267644	634272	0.6	Soil	Granular	No	4.82	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267661	634274	0.4	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267669	634273	0.3	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267668	634284	0.3	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267678	634273	0.1	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267687	634275	0.1	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267695	634272	0.1	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267710	634273	0.2	Soil	Granular	No	7.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267719	634274	0.3	Soil	Granular	No	7.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267724	634273	0.4	Peat	Granular	No	7.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267738	634271	0.1	Soil	Granular	No	7.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267746	634272	0.2	Soil	Granular	No	7.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267697	634284	0.2	Peat	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267694	634293	0.2	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267697	634302	0.4	Peat	Granular	No	7.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267694	634311	0.4	Peat	Granular	No	7.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267696	634321	0.3	Peat	Granular	No	7.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267687	634284	0.1	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267698	634265	0.3	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267697	634253	0.5	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267697	634245	0.5	Soil	Granular	No	2.85	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267697	634234	0.3	Peat	Granular	No	2.85	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267695	634225	2	Peat	Granular	No	2.85	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267696	634214	1.3	Peat	Granular	No	2.85	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267670	634226	0.5	Peat	Granular	No	2.85	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267710	634232	1.8	Peat	Granular	No	4.69	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267726	634237	1.8	Peat	Granular	No	4.69	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267744	634235	1.1	Peat	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267737	634211	0.7	Peat	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267737	634180	0.9	Peat	Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267767	634197	0.7	Peat	Granular	No	4.20	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267776	634171	0.9	Peat	Granular	No	4.20	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267803	634146	1.3	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267816	634142	1.3	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267846	634131	1.8	Peat	Granular	No	4.41	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267876	634120	1.6	Peat	Granular	No	5.88	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267870	634073	1.5	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267851	634026	1.7	Peat	Granular	No	5.34	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267945	634003	2.3	Peat	Granular	No	4.53	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267957	634033	0.5	Peat	Granular	No	4.77	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267963	634062	1	Peat	Granular	No	6.10	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267972	634083	0.2	Peat	Granular	No	6.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268090	634133	0.3	Soil	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268138	634098	0.5	Soil	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268174	634105	0.5	Peat	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268203	634143	0.2	Soil	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268168	634173	0.5	Peat	Granular	No	11.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268137	634197	0.1	Peat	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268110	634171	0.5	Peat	Granular	No	10.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267933	634135	0.6	Soil	Granular	No	8.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267921	634110	1.3	Peat	Granular	No	8.12	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267915	634066	1.8	Peat	Granular	No	5.51	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267117	634504	0.5	Peat	Granular	No	11.20	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267103	634500	0.5	Peat	Granular	No	11.20	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267096	634495	0.4	Peat	Granular	No	9.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267079	634548	0.5	Peat	Granular	No	9.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267091	634545	0.4	Peat	Granular	No	9.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267099	634551	0.5	Peat	Granular	No	9.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267097	634602	0.3	Peat	Granular	No	10.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267085	634600	0.4	Peat	Granular	No	10.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267075	634602	0.5	Peat	Granular	No	10.32	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267075	634652	0.6	Peat	Granular	No	10.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267088	634651	0.6	Peat	Granular	No	10.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267097	634647	0.9	Peat	Granular	No	10.32	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267093	634681	0.3	Peat	Granular	No	10.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267096	634693	0.4	Peat	Granular	No	10.08	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267095	634701	0.3	Peat	Granular	No	10.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267092	634710	0.4	Peat	Granular	No	10.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267096	634720	0.5	Peat	Granular	No	10.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267095	634730	0.5	Peat	Granular	No	10.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267093	634740	0.6	Peat	Granular	No	10.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267089	634752	0.6	Peat	Granular	No	11.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267099	634763	0.2	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267095	634778	0.5	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267095	634774	0.5	Peat	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267087	634788	0.2	Peat	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267064	634811	0.5	Peat	Granular	No	12.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267061	634871	0.6	Peat	Granular	No	12.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267043	634937	0.5	Peat	Granular	No	9.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267050	634972	0.8	Peat	Granular	No	10.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267031	635015	0.8	Peat	Granular	No	11.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267013	635065	0.8	Soil	Granular	No	12.59	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266989	635150	0.1	Soil	Granular	No	14.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266978	635140	0.1	Soil	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266974	635134	0.3	Soil	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266956	635334	0.1	Soil	Granular	No	12.15	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266966	635367	1.1	Peat	Granular	No	10.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266985	635433	0.4	Soil	Granular	No	9.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266984	635464	0.9	Peat	Granular	No	8.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266962	635446	0.9	Peat	Granular	No	9.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266950	635484	1.2	Peat	Granular	No	7.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266964	635532	0.5	Peat	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266965	635562	0.8	Peat	Granular	No	6.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266981	635565	0.5	Peat	Granular	No	6.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266991	635564	0.5	Peat	Granular	No	6.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266999	635565	0.4	Peat	Granular	No	6.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267011	635563	0.3	Peat	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267029	635564	0.4	Peat	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267041	635562	0.7	Peat	Granular	No	8.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267052	635559	0.5	Peat	Granular	No	8.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267065	635561	0.5	Peat	Granular	No	8.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267072	635560	0.5	Peat	Granular	No	8.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266852	635363	0.5	Peat	Granular	No	8.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266867	635309	0.9	Peat	Granular	No	8.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266884	635315	1	Peat	Granular	No	8.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266895	635322	0.7	Peat	Granular	No	8.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266915	635280	0.5	Peat	Granular	No	11.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266899	635272	0.7	Peat	Granular	No	9.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266912	635276	0.5	Peat	Granular	No	11.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266907	635163	0.5	Peat	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266907	635150	0.5	Peat	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266908	635144	0.7	Peat	Granular	No	9.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266909	635133	0.9	Peat	Granular	No	9.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266907	635123	0.4	Peat	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266908	635111	0.4	Peat	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266908	635102	0.7	Peat	Granular	No	9.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267336	634610	0.5	Peat	Granular	No	13.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267388	634609	0.1	Soil	Granular	No	13.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267394	634617	0.1	Soil	Granular	No	13.36	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267438	634615	0.4	Soil	Granular	No	13.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266128	635684	0.5	Soil	Granular	No	3.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266097	635708	0.4	Peat	Granular	No	2.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266246	635798	0.1	Soil	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266254	635790	0.5	Peat	Granular	No	4.86	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266286	635816	0.9	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266354	635873	0.5	Peat	Granular	No	3.30	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266407	635850	0.9	Peat	Granular	No	2.70	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	266402	635832	0.9	Peat	Granular	No	2.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266109	635661	0.1	Soil	Granular	No	3.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266103	635680	0.1	Soil	Granular	No	3.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266077	635693	0.1	Soil	Granular	No	3.43	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266238	635804	0.1	Soil	Granular	No	4.26	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266276	635833	0.1	Superficial	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266281	635829	0.1	Soil	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266413	635874	0.6	Peat	Granular	No	2.70	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266390	635798	0.9	Peat	Granular	No	3.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266394	635743	0.5	Peat	Granular	No	3.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266479	635782	0.8	Peat	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266488	635811	0.8	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266482	635825	0.8	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266498	635840	0.9	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266516	635852	0.7	Peat	Granular	No	3.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266510	635877	0.5	Peat	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266522	635902	0.5	Peat	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266488	635909	0.5	Peat	Granular	No	3.52	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266457	635869	0.6	Peat	Granular	No	3.32	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266504	635974	0.9	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266518	635973	0.5	Peat	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266529	635973	0.9	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266540	635978	0.8	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266547	635974	0.8	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266559	635973	0.9	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266568	635974	1.2	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266577	635973	0.9	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266590	635978	0.8	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266599	635969	0.8	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266605	635971	1.3	Peat	Granular	No	4.93	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266538	636002	0.5	Peat	Granular	No	4.07	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266514	635990	0.8	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266578	635886	0.8	Peat	Granular	No	4.37	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266578	635833	0.6	Peat	Granular	No	4.23	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266596	635789	0.9	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266590	635748	0.7	Peat	Granular	No	3.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266618	635681	0.5	Peat	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266616	635672	0.4	Peat	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266627	635684	1	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266640	635682	1	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266647	635684	0.7	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266659	635685	0.4	Peat	Granular	No	3.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266667	635685	0.6	Peat	Granular	No	3.80	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266636	635705	0.6	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266679	635684	0.5	Peat	Granular	No	3.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266687	635684	0.5	Peat	Granular	No	3.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266696	635684	0.7	Peat	Granular	No	3.80	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266705	635685	0.4	Peat	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266715	635687	0.9	Peat	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266644	635652	0.8	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266728	635567	0.9	Peat	Granular	No	4.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266740	635521	0.8	Peat	Granular	No	4.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266747	635528	0.9	Peat	Granular	No	4.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266776	635485	1.2	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266775	635466	0.9	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266786	635471	1.4	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266801	635448	1	Peat	Granular	No	6.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266796	635438	0.9	Peat	Granular	No	5.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266834	635407	0.9	Peat	Granular	No	6.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266823	635405	0.6	Peat	Granular	No	6.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266817	635395	0.6	Peat	Granular	No	6.64	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	266324	635852	0.4	Peat	Granular	No	4.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266319	635859	0.1	Peat	Granular	No	4.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266312	635864	0.3	Peat	Granular	No	4.03	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266236	635750	1.3	Peat	Granular	No	5.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266219	635750	0.4	Peat	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266211	635757	0.5	Peat	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266195	635705	1.3	Peat	Granular	No	4.22	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266206	635695	1	Peat	Cohesive	No	4.82	Thin Peat	1	3	2	2	12	Low
ITPEnergised		2	266217	635700	0.5	Peat	Granular	No	5.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266280	628047	0.1	Soil	Granular	No	3.10	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266292	627966	1.7	Peat	Granular	No	5.23	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	266363	628084	0.1	Soil	Granular	No	3.22	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266468	628117	0.5	Soil	Rock	No	4.37	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	266593	628148	0.1	Soil	Granular	No	8.58	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266667	628159	0.4	Soil	Granular	No	8.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266768	628165	0.3	Soil	Granular	No	8.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266818	628099	0.9	Peat	Granular	No	3.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266801	628003	2.7	Peat	Granular	No	1.57	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266737	627988	2.8	Peat	Granular	No	0.70	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266644	627939	4.2	Peat	Granular	No	0.95	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266545	627919	3.6	Peat	Granular	No	1.61	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266433	627889	2.8	Peat	Granular	No	3.07	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	266339	627864	0.9	Peat	Granular	No	3.77	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266251	627843	0.2	Soil	Granular	No	3.76	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266150	627816	0.2	Peat	Granular	No	2.27	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266296	627658	0.3	Peat	Granular	No	2.60	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266105	627967	0.8	Soil	Granular	No	1.42	Thin Peat	1	3	0	1	0	None
ITPEnergised		2	266560	635917	0.3	Peat	Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266562	635927	0.5	Peat	Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266559	635943	0.9	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266561	635953	0.6	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266554	635966	0.5	Peat	Granular	No	4.48	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266561	635983	0.9	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266560	635994	0.9	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266537	635916	0.9	Peat	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266561	636005	0.9	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266560	636013	0.4	Peat	Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266565	636028	0.9	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266529	635951	0.1	Soil	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266600	635845	0.2	Soil	Granular	No	4.23	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266616	635784	0.1	Soil	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266629	635765	0.1	Soil	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266632	635747	0.4	Peat	Granular	No	4.08	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266658	635744	0.4	Peat	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266668	635737	0.4	Peat	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266672	635722	0.4	Soil	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266669	635713	0.2	Peat	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266668	635704	0.5	Peat	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266667	635696	0.5	Peat	Granular	No	3.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266667	635674	0.5	Peat	Granular	No	3.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266663	635664	0.5	Peat	Granular	No	3.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266663	635654	0.6	Peat	Granular	No	3.80	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266669	635646	0.6	Peat	Granular	No	3.55	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266669	635635	0.2	Soil	Granular	No	3.55	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266669	635597	0.5	Peat	Granular	No	3.78	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266682	635610	0.5	Peat	Granular	No	3.55	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266696	635612	0.5	Peat	Granular	No	3.55	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266713	635562	0.2	Soil	Granular	No	4.53	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266702	635561	0.9	Peat	Granular	No	4.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266724	635515	0.9	Peat	Granular	No	4.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266748	635479	0.8	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	266768	635479	0.9	Peat	Granular	No	5.51	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	266774	635460	1		Granular	No	5.51	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	266772	635436	0.6	Peat	Granular	No	5.70	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	266785	635430	0.9	Peat	Granular	No	5.70	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	266789	635436	0.5	Soil	Rock	No	5.70	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	266779	635384	0.4	Peat	Granular	No	6.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266791	635384	0.4	Soil	Granular	No	6.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266798	635388	0.4	Peat	Granular	No	6.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266138	635650	0.4	Peat	Granular	No	3.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266138	635637	0.3	Peat	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266140	635632	0.4	Peat	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266183	635661	0.4	Soil	Granular	No	4.10	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266188	635655	0.2	Soil	Granular	No	4.10	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266174	635673	0.9	Peat	Granular	No	4.10	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266193	628038	0.1	Soil	Granular	No	0.61	Peaty Soil	1	1	0	1	0	None
ITPEnergised		2	266116	627960	0.1	Soil	Granular	No	1.42	Peaty Soil	1	1	0	1	0	None
ITPEnergised		2	266210	627940	0.1	Soil	Granular	No	3.67	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266394	628006	0.1	Soil	Granular	No	5.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266486	628023	0.5	Peat	Granular	No	6.21	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266612	627965	4.6	Peat	Rock	No	1.28	Thick Peat	1	2	0	2	0	None
ITPEnergised		2	266600	628038	0.5	Peat	Granular	No	3.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266565	627983	1.8	Peat	Granular	No	1.99	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266330	627880	0.1	Soil	Granular	No	3.77	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266241	627762	0.9	Peat	Granular	No	2.91	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266347	627754	0.4	Peat	Granular	No	3.11	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266446	627776	2.7	Peat	Granular	No	2.26	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	266572	627763	1.9	Peat	Granular	No	1.20	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266593	627722	2.5	Peat	Granular	No	1.36	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266660	627714	2.5	Peat	Granular	No	1.88	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266655	627836	2.4	Peat	Granular	No	1.57	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266766	627754	3	Peat	Granular	No	1.87	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266855	627793	3.4	Peat	Granular	No	1.21	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266832	627835	2.7	Peat	Granular	No	1.94	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266877	627712	4.4	Peat	Granular	No	0.54	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266903	627635	5.1	Peat	Granular	No	0.50	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266912	627600	5.9	Peat	Granular	No	0.50	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266913	627522	6.3	Peat	Granular	No	1.12	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266851	627484	4.7	Peat	Granular	No	1.25	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266817	627565	4	Peat	Granular	No	0.82	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266788	627643	3.6	Peat	Granular	No	0.50	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266726	627637	2.9	Peat	Granular	No	0.83	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266741	627558	3.7	Peat	Granular	No	0.63	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266601	627625	2.8	Peat	Granular	No	1.46	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266711	627488	2.8	Peat	Granular	No	1.59	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266654	627464	3.3	Peat	Granular	No	1.82	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266617	627507	2.8	Peat	Granular	No	1.22	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266525	627535	2.7	Peat	Granular	No	1.67	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266497	627595	3.6	Peat	Granular	No	1.96	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266497	627595	2.6	Peat	Granular	No	1.96	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266432	627563	2.4	Peat	Granular	No	3.49	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	266454	627675	2.7	Peat	Granular	No	1.25	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	266393	627687	1.8	Soil	Granular	No	3.12	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269786	633981	1.2	Peat	Granular	No	5.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269858	634000	1.5	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269939	634014	1.4	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269983	633978	0.9	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269987	633998	1.1	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269993	634017	0.5	Peat	Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269985	634036	0.8	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269989	634055	1.5	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269994	634068	1.3	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269992	634084	0.9	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269998	634098	1.1	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269997	634111	1.5	Peat	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270003	634136	2.5	Peat	Granular	No	5.05	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269976	634097	1	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269982	634123	1.7	Peat	Granular	No	4.69	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269978	634138	2.1	Peat	Granular	No	4.69	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269940	634135	1.5	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269906	634150	1.8	Peat	Granular	No	5.24	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269878	634164	2.3	Peat	Granular	No	5.15	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269860	634144	1.8	Peat	Granular	No	4.87	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269835	634132	1.4	Peat	Granular	No	5.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269813	634128	0.9	Peat	Granular	No	5.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269785	634133	1.7	Peat	Granular	No	5.95	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269793	634105	1.5	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269798	634078	0.9	Peat	Granular	No	5.08	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269738	633971	1.4	Peat	Granular	No	5.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269519	634141	1.5	Peat	Granular	No	6.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269511	634129	0.9	Peat	Granular	No	6.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269500	634116	1.6	Peat	Granular	No	6.53	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269492	634109	1.4	Peat	Granular	No	6.53	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269485	634102	1.8	Peat	Granular	No	6.53	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269475	634095	1.4	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269462	634082	0.9	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269454	634074	0.4	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269446	634067	0.9	Superficial	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269436	634053	0.9	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269424	634040	0.9	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269411	634028	0.8	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269400	634016	0.5	Peat	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269333	633962	1.4	Peat	Granular	No	6.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268016	634183	0.2	Peat	Granular	No	11.50	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267969	634194	0.4	Soil	Granular	No	11.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267921	634220	0.3	Soil	Granular	No	10.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267907	634184	0.2	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267935	634160	0.2	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267990	634142	0.4	Soil	Granular	No	9.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267976	634091	0.3	Soil	Granular	No	6.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267881	634131	0.6	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267895	633952	0	Peat	Granular	No	3.72	No Peat	1	0	2	1	0	None
ITPEnergised		2	267961	633951	0.6	Peat	Granular	No	5.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268002	633941	0.5	Peat	Granular	No	12.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267975	633932	0.5	Soil	Granular	No	10.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267939	633917	0.5	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269386	633960	1.3	peat	Granular	No	5.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268289	634842	1	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268273	634837	1.1	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268269	634829	0.9	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268260	634825	0.6	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268249	634830	0.6	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268231	634818	0.6	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268214	634827	0.6	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268214	634835	0.9	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268193	634832	0.8	Peat	Granular	No	3.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268177	634827	0.8	Peat	Granular	No	3.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268164	634833	0.9	Peat	Granular	No	3.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268158	634822	0.9	peat	Granular	No	3.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268168	634847	0.9	Peat	Granular	No	3.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268186	634852	0.9	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268200	634866	0.8	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268224	634867	0.9	Peat	Granular	No	4.16	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268273	634864	0.6	Peat	Granular	No	4.80	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269819	634009	0.5	Soil	Granular	No	5.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269862	634030	1.2	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269857	634036	0.9	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269857	634039	0.6	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269871	634017	0	Peat	Granular	No	5.33	No Peat	1	0	3	1	0	None
ITPEnergised		2	269872	634017	1.5	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269895	634047	1.2	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269891	634068	1.3	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269917	634063	0.9	Peat	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269930	634065	0.9	Peat	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269948	634069	0.3	Soil	Granular	No	4.99	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269978	634057	0.5	Peat	Granular	No	5.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269960	634062	0.5	Peat	Granular	No	5.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270008	634054	0.5	Peat	Granular	No	5.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270020	634058	0.4	Peat	Granular	No	5.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270067	634055	0.2	Soil	Granular	No	3.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270054	634056	0.4	Soil	Granular	No	3.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270038	634052	0.8	Peat	Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269929	634097	0.9	Peat	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269910	634116	0.9	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269889	634131	1.6	Peat	Granular	No	4.87	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269882	634106	1.3	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269860	634102	0.9	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269846	634098	0.9	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269842	634087	0.8	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269826	634083	0.9	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269805	634036	0.9	Peat	Granular	No	5.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269762	633971	1	Peat	Granular	No	5.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269726	633963	0.9	Peat	Granular	No	5.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269683	633942	1.2	Peat	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269523	634031	1.7	Peat	Granular	No	5.88	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269508	634045	1.7	Peat	Granular	No	5.88	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269514	634039	1.7	Peat	Granular	No	5.88	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269489	634064	0.2	Soil	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269499	634052	0.2	Soil	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269482	634068	0.5	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269470	634090	1	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269461	634094	1.7	Peat	Granular	No	6.62	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269448	634100	0.1	Peat	Granular	No	7.43	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269441	634106	0.9	Soil	Granular	No	7.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269431	634120	0.2	Peat	Granular	No	7.43	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269423	634136	0.9	Peat	Granular	No	7.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269415	634139	0.9	Peat	Granular	No	7.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269428	634084	1.8	Peat	Granular	No	7.57	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267849	633998	0.4	Peat	Granular	No	1.52	Peaty Soil	1	1	0	1	0	None
ITPEnergised		2	267853	633977	0.4	Peat	Granular	No	3.72	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267848	633961	0.3	Peat	Granular	No	1.52	Peaty Soil	1	1	0	1	0	None
ITPEnergised		2	267844	633942	0.5	Peat	Granular	No	3.73	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267846	633933	0.6	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267849	633918	0.6	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267847	633904	0.7	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267848	633886	0.4	Peat	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267844	633865	0.5	Peat	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267843	633852	0.5	Peat	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267848	633844	0.9	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267778	633917	0.2	Soil	Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267790	633913	0.3	Peat	Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267809	633917	3	Peat	Granular	No	3.73	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267831	633911	0.4	Peat	Granular	No	3.73	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267876	633916	0.5	Peat	Granular	No	3.59	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
ITPEnergised		2	268255	634874	0.5	Peat	Granular	No	4.80	Peaty Soil	1	1	2	1	Negligible
ITPEnergised		2	270426.44	634279.31	1.5	Peat	Granular	No	3.56	Thin Peat	1	3	2	1	Low
ITPEnergised		2	270182.94	634426.94	2.5	Peat	Granular	No	3.34	Thick Peat	1	2	2	1	Negligible
ITPEnergised		2	270179.38	634383.69	1.8	Peat	Granular	No	3.93	Thick Peat	1	2	2	1	Negligible
ITPEnergised		2	270187.97	634417.13	2	Peat	Granular	No	3.34	Thick Peat	1	2	2	1	Negligible
ITPEnergised		2	270190.81	634455.38	2	Peat	Granular	No	3.54	Thick Peat	1	2	2	1	Negligible
ITPEnergised		2	270222.44	634491.81	1.5	Peat	Granular	No	2.97	Thin Peat	1	3	2	1	Low
ITPEnergised		2	270196.84	634504.44	1.5	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	Low
ITPEnergised		2	269546.97	634298.38	2.5	Peat	Granular	No	7.49	Thick Peat	1	2	3	1	Low
ITPEnergised		2	269435.88	634032.44	0.4	Soil	Granular	No	6.71	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	269466.81	634055	1.2	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	Low
ITPEnergised		2	269499.84	634082.25	0.5	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	269523.63	634100.19	1	Peat	Granular	No	6.43	Thin Peat	1	3	3	1	Low
ITPEnergised		2	269540.06	634135.13	1.2	Peat	Granular	No	6.43	Thin Peat	1	3	3	1	Low
ITPEnergised		2	269550.09	634120.44	1	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	Low
ITPEnergised		2	266862.38	635541.06	0.9	Peat	Granular	No	6.64	Thin Peat	1	3	3	1	Low
ITPEnergised		2	266845.91	635542.88	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	Low
ITPEnergised		2	266854.94	635520.31	0.9	Peat	Granular	No	6.64	Thin Peat	1	3	3	1	Low
ITPEnergised		2	266860.72	635494.69	0.4	Peat	Granular	No	7.75	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	266857.13	635465.88	1.1	Peat	Granular	No	7.75	Thin Peat	1	3	3	1	Low
ITPEnergised		2	266840.84	635483.38	0.5	Peat	Granular	No	5.96	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	266811.69	635540.75	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	Low
ITPEnergised		2	266812.75	635523.19	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	Low
ITPEnergised		2	266807.72	635506.88	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	Low
ITPEnergised		2	266806.28	635480.38	0.9	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	Low
ITPEnergised		2	270192	634569	2.5	Peat	Granular	No	2.85	Thick Peat	1	2	2	1	Negligible
ITPEnergised		2	270214	634567	1.7	Peat	Granular	No	4.02	Thick Peat	1	2	2	1	Negligible
ITPEnergised		2	270238	634562	0.9	Peat	Granular	No	4.02	Thin Peat	1	3	2	1	Low
ITPEnergised		2	270230	634528	1.4	Peat	Granular	No	3.57	Thin Peat	1	3	2	1	Low
ITPEnergised		2	270207	634535	1.4	Peat	Granular	No	3.57	Thin Peat	1	3	2	1	Low
ITPEnergised		2	270178	634541	2.3	Peat	Granular	No	3.62	Thick Peat	1	2	2	1	Negligible
ITPEnergised		2	270176	634513	1.4	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	Low
ITPEnergised		2	269530	634134	1.2	Peat	Granular	No	6.43	Thin Peat	1	3	3	1	Low
ITPEnergised		2	269565	634162	1.5	Peat	Granular	No	6.34	Thin Peat	1	3	3	1	Low
ITPEnergised		2	269584	634187	1.7	Peat	Granular	No	6.34	Thick Peat	1	2	3	1	Low
ITPEnergised		2	269608	634169	0.9	Peat	Granular	No	6.42	Thin Peat	1	3	3	1	Low
ITPEnergised		2	269623	634163	0.9	Peat	Granular	No	6.42	Thin Peat	1	3	3	1	Low
ITPEnergised		2	269621	634144	0.9	Peat	Granular	No	6.20	Thin Peat	1	3	3	1	Low
ITPEnergised		2	269597	634128	0.4	Peat	Granular	No	6.26	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	269585	634143	1.4	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	Low
ITPEnergised		2	268075	634067.6875	0.1	Soil	Granular	No	9.10	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268070.5625	634053.6875	0.1	Soil	Granular	No	9.10	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268010.5	634062.375	1.1	Soil	Granular	No	7.56	Thin Peat	1	3	3	1	Low
ITPEnergised		2	268010.9688	634073.125	0.4	Soil	Granular	No	7.56	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268011.8125	634045.375	1.2	Soil	Granular	No	6.26	Thin Peat	1	3	3	1	Low
ITPEnergised		2	268162.9688	634022.875	0.1	Soil	Granular	No	13.45	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268166.8125	634030.9375	0.2	Soil	Granular	No	13.45	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268203.6875	634003.6875	0.6	Soil	Granular	No	13.73	Thin Peat	1	3	3	1	Low
ITPEnergised		2	268209.0938	634014.375	0.6	Soil	Granular	No	13.73	Thin Peat	1	3	3	1	Low
ITPEnergised		2	268247.7188	633999.625	0.2	Soil	Granular	No	7.33	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268248.7813	633983.0625	0.2	Soil	Granular	No	7.33	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268292.125	633972.875	0.4	Superficial	Granular	No	3.73	Peaty Soil	1	1	2	1	Negligible
ITPEnergised		2	268293.4375	633984.6875	0.1	Superficial	Granular	No	3.73	Peaty Soil	1	1	2	1	Negligible
ITPEnergised		2	268332.2188	633957.5	0.2	Peat	Granular	No	11.39	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268336.25	633961.375	0.3	Peat	Granular	No	11.39	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268381.5625	633940.8125	0.2	Peat	Granular	No	9.84	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268382.25	633947	0.2	Peat	Granular	No	9.84	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268428.75	633932.375	0.2	Soil	Granular	No	7.47	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268419.9688	633928.6875	0.7	Peat	Granular	No	7.47	Thin Peat	1	3	3	1	Low
ITPEnergised		2	268472.0625	633908.375	0.5	Peat	Granular	No	5.96	Peaty Soil	1	1	3	1	Negligible
ITPEnergised		2	268477.5313	633919.8125	0.9	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
ITPEnergised		2 268519.5625	633893.875	1.1	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2 268526.6563	633901.125	1.1	Peat	Granular	No	4.88	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2 268560.5313	633875.1875	1.2	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2 268610.4688	633871.0625	0.2	Peat	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 268662.7813	633838.75	0.6	Peat	Granular	No	7.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 268665.5	633852.875	0.6	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 268700.8438	633829.25	0.2	Soil	Granular	No	8.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 268701.9063	633843.8125	0.4	Soil	Granular	No	8.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 268742.0938	633822.9375	0.9	Peat	Granular	No	8.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 268740.0625	633815.875	1.2	Peat	Granular	No	8.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 268796.125	633803.5625	0.9	Peat	Granular	No	7.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 268793.7813	633811.1875	0.9	Peat	Granular	No	7.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 268835.3438	633812.8125	0.7	Peat	Granular	No	7.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 268832.3438	633820.4375	0.7	Peat	Granular	No	7.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 267233.6875	634400.3125	0.5	Peat	Granular	No	10.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 267228.9688	634384.5	0.5	Peat	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 267243.7813	634374.875	0.4	Peat	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 267262.8438	634361.3125	0.5	Peat	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 267280.2813	634357.4375	0.6	Peat	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 267294.1563	634337.8125	0.7	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2 267325.6875	634317.75	0.7	Peat	Granular	No	5.60	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 267359.6875	634295.0625	0.7	Peat	Granular	No	4.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2 267381.9688	634287	0.2	Soil	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2 267394.9375	634274.125	0.4	Soil	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2 267372.0938	634258.1875	0.4	Soil	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2 267409.3438	634249.1875	0.2	Soil	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 267411.0938	634301.5	0.7	Peat	Granular	No	5.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 267418	634323.5625	0.7	Peat	Granular	No	5.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 267428.8438	634316.5	0.7	Peat	Granular	No	5.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 267436.2188	634333.75	0.7	Peat	Granular	No	5.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 266274.2813	635691.9375	0.5	Peat	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 266287.5938	635701	0.5	Peat	Granular	No	5.20	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 266295.375	635709.4375	0.5	Peat	Granular	No	5.20	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 266242.5313	635720.5625	0.5	Peat	Granular	No	5.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 266249.7188	635738.1875	0.5	Peat	Granular	No	5.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 266254.7813	635748.625	0.5	Peat	Granular	No	5.20	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 266204.5313	635748.625	0.5	Peat	Granular	No	5.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 266212.0313	635758.4375	0.5	Peat	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 266225.9063	635763.9375	0.5	Peat	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 266320.25	635662.125	0.5	Peat	Granular	No	4.86	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2 266325.7188	635671.125	0.5	Peat	Granular	No	4.86	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2 266328.8125	635682.125	0.5	Peat	Granular	No	4.86	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2 266179.1875	635791.625	0.6	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2 266170.8438	635785.375	0.4	Peat	Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2 266181.9688	635797.8125	0.4	Peat	Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2 266127	635791.1875	0.6	Peat	Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2 266113.9063	635803.4375	0.9	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2 266111.875	635809.8125	0.9	Peat	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2 268113.2813	634055.625	0.3	Peat	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 268108.9063	634046.0625	0.4	Peat	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 268104.875	634035.75	0.4	Peat	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 268071.375	634044.3125	0.9	Soil	Granular	No	8.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 268156.0938	634025.9375	0.2	Soil	Rock	No	13.45	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2 268153.3125	634013.125	0.7	Peat	Rock	No	13.45	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2 268197.75	633993.5	0.6	Peat	Rock	No	12.49	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2 268246.625	633975.5	0.7	Soil	Granular	No	7.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2 268286.125	633961.6875	0.9	Superficial	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2 268328.5313	633953.5625	0.7	Peat	Rock	No	11.39	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2 268388.375	633938.4375	0.4	Peat	Granular	No	9.84	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2 268415.4375	633905.875	0	Soil	Granular	No	7.47	No Peat	1	0	3	1	0	None
ITPEnergised		2 268468.9688	633898.4375	0.9	Peat	Granular	No	5.60	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268513.8438	633882.5625	0.6	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268550.3125	633867.625	0.3	Peat	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268611.3125	633860.6875	0.4	Peat	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268606.0313	633853.875	1.2	Peat	Granular	No	5.27	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268648.5938	633842.375	1.2	Peat	Granular	No	6.38	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268694.1875	633824.125	0.9	Peat	Granular	No	7.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268738.2813	633810.4375	1.1	Peat	Granular	No	8.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268787.25	633782.8125	0.2	Soil	Granular	No	8.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268838	633803.5	0.7	Soil	Cohesive	No	7.25	Thin Peat	1	3	3	2	18	Medium
ITPEnergised		2	267255.375	634405.8125	0.7	Peat	Granular	No	11.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267245.2813	634414.875	0.5	Peat	Rock	No	10.83	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	267270.2188	634396	0.3	Peat	Rock	No	7.37	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	267349.875	634365.875	0.1	Soil	Rock	No	8.11	Peaty Soil	1	1	3	2	6	Low
ITPEnergised		2	267340.4063	634342.8125	0.4	Peat	Granular	No	5.60	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267376.4063	634319.75	0.5	Peat	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267394.125	634308.75	0.2	Peat	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267400.5625	634326.1875	0.2	Soil	Granular	No	5.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267404.1875	634343.625	0.1	Peat	Granular	No	5.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266083.0625	635698.6875	0.2	Peat	Cohesive	No	3.43	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	266074.4063	635694.0625	0.1	Soil	Cohesive	No	3.43	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	266057.625	635735.125	0.3	Peat	Cohesive	No	2.41	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	266051.1563	635731.0625	0.3	Peat	Rock	No	2.41	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	266075.75	635733.9375	0.3	Peat	Rock	No	2.41	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	266083.5	635761.875	0.5	Peat	Granular	No	2.28	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266079	635775.875	0.6	Peat	Granular	No	2.28	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266073.1875	635779.3125	0.4	Peat	Cohesive	No	2.28	Peaty Soil	1	1	2	2	4	Negligible
ITPEnergised		2	267137.56	634738.06	0.1	Soil	Granular	No	12.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266199.25	635627.31	0.8	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266199.44	635639.19	0.8	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266540.13	635923.63	0.8	Peat	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266553.34	635938.88	0.8	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266844.5	635510.25	0.8	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266843.88	635500.5	0.8	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266843.44	635491.31	0.8	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266833.53	635541.94	0.8	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270179.22	634131.94	0.9	Peat	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270294.34	634225.75	0.9	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267105.38	634745.75	0.1	Soil	Granular	No	12.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270376.06	634260.06	0.9	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270383.94	634266.31	0.9	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270463	634330.31	0.9	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270505.03	634334	0.9	Peat	Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270497.72	634333.75	0.9	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270512.19	634342.56	0.9	Peat	Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270504.75	634353.13	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270571.78	634412.88	0.9	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271007.56	634993.25	0.9	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271002.38	634984.69	0.9	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267094.31	634743.44	0.1	Soil	Granular	No	10.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270919.22	635046.38	0.9	Peat	Granular	No	5.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270911.19	635049.75	0.9	Peat	Granular	No	5.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270905.03	635055.13	0.9	Peat	Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270887.88	635064.13	0.9	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270878.53	635071	0.9	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270867.19	635077.19	0.9	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270862.22	635081.38	0.9	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270868.34	635092.81	0.9	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270877.44	635084.25	0.9	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270885.19	635080.13	0.9	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267085.66	634776.13	0.1	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270839.91	635089.63	0.9	Peat	Granular	No	5.04	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270822.03	635027.94	0.9	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270825.22	635040.44	0.9	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270721.75	635031	0.9	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270670.44	635068.56	0.9	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270651	635077.69	0.9	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270602.09	635076.75	0.9	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270251.16	635450.44	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270258.03	635460.81	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269719.59	635139.75	0.9	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267082.91	634786.88	0.1	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269710.97	635112.19	0.9	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269722.59	635116.56	0.9	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269728.59	635122.81	0.9	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269716.72	635106.44	0.9	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269802.25	635068.94	0.9	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269826.16	635049.19	0.9	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269754.28	634973	0.9	Peat	Granular	No	6.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269752.25	634984.69	0.9	Peat	Granular	No	6.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269710.56	634949.56	0.9	Peat	Granular	No	7.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269661.22	634932.19	0.9	Peat	Granular	No	6.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267080.59	634793.56	0.1	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269425.28	634792.25	0.9	Soil	Granular	No	15.16	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270182.5	634125.69	0.9	Peat	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270186.84	634117	0.9	Peat	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270223.22	634157.63	0.9	Peat	Granular	No	4.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270230.84	634149.81	0.9	Peat	Granular	No	5.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270308.59	634208.56	0.9	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270340.19	634245.06	0.9	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270346.63	634236.75	0.9	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270361.72	634264.38	0.9	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270367.91	634267.63	0.9	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267088.47	634797.5	0.1	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270454.94	634338.63	0.9	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270486.25	634362.19	0.9	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270474.06	634378.06	0.9	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270488.78	634377	0.9	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270492.19	634368.06	0.9	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270492.19	634368.06	0.9	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270501.22	634373.44	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270504.66	634387.13	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270509.78	634379.63	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270512.75	634409.94	0.9	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267087.28	634806.63	0.1	Soil	Granular	No	12.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270519.28	634400.63	0.9	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270524.47	634392.06	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270534.78	634400.25	0.9	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270516.59	634433	0.9	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270522.44	634422.19	0.9	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270532.19	634416.94	0.9	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270536.84	634408	0.9	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270544.78	634402.75	0.9	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270563.19	634406.81	0.9	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270833	634914.88	0.9	Peat	Granular	No	3.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267078	634803	0.1	Soil	Granular	No	12.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	271024.72	634963.25	0.9	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271027.31	634967.88	0.9	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271058.22	635017.31	0.9	Peat	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271067.72	635035.31	0.9	Peat	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271029.22	634993.06	0.9	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271019.44	634999.5	0.9	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271025.38	635005.31	0.9	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	271012.88	635001.19	0.9	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271009.91	635015.81	0.9	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271015.53	635021.63	0.9	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267041.19	634961.44	0.1	Soil	Granular	No	10.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270998.16	635017.88	0.9	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270987.88	635016.75	0.9	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270942.66	635044.88	0.9	Peat	Granular	No	5.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270925.13	635054.13	0.9	Peat	Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270903.25	635067.81	0.9	Peat	Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270892.09	635073.19	0.9	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270841.59	635019.63	0.9	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270854.69	635011.13	0.9	Peat	Granular	No	5.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270865	635015.06	0.9	Peat	Granular	No	5.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270713.53	635045.06	0.9	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267064.91	634918.44	0.1	Soil	Granular	No	11.66	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270690.94	635063.69	0.9	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270664.16	635080.31	0.9	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270662.63	635109.13	0.9	Peat	Granular	No	5.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270448.88	635318.5	0.9	Peat	Granular	No	6.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270443.88	635325.5	0.9	Peat	Granular	No	6.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270422.34	635342.13	0.9	Peat	Granular	No	6.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270415	635350.13	0.9	Peat	Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270332.5	635419.56	0.9	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270339.72	635457.13	0.9	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270348.75	635466.81	0.9	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267073.63	634884	0.1	Soil	Granular	No	12.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270315.53	635447	0.9	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270309.06	635438.56	0.9	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270302.5	635447.25	0.9	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270301.72	635460.63	0.9	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270293.5	635452.31	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270285.38	635460.69	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270276.63	635465.63	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270296.22	635513.94	0.9	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270270.81	635481.88	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270256.13	635467.13	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267104.72	634789.81	0.1	Soil	Granular	No	13.98	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270250.25	635458.38	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270244.78	635449.81	0.9	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270237.03	635442.81	0.9	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270230.81	635436.06	0.9	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270250.41	635487.94	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270241.22	635495.13	0.9	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270233.94	635500.56	0.9	Peat	Granular	No	4.29	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269688.19	635176.56	0.9	Peat	Granular	No	4.54	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269693.56	635170.06	0.9	Peat	Granular	No	4.54	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269698.25	635165.81	0.9	Peat	Granular	No	4.54	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267611.94	634624	0.1	Peat	Granular	No	10.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269713.44	635157.81	0.9	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269717.06	635154.38	0.9	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269736.72	635153.56	0.9	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269724.56	635135.69	0.9	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269758.31	635140.44	0.9	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269749.72	635117.44	0.9	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269788.72	635119.81	0.9	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269841.81	635055.31	0.9	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268860.5	633910.56	0.9	Peat	Granular	No	6.92	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268806.66	633819.75	0.9	Peat	Granular	No	7.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267573.28	634609.25	0.1	Peat	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268813.22	633829.63	0.9	Peat	Granular	No	7.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268768.31	633770.81	0.9	Peat	Granular	No	8.30	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268732.5	633892.31	0.9	Peat	Granular	No	7.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268726.78	633884.5	0.9	Peat	Granular	No	7.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268742.91	633894.69	0.9	Peat	Granular	No	7.91	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268727.84	633956.94	0.9	Peat	Granular	No	3.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268722	633960.38	0.9	Peat	Granular	No	3.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268758.88	633959.81	0.9	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268769.69	633958.38	0.9	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268766.91	633971.94	0.9	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267585.09	634614.06	0.1	Peat	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268771.22	633978.13	0.9	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268781.16	633974.44	0.9	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268776.81	633965.75	0.9	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268790	634005.25	0.9	Peat	Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268797.59	633999.63	0.9	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268801.69	634008.75	0.9	Peat	Granular	No	7.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268793.84	634013.31	0.9	Peat	Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268800.03	634019.44	0.9	Peat	Granular	No	7.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268808.81	634014.63	0.9	Peat	Granular	No	7.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268805.75	634029.19	0.9	Peat	Granular	No	7.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267534.38	634603	0.1	Soil	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268808.5	634040.38	0.9	Peat	Granular	No	7.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268799.72	634048.75	0.9	Peat	Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268791.69	634050.94	0.9	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268796.13	634060.06	0.9	Peat	Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268805.94	634052.06	0.9	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268826.13	634060.5	0.9	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268836.22	634058	0.9	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268841.5	634055.13	0.9	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268849.31	634064.56	0.9	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268851.09	634071.38	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267534.94	634592.81	0.1	Soil	Granular	No	11.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268844	634073.13	0.9	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268840.63	634066	0.9	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268825.44	634101.38	0.9	Peat	Granular	No	7.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268833.41	634095	0.9	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268838.5	634102	0.9	Peat	Granular	No	7.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268859.69	634079.5	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268849.44	634095.88	0.9	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268856.09	634090.06	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268837.69	634128.25	0.9	Peat	Granular	No	7.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269445.47	634049.69	0.9	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267537.75	634583.75	0.1	Soil	Granular	No	11.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269440.38	634039.19	0.9	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269422.47	634032.69	0.9	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269429.97	634043.31	0.9	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269441.5	634060.88	0.9	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269445.44	634080.06	0.9	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269438.28	634071.56	0.9	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269429.13	634055.25	0.9	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269406.78	634035.94	0.9	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269368.38	633982.31	0.9	Peat	Granular	No	5.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269364.34	633972	0.9	Peat	Granular	No	5.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269082.09	634593.75	0.1	Peat	Granular	No	13.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269348.53	633949.81	0.9	Peat	Granular	No	3.92	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269487.84	633926.69	0.9	Peat	Granular	No	3.07	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269578.34	633940.25	0.9	Peat	Granular	No	3.72	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269628.56	633939.75	0.9	Peat	Granular	No	4.27	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269629.31	633930.38	0.9	Peat	Granular	No	4.27	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269729.69	633953.25	0.9	Peat	Granular	No	5.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269803.91	633979.56	0.9	Peat	Granular	No	5.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269813.28	633981.94	0.9	Peat	Granular	No	5.00	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269829.25	633989.63	0.9	Peat	Granular	No	5.00	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	269840.5	633994.19	0.9	Peat	Granular	No	5.00	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267767.97	633681.56	0.1	Soil	Granular	No	8.31	Peaty Soil	1	1	3	3	Negligible	
ITPEnergised		2	269865.84	634006.13	0.9	Peat	Granular	No	5.33	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	269877.81	634011.13	0.9	Peat	Granular	No	5.33	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	269902.75	634023.63	0.9	Peat	Granular	No	5.05	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	269932.75	634022.75	0.9	Peat	Granular	No	5.05	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	269968.84	634051.69	0.9	Peat	Granular	No	5.16	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	269992.91	634043.31	0.9	Peat	Granular	No	5.03	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	270028.78	634072.38	0.9	Peat	Granular	No	5.30	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	270036.38	634080.81	0.9	Peat	Granular	No	5.30	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267941.56	633934.38	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267929.16	633929.75	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267782.88	633699.13	0.1	Soil	Granular	No	8.31	Peaty Soil	1	1	3	3	Negligible	
ITPEnergised		2	267922.09	633928.75	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267916.94	633946	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267903.09	633951.69	0.9	Peat	Granular	No	3.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267908.94	633940.31	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267910.72	633933.06	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267913.31	633923.19	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267922.5	633904.25	0.9	Peat	Granular	No	5.54	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267911.03	633898.63	0.9	Peat	Granular	No	11.11	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267889.53	633933.31	0.9	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267903.25	633895.94	0.9	Peat	Granular	No	11.11	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	266989.88	635136.19	0.1	Peat	Granular	No	12.07	Peaty Soil	1	1	3	3	Negligible	
ITPEnergised		2	267879.97	633899.63	0.9	Peat	Granular	No	5.04	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267859.22	633928.13	0.9	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267854.06	633899.06	0.9	Peat	Granular	No	5.04	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	267820.91	633905.56	0.9	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268814.75	633859.88	0.9	Peat	Granular	No	7.54	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268779.03	633877.94	0.9	Peat	Granular	No	7.67	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268774.84	633892.25	0.9	Peat	Granular	No	7.67	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268770.59	633883.25	0.9	Peat	Granular	No	7.67	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268779.75	633888	0.9	Peat	Granular	No	7.67	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268789.22	633907.5	0.9	Peat	Granular	No	6.63	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	266980.88	635145.38	0.1	Peat	Granular	No	12.07	Peaty Soil	1	1	3	3	Negligible	
ITPEnergised		2	268782.31	633899.63	0.9	Peat	Granular	No	7.67	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268787.53	633896.13	0.9	Peat	Granular	No	7.67	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268794.72	633906.31	0.9	Peat	Granular	No	6.63	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268800.66	633914.88	0.9	Peat	Granular	No	7.87	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268788.88	633918.06	0.9	Peat	Granular	No	6.63	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268794.19	633931.56	0.9	Peat	Granular	No	6.63	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268806.78	633925.19	0.9	Peat	Granular	No	7.87	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268813.06	633941.56	0.9	Peat	Granular	No	7.87	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268840.34	634019.44	0.9	Peat	Granular	No	7.31	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268846.75	634030.31	0.9	Peat	Granular	No	7.31	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	266981.13	635152.75	0.1	Peat	Granular	No	14.63	Peaty Soil	1	1	3	3	Negligible	
ITPEnergised		2	268881.47	634020.63	0.9	Peat	Granular	No	6.92	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268875.81	634031.81	0.9	Peat	Granular	No	6.92	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268863.78	634035.25	0.9	Peat	Granular	No	6.92	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268855.06	634043.44	0.9	Peat	Granular	No	6.92	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268849.78	634044.88	0.9	Peat	Granular	No	7.31	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268891.66	634039.56	0.9	Peat	Granular	No	6.92	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268884.44	634048.13	0.9	Peat	Granular	No	6.92	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268885.34	634061.06	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268871.13	634065	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268862.06	634067.44	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	266977.19	635157.69	0.1	Peat	Granular	No	14.63	Peaty Soil	1	1	3	3	Negligible	
ITPEnergised		2	268875.75	634082.13	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268872.28	634090.19	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	268884.66	634075.19	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	1	9	Low	

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268883.88	634085.06	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268889.66	634079.5	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268898.22	634075.5	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268910.59	634063.56	0.9	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268929.16	634057.13	0.9	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268940.59	634049.56	0.9	Peat	Granular	No	5.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268921.81	634062.81	0.9	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266968.5	635150.25	0.1	Peat	Granular	No	14.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268946.06	634047.31	0.9	Peat	Granular	No	5.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268897.34	634149.5	0.9	Peat	Granular	No	8.42	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268879.44	634119.94	0.9	Peat	Granular	No	8.42	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268876.22	634116.06	0.9	Peat	Granular	No	8.42	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268882.28	634096.44	0.9	Peat	Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269419.03	634101.38	0.9	Peat	Granular	No	7.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269422.56	634086.75	0.9	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269428.16	634090.94	0.9	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269414.19	634088.63	0.9	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269411.34	634076.13	0.9	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266963.59	635158.38	0.1	Peat	Granular	No	14.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269678.63	633960.88	0.9	Peat	Granular	No	5.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269891.03	634026.25	0.9	Soil	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269909.75	634059.25	0.9	Soil	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269916.34	634041.94	0.9	Soil	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269948.81	634053.5	0.9	Peat	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269942.31	634059.06	0.9	Peat	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269952.81	634067.5	0.9	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269937.53	634071.5	0.9	Peat	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269953.06	634075.88	0.9	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269976.06	634079.69	0.9	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266964.25	635174.38	0.1	Peat	Granular	No	14.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269979.38	634083.44	0.9	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270010.41	634019.13	0.9	Peat	Granular	No	4.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270011.56	634010.25	0.9	Peat	Granular	No	4.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267847.56	634136.56	0.9	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267844.69	634142.56	0.9	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267849.13	634151.69	0.9	Peat	Granular	No	6.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267745.47	634249.63	0.9	Soil	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267737.31	634251.88	0.9	Soil	Granular	No	7.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267686.13	634231.81	0.9	Soil	Granular	No	2.85	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267762.5	634202.75	0.9	Soil	Granular	No	7.35	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266956.63	635164.75	0.1	Peat	Granular	No	14.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267801.78	634172.56	0.9	Soil	Granular	No	6.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268079.41	635376.94	0.9	Peat	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268087.31	635344.56	0.9	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267985.59	635151.19	0.9	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267979.75	635146.19	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267961	635133.94	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267969.91	635129.81	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267972.56	635136.44	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268059.47	634737.69	0.9	Soil	Granular	No	3.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268070.09	634740.44	0.9	Peat	Granular	No	3.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266956.88	635181.44	0.1	Peat	Granular	No	14.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268075.34	634747.63	0.9	Peat	Granular	No	3.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268087.22	634749.63	0.9	Peat	Granular	No	3.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268106.5	634750.94	0.9	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268146.34	634758.06	0.9	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268189.25	634759.19	0.9	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268186.88	634771.69	0.9	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268174.91	634767.63	0.9	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268205.56	634749.44	0.9	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268218.22	634755.94	0.9	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267066.84	634741.25	0.9	Soil	Granular	No	10.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266941.41	635192.94	0.1	Peat	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267072.81	634754.63	0.9	Soil	Granular	No	11.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267064.5	634770.31	0.9	Soil	Granular	No	11.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267036.31	634794.94	0.9	Soil	Granular	No	8.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267040.69	634779.25	0.9	Soil	Granular	No	8.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267043.31	634771.13	0.9	Soil	Granular	No	8.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267055.16	634764.44	0.9	Soil	Granular	No	11.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267056.13	634775.31	0.9	Soil	Granular	No	11.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267053.53	634752	0.9	Soil	Granular	No	11.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267043.56	634763	0.9	Soil	Granular	No	8.79	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267061.06	634752.19	0.9	Soil	Granular	No	11.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266985.53	635127	0.1	Soil	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267051.47	634746.5	0.9	Soil	Granular	No	10.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268133.59	635341.31	0.9	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268121.88	635341	0.9	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268103.28	635334.25	0.9	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268106.69	635310	0.9	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268117.31	635306.94	0.9	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268086.91	635303.88	0.9	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268089.03	635293.5	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268097.34	635292.81	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268103.97	635290.31	0.9	Peat	Granular	No	4.04	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266979.25	635124.06	0.1	Soil	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268093.19	635283.06	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268087.66	635286.38	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268090.31	635267.38	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268080.06	635257	0.9	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268073.38	635242.63	0.9	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268011	635220.81	0.9	Peat	Granular	No	4.81	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268005.53	635210.94	0.9	Peat	Granular	No	4.81	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267967.84	635150.63	0.9	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267945.28	635145.31	0.9	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267905.59	635184.06	0.9	Peat	Granular	No	3.60	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266968.06	635118.81	0.1	Soil	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267887.63	635184	0.9	Peat	Granular	No	3.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267950.41	634977.81	0.9	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267931.94	634936.25	0.9	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267802.47	634725.56	0.9	Peat	Granular	No	9.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268034.84	634747.38	0.9	Peat	Granular	No	4.24	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268065.09	634751.5	0.9	Peat	Granular	No	3.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268073.22	634755.13	0.9	Peat	Granular	No	3.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268111.28	634766.31	0.9	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268150.44	634773.94	0.9	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268146.38	634781.63	0.9	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266521.84	635862.69	0.1	Peat	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268148.84	634790.25	0.9	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268160.25	634773.38	0.9	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268172.31	634773.44	0.9	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268177.31	634797.75	0.9	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268189.84	634800.88	0.9	Peat	Granular	No	3.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268196.59	634800.75	0.9	Peat	Granular	No	3.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268217.41	634822.63	0.9	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268215.53	634843.56	0.9	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267680.03	634674.69	0.9	Peat	Granular	No	10.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267687.53	634677.5	0.9	Peat	Granular	No	10.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266522.91	635869.38	0.1	Peat	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267698.88	634680.38	0.9	Peat	Granular	No	10.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267044.53	634837.06	0.9	Peat	Granular	No	9.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267042.06	634857.25	0.9	Peat	Granular	No	9.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267022.19	634914.25	0.9	Peat	Granular	No	9.76	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267015.56	634946.19	0.9	Peat	Granular	No	9.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266840.78	635315.81	0.9	Peat	Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266835.16	635386.13	0.9	Peat	Granular	No	6.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266835.69	635427.31	0.9	Peat	Granular	No	6.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266834.09	635447.63	0.9	Peat	Granular	No	6.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266823.34	635455.06	0.9	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266509.22	635854.44	0.1	Soil	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266822.88	635463.63	0.9	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266831.75	635485.06	0.9	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266830.84	635505.69	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266806.91	635525.88	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266827.59	635535.25	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266804	635535.38	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266824.16	635540	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266762.66	635497.31	0.9	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266718.63	635416.44	0.9	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266653.66	635434.31	0.9	Peat	Granular	No	5.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266107.13	635654.25	0.1	Soil	Granular	No	3.39	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266204.09	635617.69	0.9	Peat	Granular	No	4.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266543.97	635908.13	0.9	Peat	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266854.13	635336.75	0.9	Peat	Granular	No	8.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266854.63	635347.69	0.9	Peat	Granular	No	8.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266564.47	635947.38	0.9	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266551.38	635945.44	0.9	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266544.69	635948.06	0.9	Peat	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266556.09	635949.13	0.9	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266567.34	635996.69	0.9	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266563	635985.69	0.9	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266101.81	635647	0.1	Soil	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266560.28	635955.88	0.9	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266837.63	635469.88	0.9	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266853.19	635472.63	0.9	Peat	Granular	No	7.75	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266861.47	635475.75	0.9	Peat	Granular	No	7.75	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266851.06	635484.38	0.9	Peat	Granular	No	7.75	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266849.47	635497.88	0.9	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266837.16	635500.13	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266836.81	635505.63	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266843.75	635529.5	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266856.03	635527.56	0.9	Peat	Granular	No	6.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266508.53	635863.19	0.1	Soil	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266839.5	635516.31	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266843.53	635523.25	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266497.81	635763.56	0.9	Soil	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266498.69	635774.31	0.9	Soil	Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266503.41	635782.06	0.9	Soil	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270484.91	634346.75	1	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270490.78	634340.5	1	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271069.28	634980	1	Peat	Granular	No	4.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271058.91	634981.63	1	Peat	Granular	No	4.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271039.38	634991.44	1	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266511.13	635874.19	0.1	Soil	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	271018.25	634975.63	1	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271025.34	634981.38	1	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271014.56	634966.75	1	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270626	635087.31	1	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269751.47	635184.94	1	Peat	Granular	No	4.03	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269741.47	635175.19	1	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269818.44	635058.25	1	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269576.13	634807	1	Peat	Granular	No	10.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270461.19	634343.38	1	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270467.28	634371	1	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267111	634846.94	0.1	Soil	Granular	No	15.21	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270483.16	634386.31	1	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270505.47	634403.69	1	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270527.22	634406.63	1	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270521.38	634415.38	1	Peat	Granular	No	5.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270844.06	634915.56	1	Peat	Granular	No	3.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271031.66	634974.19	1	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271033.44	634978.31	1	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271040.84	635010	1	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270833.59	634969.44	1	Peat	Granular	No	6.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270740.44	635027.63	1	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267127.47	634851.94	0.1	Soil	Granular	No	15.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270725.59	635035.69	1	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270674.53	635075.94	1	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270683.66	635080.63	1	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270661.91	635084.88	1	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270655.09	635112.69	1	Peat	Granular	No	5.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270643.56	635096.5	1	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270647.03	635120.94	1	Peat	Granular	No	5.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270262.84	635475.06	1	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270259.47	635481.69	1	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269740.66	635125.38	1	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267149.59	634861.06	0.1	Soil	Granular	No	15.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269822.53	635063.5	1	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269711.19	634946.5	1	Peat	Granular	No	7.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269704.28	634971	1	Peat	Granular	No	6.34	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268928.84	633936	1	Peat	Granular	No	6.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268816.78	633838.44	1	Peat	Granular	No	7.25	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268762.97	633950.06	1	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268756.28	633952.19	1	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268831.59	634070.13	1	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268864.63	634086.94	1	Peat	Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268836.81	634119.44	1	Peat	Granular	No	7.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267149.34	634877.94	0.1	Soil	Granular	No	15.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268829.75	634112.69	1	Peat	Granular	No	7.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269418.91	634048.63	1	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269966.53	634026.75	1	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269976.53	634054.06	1	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267928.88	633908.38	1	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268923.09	634103.69	1	Peat	Granular	No	7.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269484.63	633909.38	1	Peat	Granular	No	3.07	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269934.13	634048.94	1	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269926.16	634043.69	1	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269992.56	634044.5	1	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267146.75	634914.25	0.1	Soil	Granular	No	14.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270000.94	634038.75	1	Peat	Granular	No	4.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270006.06	634030	1	Peat	Granular	No	4.53	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267715.28	634253.5	1	Soil	Granular	No	7.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267708.88	634213.19	1	Soil	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267718.75	634245.31	1	Soil	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268082.5	635385.5	1	Peat	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267935.81	634978.13	1	Peat	Granular	No	5.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267925.94	634980.94	1	Peat	Granular	No	5.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268115.81	634753.13	1	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268126	634756.44	1	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267149.09	634938.56	0.1	Soil	Granular	No	14.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268158.78	634742.69	1	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268160.09	634753.19	1	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268155.66	634762.19	1	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268165.22	634755.06	1	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268163.66	634763.38	1	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268170.41	634744.63	1	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268178.38	634758.75	1	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267923.94	635172.81	1	Peat	Granular	No	3.60	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267901.19	635197	1	Peat	Granular	No	3.60	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268124.56	634765.44	1	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267148.13	634972.63	0.1	Soil	Granular	No	14.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266832.09	635458.56	1	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266819.19	635505.25	1	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266825.88	635518.44	1	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266817.72	635526.31	1	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266797.81	635500.13	1	Peat	Granular	No	5.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270098.22	634082.94	1.1	Peat	Granular	No	3.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270090.72	634092.44	1.1	Peat	Granular	No	3.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270398.78	634275.06	1.1	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270432.38	634306.38	1.1	Peat	Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269809	635063.31	1.1	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267148.19	635005.31	0.1	Soil	Granular	No	14.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270094.63	634072.88	1.1	Peat	Granular	No	3.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270377.94	634273.63	1.1	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270383.56	634280.44	1.1	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270479.34	634355.31	1.1	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270517.75	634386.88	1.1	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270909.34	635066.25	1.1	Peat	Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270860.81	635094.75	1.1	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270847.63	635101.38	1.1	Peat	Granular	No	4.35	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270855.94	634968.19	1.1	Peat	Granular	No	5.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270849.66	634949.63	1.1	Peat	Granular	No	3.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267125.59	634944.25	0.1	Soil	Granular	No	14.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270842.84	634931.25	1.1	Peat	Granular	No	3.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270833.13	634925.94	1.1	Peat	Granular	No	3.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270731.66	635037.63	1.1	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270650.09	635090.56	1.1	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270656.91	635099.81	1.1	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268769.88	633853.19	1.1	Peat	Granular	No	7.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268844.5	634110.13	1.1	Peat	Granular	No	7.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269450.41	634085.81	1.1	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269792.84	633973.69	1.1	Peat	Granular	No	5.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268875.16	634042.81	1.1	Peat	Granular	No	6.92	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267106.53	634937.19	0.1	Soil	Granular	No	14.94	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269789.5	633983.94	1.1	Soil	Granular	No	5.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269781.31	633979.75	1.1	Soil	Granular	No	5.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269798.34	633987.88	1.1	Soil	Granular	No	5.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269815.47	633993.13	1.1	Soil	Granular	No	5.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269807.75	633990.69	1.1	Soil	Granular	No	5.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269823.91	633998.13	1.1	Soil	Granular	No	5.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269831.53	634003	1.1	Soil	Granular	No	5.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269850.19	634009.88	1.1	Soil	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269865.81	634018.94	1.1	Soil	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269875.97	634025.31	1.1	Soil	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267109.19	634985.63	0.1	Soil	Granular	No	14.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269900.97	634033.13	1.1	Soil	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269905.28	634046	1.1	Soil	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269913.25	634049.88	1.1	Soil	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269990.63	634066.25	1.1	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267979.31	635169.63	1.1	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268093.5	634758.81	1.1	Peat	Granular	No	3.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268131.69	634767.81	1.1	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268140.34	634769	1.1	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266853.75	635322	1.1	Peat	Granular	No	8.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270576.66	634418.44	1.2	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267109.75	635031.63	0.1	Soil	Granular	No	14.51	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270997.72	634976.44	1.2	Peat	Granular	No	5.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270633.5	635083.88	1.2	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270628.31	635096.75	1.2	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270471.5	634364	1.2	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270479.28	634369.5	1.2	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271021.06	634957.44	1.2	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271036.72	634999.5	1.2	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270843.5	634971.69	1.2	Peat	Granular	No	6.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270690.47	635076.94	1.2	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270647.94	635106.44	1.2	Peat	Granular	No	5.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267096.88	634898.88	0.1	Soil	Granular	No	12.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270642.09	635113.88	1.2	Peat	Granular	No	5.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270289.25	635504.25	1.2	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269757.03	635112.31	1.2	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269767.47	635106.56	1.2	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269831.06	635054.75	1.2	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268880.75	633923.56	1.2	Peat	Granular	No	6.92	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268759.84	633844.69	1.2	Peat	Granular	No	7.66	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268771.72	633860.13	1.2	Peat	Granular	No	7.67	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268832.81	634077.63	1.2	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268833.5	634077.75	1.2	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270797.69	634970	0.2	Soil	Granular	No	5.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268822.88	634088.38	1.2	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268820.28	634078.88	1.2	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269411.34	634040.44	1.2	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269386.28	633935.31	1.2	Peat	Granular	No	3.60	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269910.75	634026.06	1.2	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269922.16	634028.56	1.2	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269930.56	634011.06	1.2	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269956.25	634024	1.2	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269980.81	634045	1.2	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269983.69	634058.13	1.2	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270750.63	635006.44	0.2	Peat	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267930.56	633937.75	1.2	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267912.66	633956.06	1.2	Peat	Granular	No	3.58	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269900.09	634053.75	1.2	Soil	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269924.94	634056.56	1.2	Peat	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269992.84	634054.88	1.2	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267866.31	634127	1.2	Peat	Granular	No	5.88	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268095	634747.06	1.2	Peat	Granular	No	3.14	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268181.78	634747.69	1.2	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267889.16	634846.75	1.2	Peat	Granular	No	7.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268084.19	634754.88	1.2	Peat	Granular	No	3.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270761.22	635009.38	0.2	Peat	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268159.56	634784.31	1.2	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266839.97	635326	1.2	Peat	Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266810.09	635465.44	1.2	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266832.59	635465.63	1.2	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266831.88	635476.56	1.2	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266819.97	635473.63	1.2	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266818.97	635495.31	1.2	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266807.59	635490.44	1.2	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270259.84	634184.81	1.3	Peat	Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270417.75	634304.5	1.3	Peat	Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270755.25	635016.25	0.2	Peat	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270488.34	634392.75	1.3	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270697.5	635059.25	1.3	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270691.16	635090.88	1.3	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270672.69	635103.94	1.3	Peat	Granular	No	5.15	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270595.84	635139.19	1.3	Peat	Granular	No	5.82	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270270.94	635472.25	1.3	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270282.06	635496.75	1.3	Peat	Granular	No	5.19	Thin Peat	1	3	1	9	Low	
ITPEnergised		2	269771.97	635129.38	1.3	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269785.06	633968.63	1.3	Peat	Granular	No	5.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269821.41	633985	1.3	Peat	Granular	No	5.00	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270741.09	635006.75	0.2	Peat	Granular	No	5.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269891.91	634019	1.3	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269930.94	634035.13	1.3	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269950.69	634021.13	1.3	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269962.38	634036.56	1.3	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269987.03	634051.75	1.3	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267994.19	635193.38	1.3	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266822.16	635481.94	1.3	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266816.09	635514	1.3	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266777	635510.06	1.3	Peat	Granular	No	5.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270391.38	634274.69	1.4	Peat	Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270730.69	635017.94	0.2	Peat	Granular	No	5.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	271011.97	634980.13	1.4	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270666.44	635058.88	1.4	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270654.19	635067.94	1.4	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270644.53	635071.31	1.4	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269733.91	635159.31	1.4	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270789.78	634581.38	1.4	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270783.81	634590.5	1.4	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270834	634715.5	1.4	Peat	Granular	No	3.76	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271015.78	634951.5	1.4	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271045.94	634995.88	1.4	Peat	Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270474.38	635284.44	0.2	Soil	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	271051.44	635009.88	1.4	Peat	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270679.84	635094.69	1.4	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270636.91	635105.19	1.4	Peat	Granular	No	5.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269768.06	635117.44	1.4	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269772.19	635116	1.4	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269783.72	635096.81	1.4	Peat	Granular	No	4.92	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269772.78	635098.69	1.4	Peat	Granular	No	4.92	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269813.03	635072.88	1.4	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269464	634088.44	1.4	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269464.84	634074.19	1.4	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270465.69	635291.13	0.2	Soil	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269376.94	633988.63	1.4	Peat	Granular	No	5.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269853.06	633996.13	1.4	Peat	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269884.81	634012.56	1.4	Peat	Granular	No	5.33	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269937.94	634038.13	1.4	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269957.69	634044.44	1.4	Peat	Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269720.81	633979.81	1.4	Peat	Granular	No	5.43	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267701.41	634219.38	1.4	Soil	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267717.78	634220.69	1.4	Soil	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268149.34	634749.38	1.4	Peat	Granular	No	2.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268148.81	634739.56	1.4	Peat	Granular	No	2.79	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270365.31	635382.88	0.2	Soil	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267989.41	635184.75	1.4	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268102.66	634760.88	1.4	Peat	Granular	No	3.30	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270414.69	634293	1.5	Peat	Granular	No	3.56	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270423.84	634296.25	1.5	Peat	Granular	No	3.56	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270797.72	634575.81	1.5	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270630.03	635071.44	1.5	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270636.25	635093.06	1.5	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270644.88	635085.25	1.5	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270638.69	635077	1.5	Peat	Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270640.19	635135.94	1.5	Peat	Granular	No	5.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270340.34	635374.25	0.2	Soil	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270646.88	635141.81	1.5	Peat	Granular	No	5.70	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270653.06	635152.5	1.5	Peat	Granular	No	4.38	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270656.94	635161	1.5	Peat	Granular	No	4.38	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270431.47	634321	1.5	Peat	Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270456.28	634365.69	1.5	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270847.13	634714.38	1.5	Peat	Granular	No	3.76	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270748.16	635020.88	1.5	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269760.16	635123.44	1.5	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269778.41	635121.13	1.5	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269789.72	635104.56	1.5	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270339.16	635402.06	0.2	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269457.31	634082.38	1.5	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269925.94	634022.19	1.5	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269944.06	634028.06	1.5	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268122.41	635383	1.5	Peat	Granular	No	3.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267918	634927.38	1.5	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267912.5	634932.31	1.5	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267896.44	634890.38	1.5	Peat	Granular	No	6.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267906.22	634890.06	1.5	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267896.63	634842.06	1.5	Peat	Granular	No	7.89	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270713.06	634513.25	1.6	Peat	Granular	No	4.39	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269833.75	635048.31	0.2	Peat	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270749.38	634551.31	1.6	Peat	Granular	No	3.59	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270753.69	634543.13	1.6	Peat	Granular	No	4.27	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270269.66	634181.94	1.6	Peat	Granular	No	4.95	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270461.75	634356.19	1.6	Peat	Granular	No	5.52	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270685.34	635069.81	1.6	Peat	Granular	No	5.33	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269529.56	633912.31	1.6	Peat	Granular	No	3.45	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269578.84	633918	1.6	Peat	Granular	No	3.72	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269632.31	633954.75	1.6	Peat	Granular	No	5.28	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267915.81	634889.31	1.6	Peat	Granular	No	6.30	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	266807.13	635514.81	1.6	Peat	Granular	No	5.78	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269852.16	635033.94	0.2	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270423.66	634311.94	1.7	Peat	Granular	No	4.95	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270446.97	634328.38	1.7	Peat	Granular	No	4.95	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270742.16	634560.44	1.7	Peat	Granular	No	3.59	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270825.19	634616.81	1.7	Peat	Granular	No	4.04	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270696.19	635085.56	1.7	Peat	Granular	No	5.33	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269794	635114.44	1.7	Peat	Granular	No	4.25	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269342.38	633944.5	1.7	Peat	Granular	No	3.92	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269483.22	633915.38	1.7	Peat	Granular	No	3.07	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269532.03	633920.75	1.7	Peat	Granular	No	3.45	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269951.84	634032.56	1.7	Peat	Granular	No	5.03	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269858.41	635029.5	0.2	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269946.72	634043.31	1.7	Peat	Granular	No	5.05	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269431.41	633908.69	1.7	Peat	Granular	No	3.19	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269433.44	633918.13	1.7	Peat	Granular	No	3.19	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270583.25	634437.69	1.8	Peat	Granular	No	5.50	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270632.34	634455.25	1.8	Peat	Granular	No	5.10	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270671.97	634482.81	1.8	Peat	Granular	No	5.31	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270666.5	634492.94	1.8	Peat	Granular	No	5.31	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270642.81	635063.44	1.8	Peat	Granular	No	6.26	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270602.94	635213.5	1.8	Peat	Granular	No	3.89	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270595.06	635209.88	1.8	Peat	Granular	No	4.56	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269875.53	635012.44	0.2	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270392	634286.44	1.8	Peat	Granular	No	4.08	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270408.06	634299.13	1.8	Peat	Granular	No	3.56	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270441.44	634325.69	1.8	Peat	Granular	No	4.95	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270470.66	634349.94	1.8	Peat	Granular	No	4.87	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270577	634444.06	1.8	Peat	Granular	No	5.50	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270706.38	634522.5	1.8	Peat	Granular	No	4.39	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270707.94	634522.5	1.8	Peat	Granular	No	4.39	Thick Peat	1	2	2	1	4	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270702.75	634530.69	1.8	Peat	Granular	No	4.39	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		2	270819.06	634665.94	1.8	Peat	Granular	No	3.71	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		2	270824.81	634713.06	1.8	Peat	Granular	No	3.76	Thick Peat	1	2	1	4	Negligible	
ITPEnergised		2	269880.69	635006.44	0.2	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270844.78	634867.5	1.8	Peat	Granular	No	2.43	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270852.66	634865.19	1.8	Peat	Granular	No	1.53	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	271048.53	635003.69	1.8	Peat	Granular	No	4.18	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270704.53	635053.19	1.8	Peat	Granular	No	5.29	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270586.22	635203	1.8	Peat	Granular	No	4.56	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269780	635110.69	1.8	Peat	Granular	No	4.25	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268815.84	634090.31	1.8	Peat	Granular	No	7.03	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268811.59	634084.31	1.8	Peat	Granular	No	7.03	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269436.97	633929.44	1.8	Peat	Granular	No	3.19	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269385.97	634031.31	1.8	Peat	Granular	No	7.95	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269891.25	635000.81	0.2	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269334.06	633934.94	1.8	Peat	Granular	No	3.92	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267729.22	634253.69	1.8	Soil	Granular	No	7.73	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	267691.78	634225.56	1.8	Soil	Granular	No	2.85	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270407.28	634286.19	1.9	Peat	Granular	No	3.56	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270700.19	635041.06	1.9	Peat	Granular	No	5.76	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270616.47	635082.13	1.9	Peat	Granular	No	6.26	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270607.31	635083.56	1.9	Peat	Granular	No	6.26	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270614.28	635093.5	1.9	Peat	Granular	No	6.26	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270620.16	635103.06	1.9	Peat	Granular	No	5.70	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270625.44	635111.31	1.9	Peat	Granular	No	5.70	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	269796.16	634977.56	0.2	Peat	Granular	No	6.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270634.19	635126.56	1.9	Peat	Granular	No	5.70	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270629.75	635117.19	1.9	Peat	Granular	No	5.70	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	268155.19	635402.31	1.9	Peat	Granular	No	3.36	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268128.69	635398.94	1.9	Peat	Granular	No	3.57	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268136.13	635415.13	1.9	Peat	Granular	No	3.08	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	268125.5	635418	1.9	Peat	Granular	No	3.08	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270586.19	634424.31	2	Peat	Granular	No	5.50	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270826.69	634818.25	2	Peat	Granular	No	2.88	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270841.19	634815.44	2	Peat	Granular	No	2.88	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270400.13	634294.44	2	Peat	Granular	No	3.56	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269795.59	634987.19	0.2	Peat	Granular	No	6.74	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270624.44	634465.63	2	Peat	Granular	No	5.10	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270619.38	634473.81	2	Peat	Granular	No	5.10	Thick Peat	1	2	3	1	6	Low
ITPEnergised		2	270835.34	634611.38	2	Peat	Granular	No	4.04	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270832.56	634670	2	Peat	Granular	No	3.71	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270838.97	634662.06	2	Peat	Granular	No	3.71	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270828.72	634864.38	2	Peat	Granular	No	2.43	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269791.09	635090.19	2	Peat	Granular	No	4.92	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270815.47	634620.19	2.1	Peat	Granular	No	4.04	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269809.31	635076.94	2.1	Peat	Granular	No	3.83	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270828.25	634766.69	2.3	Peat	Granular	No	3.67	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269478.78	634798.06	0.2	Soil	Granular	No	14.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270840.09	634766.13	2.3	Peat	Granular	No	3.67	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270850.03	634765.44	2.3	Peat	Granular	No	3.70	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	270851.06	634816.31	2.3	Peat	Granular	No	3.04	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267828.41	633965.06	2.5	Peat	Granular	No	1.52	Thick Peat	1	2	0	1	0	None
ITPEnergised		2	267810.53	633900.25	2.9	Peat	Granular	No	3.73	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	267802.25	633900.44	2.9	Peat	Granular	No	3.73	Thick Peat	1	2	2	1	4	Negligible
ITPEnergised		2	269478.31	634806.31	0.2	Soil	Granular	No	7.47	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269260.09	634677.94	0.2	Soil	Granular	No	12.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269210.78	634662	0.2	Soil	Granular	No	11.81	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270393.22	635385.56	0.2	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270385.13	635389.94	0.2	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270353.94	635418.19	0.2	Peat	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269855.84	635041.44	0.2	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269899.03	635010.94	0.2	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269904.41	635006.06	0.2	Peat	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269433.78	634783.44	0.2	Peat	Granular	No	15.16	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269310.31	634697.88	0.2	Peat	Granular	No	7.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269267.63	634673.31	0.2	Peat	Granular	No	12.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269279.22	634664	0.2	Peat	Granular	No	12.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268036.13	633969	0.2	Peat	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268032.66	633977.25	0.2	Peat	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268818.06	633875	0.2	Soil	Granular	No	7.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268020.75	634733	0.2	Soil	Granular	No	4.24	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267641.72	634653.94	0.2	Soil	Granular	No	11.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267633.94	634652.94	0.2	Soil	Granular	No	11.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267625.91	634648.69	0.2	Soil	Granular	No	10.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267651.03	634656.63	0.2	Soil	Granular	No	10.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267681.22	634664.44	0.2	Soil	Granular	No	10.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267701.09	634670.5	0.2	Soil	Granular	No	10.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267712.72	634673.88	0.2	Soil	Granular	No	10.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269039.91	634578.25	0.2	Soil	Granular	No	14.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267828.41	633760.81	0.2	Soil	Granular	No	9.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267833.75	633757.44	0.2	Soil	Granular	No	9.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267819.81	633767.31	0.2	Soil	Granular	No	9.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267809.63	633716.25	0.2	Soil	Granular	No	9.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267801.97	633719.31	0.2	Soil	Granular	No	9.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267795.28	633722.88	0.2	Soil	Granular	No	9.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267067.84	634795.06	0.2	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267066.19	634803.19	0.2	Soil	Granular	No	12.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267061.03	634789.13	0.2	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267057.5	634797.44	0.2	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267048.25	634785.75	0.2	Soil	Granular	No	8.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267049.53	634792.31	0.2	Soil	Granular	No	8.79	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267035.88	634803.94	0.2	Soil	Granular	No	9.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267060.56	634822.81	0.2	Soil	Granular	No	12.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267059.78	634829	0.2	Soil	Granular	No	12.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267058.88	634839.75	0.2	Soil	Granular	No	12.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267057.03	634854	0.2	Soil	Granular	No	12.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267044.66	634875.25	0.2	Soil	Granular	No	9.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267043.84	634885.31	0.2	Soil	Granular	No	9.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267040.34	634895.44	0.2	Soil	Granular	No	9.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267035.84	634906.25	0.2	Soil	Granular	No	9.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267032.31	634914.81	0.2	Soil	Granular	No	9.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267029.81	634923.63	0.2	Soil	Granular	No	9.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267031.5	634936.94	0.2	Soil	Granular	No	9.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267028.81	634947.19	0.2	Soil	Granular	No	9.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267034.13	634960.13	0.2	Soil	Granular	No	10.24	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267737.5	634692.44	0.2	Peat	Granular	No	10.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269050.69	634563.88	0.2	Peat	Granular	No	13.10	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267181.13	634487.69	0.2	Peat	Granular	No	12.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267156.16	634509.75	0.2	Peat	Granular	No	11.29	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267162.41	634517.75	0.2	Peat	Granular	No	11.29	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267171.19	634522.5	0.2	Peat	Granular	No	11.29	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267012.06	635157.13	0.2	Peat	Granular	No	16.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266970.72	635167.19	0.2	Peat	Granular	No	14.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266934.13	635186.19	0.2	Peat	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266926.94	635192.63	0.2	Peat	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266624.63	635527.94	0.2	Peat	Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266618.91	635510.81	0.2	Peat	Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266613.88	635501.63	0.2	Peat	Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266961.59	635141.69	0.2	Soil	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270367.44	635403.69	0.1	Peat	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266966.03	635136.38	0.2	Soil	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266956.16	635151.56	0.2	Soil	Granular	No	14.63	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	266948.09	635158.44	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266942.31	635167.88	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266936.44	635170.88	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266927.75	635180.38	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266920.53	635185.38	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266911.13	635181.75	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266917.84	635172.69	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266926.47	635162.44	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269434.41	634776.44	0.1	Peat	Granular	No	15.16	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266935.28	635152.69	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266946.47	635139.44	0.2	Soil	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266944.25	635129.25	0.2	Soil	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266936.09	635137.31	0.2	Soil	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266928.13	635142.25	0.2	Soil	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266927	635152.56	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266243.06	635637.13	0.2	Peat	Granular	No	4.52	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266917.78	635158.75	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266914.81	635169.88	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266911.41	635196.94	0.2	Soil	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269357.34	634726.75	0.1	Peat	Granular	No	14.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266907.59	635204.38	0.2	Soil	Granular	No	12.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266896.16	635213.13	0.2	Soil	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266155.06	635635.56	0.2	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270335.44	634252.25	0.3	Soil	Granular	No	4.80	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270497.69	634344.06	0.3	Soil	Granular	No	4.87	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270791.19	634989.63	0.3	Soil	Granular	No	5.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270790.44	634977.13	0.3	Soil	Granular	No	5.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270781.03	634996.06	0.3	Soil	Granular	No	5.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270776.34	634990.94	0.3	Soil	Granular	No	5.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270333.69	635392.56	0.3	Soil	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269222.13	634645.94	0.1	Peat	Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270320	635389.56	0.3	Soil	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270327.5	635401.13	0.3	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270335.94	635406.31	0.3	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270318.88	635407	0.3	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270313.16	635397.56	0.3	Soil	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270325.59	635414.19	0.3	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270977.25	635023.19	0.3	Peat	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270390.97	635370.5	0.3	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270378.31	635380.88	0.3	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270377.28	635398.56	0.3	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268062.75	633981.19	0.1	Soil	Granular	No	12.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270363.38	635394.44	0.3	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270362.41	635410.69	0.3	Peat	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269847.13	635046.63	0.3	Peat	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269889.31	635015.69	0.3	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269529.69	634793.56	0.3	Peat	Granular	No	10.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269477.94	634792.75	0.3	Peat	Granular	No	14.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269392.22	634755	0.3	Peat	Granular	No	12.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269218.69	634658.25	0.3	Peat	Granular	No	11.81	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269075.63	633924.75	0.3	Peat	Granular	No	9.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268778.5	633986.94	0.3	Peat	Granular	No	5.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268060.63	633989.25	0.1	Soil	Granular	No	12.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268785.38	633980.38	0.3	Peat	Granular	No	5.11	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268825.66	634047.13	0.3	Peat	Granular	No	7.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268820.28	634055.19	0.3	Peat	Granular	No	7.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268812.56	634064	0.3	Peat	Granular	No	7.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268809.59	634076.06	0.3	Peat	Granular	No	7.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269429.38	634024.25	0.3	Peat	Granular	No	6.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269423.25	634017.69	0.3	Peat	Granular	No	6.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269422.59	634016.94	0.3	Peat	Granular	No	6.71	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269393.78	634013.94	0.3	Peat	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269351.88	633958.56	0.3	Peat	Granular	No	5.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269102.59	633926.63	0.1	Soil	Granular	No	8.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270016.31	634069	0.3	Peat	Granular	No	5.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268370.09	634209.38	0.3	Soil	Granular	No	13.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268347.25	634181.94	0.3	Soil	Granular	No	14.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268337.5	634188.75	0.3	Soil	Granular	No	14.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268337.78	634175.94	0.3	Soil	Granular	No	14.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268326.66	634180.19	0.3	Soil	Granular	No	14.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268327	634163.94	0.3	Soil	Granular	No	14.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268231.88	634110.75	0.3	Peat	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268220.63	634118.75	0.3	Peat	Granular	No	15.91	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268205.38	634091.56	0.3	Soil	Granular	No	15.70	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269093.41	633958.38	0.1	Soil	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268194.09	634096.19	0.3	Soil	Granular	No	10.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268041.84	633984	0.3	Peat	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268044.56	633974.81	0.3	Peat	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268015.19	633964	0.3	Peat	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268008.78	633959	0.3	Peat	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267980.09	633948.31	0.3	Peat	Granular	No	10.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267918.5	633914.13	0.3	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267908.38	633912.5	0.3	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267873.91	633943.25	0.3	Peat	Granular	No	3.59	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267869.81	633896.81	0.3	Peat	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269443.63	634091	0.1	Soil	Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267864.09	633885.06	0.3	Peat	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267857.63	633891.06	0.3	Peat	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267838.44	633936.19	0.3	Peat	Granular	No	3.73	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267834.94	633944.88	0.3	Peat	Granular	No	3.73	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268859.22	634056.69	0.3	Soil	Granular	No	7.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267864	634140.88	0.3	Peat	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267785.97	634192.63	0.3	Soil	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267776.38	634205	0.3	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267768.53	634211.38	0.3	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267761.13	634217.44	0.3	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269434.69	634100	0.1	Soil	Granular	No	7.43	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267751.56	634221.19	0.3	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267757.28	634232.06	0.3	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267750.88	634236.19	0.3	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267753.72	634243.25	0.3	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267743.13	634228.88	0.3	Soil	Granular	No	4.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267825.5	634155.44	0.3	Soil	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267835.16	634144.19	0.3	Soil	Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268023.13	635222.81	0.3	Soil	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268015.16	635211.69	0.3	Soil	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267954.66	635032.75	0.3	Soil	Granular	No	5.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269429.22	634104.38	0.1	Soil	Granular	No	7.43	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267879.94	634846.25	0.3	Soil	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267662.44	634660.56	0.3	Soil	Granular	No	10.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267670.94	634663.38	0.3	Soil	Granular	No	10.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267867.22	634805.69	0.3	Peat	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267621.63	634657.88	0.3	Peat	Granular	No	11.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267630.47	634659.63	0.3	Peat	Granular	No	11.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267639.97	634662.56	0.3	Peat	Granular	No	11.85	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267707.94	634682	0.3	Peat	Granular	No	10.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267254.19	634417.81	0.3	Peat	Granular	No	11.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267191.22	634496.56	0.3	Peat	Granular	No	12.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269437.44	634083.81	0.1	Soil	Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267159.97	634535.31	0.3	Peat	Granular	No	11.29	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267153.06	634530.56	0.3	Peat	Granular	No	11.29	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267141.75	634586.56	0.3	Peat	Granular	No	11.22	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	266999.09	635144.19	0.3	Peat	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267005.28	635149.69	0.3	Peat	Granular	No	15.14	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267027.31	635168.5	0.3	Peat	Granular	No	16.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266949.25	635172.19	0.3	Peat	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266942	635178.94	0.3	Peat	Granular	No	12.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266921.22	635202.13	0.3	Peat	Granular	No	12.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266911.84	635211.19	0.3	Peat	Granular	No	12.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269430.06	634076.94	0.1	Soil	Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266908.03	635216.75	0.3	Peat	Granular	No	12.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266891.28	635231.94	0.3	Peat	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266858.38	635267.31	0.3	Peat	Granular	No	9.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266836.25	635367.06	0.3	Peat	Granular	No	6.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266791.84	635541.31	0.3	Peat	Granular	No	5.26	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266735.34	635461.94	0.3	Peat	Granular	No	5.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266498.81	635605.19	0.3	Peat	Granular	No	4.08	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266249.72	635626.63	0.3	Peat	Granular	No	4.52	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266888.69	635220.88	0.3	Soil	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266879.75	635230.38	0.3	Soil	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269416.63	634062.69	0.1	Soil	Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266872.47	635236.38	0.3	Soil	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266536.38	635873.75	0.3	Peat	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266867.69	635247.44	0.3	Soil	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266548.88	635884.13	0.3	Peat	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266860.31	635252.75	0.3	Soil	Granular	No	9.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266852.69	635259.13	0.3	Soil	Granular	No	9.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266540.91	635900.5	0.3	Peat	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266556.03	635912.5	0.3	Peat	Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266559.31	635922.75	0.3	Peat	Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267015.81	634892.56	0.3	Peat	Granular	No	9.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269422.25	634070.13	0.1	Soil	Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270344.5	635386.63	0.4	Soil	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270348.72	635395.5	0.4	Soil	Granular	No	6.38	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270314.63	635419.31	0.4	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270308.25	635408.19	0.4	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270299.22	635397.56	0.4	Soil	Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270290.19	635403.88	0.4	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270299.41	635411.88	0.4	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270276.66	635415.06	0.4	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270268.19	635422.56	0.4	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270274.75	635433.38	0.4	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269392.13	634042.94	0.1	Soil	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270280.81	635441.44	0.4	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270270.13	635446.13	0.4	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270267.28	635438.44	0.4	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270262.03	635430.94	0.4	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269638.78	634873.25	0.4	Peat	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269610.41	634843.13	0.4	Peat	Granular	No	7.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269386.19	634773.81	0.4	Soil	Granular	No	12.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269386.72	634764.5	0.4	Soil	Granular	No	12.55	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269346.53	634734.69	0.4	Soil	Granular	No	14.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269343.03	634739.56	0.4	Soil	Granular	No	14.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269387.53	634045.31	0.1	Soil	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269305.5	634705.69	0.4	Soil	Granular	No	14.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269299.28	634712.44	0.4	Soil	Granular	No	10.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270302.78	634215.75	0.4	Peat	Granular	No	4.09	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	271034.94	634985.63	0.4	Peat	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	271065.34	635026.19	0.4	Peat	Granular	No	4.21	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270603.72	635133.25	0.4	Peat	Granular	No	5.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270596.88	635160	0.4	Peat	Granular	No	5.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270471.88	635299.5	0.4	Peat	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270458.06	635311.31	0.4	Peat	Granular	No	6.46	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270371.13	635389.13	0.4	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269390.28	634027.94	0.1	Soil	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270349.66	635408.38	0.4	Peat	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270349.22	635422.13	0.4	Peat	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269733.63	635145.31	0.4	Peat	Granular	No	5.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269745.97	635146.06	0.4	Peat	Granular	No	5.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269733.09	635130.44	0.4	Peat	Granular	No	5.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269875.75	635033.94	0.4	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269879.91	635025.94	0.4	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269804.34	634962.94	0.4	Peat	Granular	No	6.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269651.84	634875.13	0.4	Peat	Granular	No	10.45	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269618.25	634841.44	0.4	Peat	Granular	No	7.17	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269380.22	634014.88	0.1	Soil	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269068.44	633943.69	0.4	Peat	Granular	No	9.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268836.44	634046.19	0.4	Peat	Granular	No	7.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268817.75	634067.25	0.4	Peat	Granular	No	7.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268858.84	634106.44	0.4	Peat	Granular	No	8.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268858.44	634114.63	0.4	Peat	Granular	No	8.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269453.91	634060.25	0.4	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269401.25	634022.69	0.4	Peat	Granular	No	6.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269974.91	634032.56	0.4	Peat	Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269967.91	634041.94	0.4	Peat	Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268354.22	634190.38	0.4	Soil	Granular	No	10.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269374.59	634004.63	0.1	Soil	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268317	634172	0.4	Soil	Granular	No	14.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268308	634177.06	0.4	Soil	Granular	No	14.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268024.19	633975.56	0.4	Peat	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268003.53	633965.5	0.4	Peat	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267999.56	633954.38	0.4	Peat	Granular	No	5.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267988.03	633950.44	0.4	Peat	Granular	No	5.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267862.75	633871.44	0.4	Peat	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267861.81	633879.69	0.4	Peat	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267837.38	633912.56	0.4	Peat	Granular	No	3.73	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268867.41	634051.69	0.4	Soil	Granular	No	7.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269369.84	633998.44	0.1	Soil	Granular	No	5.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268891.88	634096.38	0.4	Peat	Granular	No	7.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267738.16	634243.31	0.4	Soil	Granular	No	4.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267950.5	635087.5	0.4	Soil	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267942.66	635034.88	0.4	Soil	Granular	No	6.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267930.38	635040.88	0.4	Soil	Granular	No	6.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268034.66	634738.81	0.4	Soil	Granular	No	4.24	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267082.56	634740.81	0.4	Soil	Granular	No	10.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267076.03	634743.75	0.4	Soil	Granular	No	10.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267082.53	634752.63	0.4	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267088.97	634757.38	0.4	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269363.56	633988.75	0.1	Soil	Granular	No	5.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267086.34	634767.31	0.4	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267078.78	634762.06	0.4	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267075.94	634772	0.4	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267066.44	634781	0.4	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267075.84	634782	0.4	Soil	Granular	No	11.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268066.69	635248.5	0.4	Peat	Granular	No	4.17	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268020.91	635236.88	0.4	Peat	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268015.78	635228.63	0.4	Peat	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267974.97	635158.31	0.4	Peat	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267835.25	634758.69	0.4	Peat	Granular	No	9.30	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269355.81	633980.5	0.1	Soil	Granular	No	5.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268005.81	634739	0.4	Peat	Granular	No	4.24	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268056.75	634751.31	0.4	Peat	Granular	No	3.33	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267652.66	634668.06	0.4	Peat	Granular	No	10.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267717.97	634685.88	0.4	Peat	Granular	No	10.25	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267205.94	634445.75	0.4	Peat	Granular	No	10.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267214.34	634460.25	0.4	Peat	Granular	No	11.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267222.63	634466.56	0.4	Peat	Granular	No	11.52	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267170.09	634478.75	0.4	Peat	Granular	No	12.34	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267135.5	634580.38	0.4	Peat	Granular	No	11.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267084.13	634670.38	0.4	Peat	Granular	No	10.08	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269349.81	633973.13	0.1	Soil	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267056.09	634806.06	0.4	Peat	Granular	No	12.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267052.16	634818.56	0.4	Peat	Granular	No	12.22	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267048.97	634827.19	0.4	Peat	Granular	No	9.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267032.38	634885.38	0.4	Peat	Granular	No	9.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267031.28	634896.13	0.4	Peat	Granular	No	9.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266879.75	635246.94	0.4	Peat	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266871	635259.5	0.4	Peat	Granular	No	9.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266828.59	635289.44	0.4	Peat	Granular	No	6.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266839.78	635376.88	0.4	Peat	Granular	No	6.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266801.28	635540.75	0.4	Peat	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269339.94	633957.5	0.1	Soil	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266617.56	635406.81	0.4	Peat	Granular	No	5.41	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266537.13	635588.75	0.4	Peat	Granular	No	3.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266484.34	635592.94	0.4	Peat	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266447.84	635611.75	0.4	Peat	Granular	No	4.44	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266403.5	635633.56	0.4	Peat	Granular	No	4.44	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266395.66	635614.25	0.4	Peat	Granular	No	4.85	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266345.41	635639.56	0.4	Peat	Granular	No	4.97	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266345.06	635651.94	0.4	Peat	Granular	No	4.86	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266298.41	635639.06	0.4	Peat	Granular	No	4.83	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266186.63	635649.06	0.4	Peat	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269344.59	633968.06	0.1	Soil	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266526.66	635878.81	0.4	Peat	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266545.63	635872.56	0.4	Peat	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266538.41	635883.69	0.4	Peat	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266553.09	635896.5	0.4	Peat	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266554.5	635902.44	0.4	Peat	Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266986.06	634947	0.4	Peat	Granular	No	9.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266994.41	634908.25	0.4	Peat	Granular	No	9.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266156.38	635648.81	0.4	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266166.47	635635.56	0.4	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266175.56	635632.69	0.4	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269333.22	633949.13	0.1	Soil	Granular	No	3.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266186	635632.81	0.4	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266197.09	635635.31	0.4	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266195	635650.5	0.4	Soil	Granular	No	4.10	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266187.81	635648.5	0.4	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266178.34	635647.06	0.4	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266165.06	635645.25	0.4	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266163.69	635659	0.4	Soil	Granular	No	4.10	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266152.78	635660.19	0.4	Soil	Granular	No	4.10	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266502.38	635876	0.4	Soil	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266491.56	635877.56	0.4	Soil	Granular	No	3.32	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269326.94	633942.06	0.1	Soil	Granular	No	3.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266497.75	635890	0.4	Soil	Granular	No	3.32	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266507.94	635883.06	0.4	Soil	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266502.59	635905.63	0.4	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266510.19	635904.19	0.4	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266525.59	635907.94	0.4	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266513.13	635917.63	0.4	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266506.88	635915.38	0.4	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266509.19	635926.5	0.4	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266520.31	635921.25	0.4	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266527.44	635921.31	0.4	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269320.84	633932.5	0.1	Soil	Granular	No	3.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266516.72	635943.81	0.4	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266516	635959.63	0.4	Soil	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266527.47	635958.13	0.4	Soil	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266537.59	635952.44	0.4	Soil	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266545.44	635953.63	0.4	Soil	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266565.63	635947.31	0.4	Soil	Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266584.28	635937.88	0.4	Soil	Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266602.94	635935.94	0.4	Soil	Granular	No	5.19	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266597.09	635938.81	0.4	Soil	Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270368.34	634254.31	0.5	Peat	Granular	No	4.08	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269300.34	633952.13	0.1	Soil	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270469.5	634336.13	0.5	Peat	Granular	No	4.87	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270477.81	634339.06	0.5	Peat	Granular	No	4.87	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270512.38	634367.38	0.5	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270515.88	634361.19	0.5	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270520.44	634351.25	0.5	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270525.97	634376.88	0.5	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270518.91	634367.31	0.5	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270523.38	634382.31	0.5	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270539.88	634386.5	0.5	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270555.22	634384	0.5	Peat	Granular	No	5.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269278.06	633950.5	0.1	Soil	Granular	No	7.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270573.84	634361.94	0.5	Peat	Granular	No	5.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	271078.81	634961.63	0.5	Peat	Granular	No	4.73	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	271076.38	634969.31	0.5	Peat	Granular	No	4.73	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270930.56	635041.13	0.5	Peat	Granular	No	5.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270939.22	635034.81	0.5	Peat	Granular	No	5.06	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270812.13	635021.44	0.5	Peat	Granular	No	5.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270765.63	634996.38	0.5	Soil	Granular	No	5.80	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270770.72	635005.06	0.5	Soil	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270691.69	635051.63	0.5	Peat	Granular	No	5.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270680	635046.44	0.5	Peat	Granular	No	5.51	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269234.19	633937.5	0.1	Soil	Granular	No	6.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270480.91	635280.94	0.5	Peat	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270460.16	635298.38	0.5	Soil	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270451.09	635306	0.5	Soil	Granular	No	6.46	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270442.97	635311.06	0.5	Soil	Granular	No	6.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270432.81	635316.44	0.5	Soil	Granular	No	6.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270424.41	635322.19	0.5	Soil	Granular	No	6.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270303.72	635420.56	0.5	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270311.81	635425.69	0.5	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270295.16	635428	0.5	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270296.31	635437.5	0.5	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269195.38	633928.25	0.1	Soil	Granular	No	7.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270284.31	635409.81	0.5	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270288.88	635418.13	0.5	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269741.19	635110.75	0.5	Peat	Granular	No	5.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269737.19	635115.25	0.5	Peat	Granular	No	5.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269737.31	635104.13	0.5	Peat	Granular	No	5.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269730.34	635109.56	0.5	Peat	Granular	No	5.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269730.88	635095.56	0.5	Peat	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269724.88	635101.13	0.5	Peat	Granular	No	5.44	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269740.44	635088.19	0.5	Peat	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269751.28	635096.56	0.5	Peat	Granular	No	4.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269770.81	634124.44	0.1	Soil	Granular	No	9.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269759.84	635101.69	0.5	Peat	Granular	No	4.25	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269766.72	635092.63	0.5	Peat	Granular	No	4.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269757.34	635084.56	0.5	Peat	Granular	No	4.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269753.78	635076.81	0.5	Peat	Granular	No	4.92	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269770.78	635068.81	0.5	Peat	Granular	No	4.92	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269902.88	634995.44	0.5	Peat	Granular	No	7.76	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269609.59	634852.13	0.5	Peat	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269528.53	634796.13	0.5	Peat	Granular	No	10.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270558.88	634399	0.5	Peat	Granular	No	5.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270990.34	635039.31	0.5	Peat	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267955.47	634135.81	0.1	Soil	Granular	No	9.89	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270918.44	635059.81	0.5	Peat	Granular	No	3.11	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270661.41	635095.19	0.5	Peat	Granular	No	5.33	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270611.06	635128.81	0.5	Peat	Granular	No	5.70	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270584.31	635145	0.5	Peat	Granular	No	5.82	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270605	635159.44	0.5	Peat	Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270429.5	635337.5	0.5	Peat	Granular	No	6.90	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270384.38	635377.31	0.5	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270336.88	635431.44	0.5	Peat	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270310.63	635454.69	0.5	Peat	Granular	No	4.84	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	269765.03	635136.44	0.5	Peat	Granular	No	4.25	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267933.28	634145.31	0.1	Soil	Granular	No	8.12	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269864.28	635036.13	0.5	Peat	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269580.59	634806.5	0.5	Peat	Granular	No	10.00	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268911.03	633931.44	0.5	Peat	Granular	No	6.09	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268825.56	634037.44	0.5	Peat	Granular	No	7.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268842.13	634087.31	0.5	Peat	Granular	No	7.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268864.84	634109.13	0.5	Peat	Granular	No	8.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269458.59	634065.75	0.5	Peat	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269358.28	633965.06	0.5	Peat	Granular	No	5.02	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268051.66	633987.44	0.5	Soil	Granular	No	12.04	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267948.34	633946.31	0.5	Peat	Granular	No	5.54	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267909.53	634156.38	0.1	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267984.09	633961.31	0.5	Peat	Granular	No	5.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267995.03	633965.06	0.5	Peat	Granular	No	5.01	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267970.03	633945.69	0.5	Peat	Granular	No	10.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267959.44	633942.63	0.5	Peat	Granular	No	10.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267892.47	633924.56	0.5	Peat	Granular	No	3.59	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267898.03	633908.13	0.5	Peat	Granular	No	3.59	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267888.19	633904.94	0.5	Peat	Granular	No	3.59	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267878.25	633933.75	0.5	Peat	Granular	No	3.59	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267862	633918.56	0.5	Peat	Granular	No	3.59	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268870.84	634000	0.5	Peat	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267918.25	634168.31	0.1	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268875.78	634004.81	0.5	Peat	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268860.38	634008.94	0.5	Peat	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268853.31	634017.94	0.5	Peat	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268845.28	634002.63	0.5	Peat	Granular	No	7.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268886.81	634036.69	0.5	Peat	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268895.38	634138	0.5	Peat	Granular	No	8.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268890.97	634130.06	0.5	Peat	Granular	No	8.42	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269391.22	634062.94	0.5	Peat	Granular	No	8.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269395.88	634051.38	0.5	Soil	Granular	No	8.87	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269401.56	634048.19	0.5	Soil	Granular	No	6.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267937.47	634165.69	0.1	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269681.19	633951.19	0.5	Peat	Granular	No	5.43	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267856.75	634130.5	0.5	Peat	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267839.88	634157.56	0.5	Peat	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267831.31	634162.81	0.5	Peat	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267822.56	634172.56	0.5	Peat	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267724.41	634229	0.5	Soil	Granular	No	4.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267725.56	634202.25	0.5	Soil	Granular	No	4.69	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267730.34	634195.75	0.5	Soil	Granular	No	3.08	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267743.81	634189.88	0.5	Soil	Granular	No	3.08	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267751.72	634197	0.5	Soil	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267955.94	634161.25	0.1	Soil	Granular	No	11.28	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267756.34	634207.44	0.5	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267775.84	634191.06	0.5	Soil	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267786.47	634183.69	0.5	Soil	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267794.09	634178.06	0.5	Soil	Granular	No	4.20	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267938.06	635086.25	0.5	Soil	Granular	No	6.56	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268044.47	634740.56	0.5	Soil	Granular	No	4.24	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267053.09	634861.56	0.5	Soil	Granular	No	12.16	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267048.91	634869.31	0.5	Soil	Granular	No	9.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268076.09	635266.06	0.5	Peat	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268028.19	635246	0.5	Peat	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267977.69	634155.5	0.1	Soil	Granular	No	11.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267999.44	635202.63	0.5	Peat	Granular	No	4.30	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268044.5	634748.63	0.5	Peat	Granular	No	4.24	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268221.72	634815.69	0.5	Peat	Granular	No	4.19	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268235.25	634794.63	0.5	Peat	Granular	No	3.62	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267658.28	634670.19	0.5	Peat	Granular	No	10.99	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267265.84	634439.63	0.5	Peat	Granular	No	11.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267125.34	634628.5	0.5	Peat	Granular	No	11.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267114.25	634625.63	0.5	Peat	Granular	No	11.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267035.28	634875.94	0.5	Peat	Granular	No	9.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266886.66	635238.94	0.5	Peat	Granular	No	9.72	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267988.97	634172.94	0.1	Soil	Granular	No	11.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266871.53	635250	0.5	Peat	Granular	No	9.23	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266845.59	635281.69	0.5	Peat	Granular	No	6.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266839.22	635285.31	0.5	Peat	Granular	No	6.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266836.88	635276.56	0.5	Peat	Granular	No	6.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266836.38	635417.94	0.5	Peat	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266834.84	635437.5	0.5	Peat	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266826.56	635527.38	0.5	Peat	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266816	635533.88	0.5	Peat	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266695.91	635453.88	0.5	Peat	Granular	No	4.94	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266956.97	635129.63	0.5	Soil	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267963.91	634188.19	0.1	Soil	Granular	No	11.28	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266955.34	635136	0.5	Soil	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266568.75	635536.19	0.5	Peat	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266536.03	635575.5	0.5	Peat	Granular	No	3.90	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266394.81	635624.69	0.5	Peat	Granular	No	4.85	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266299.28	635651.25	0.5	Peat	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266528.16	635886.81	0.5	Peat	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266532.25	635899.25	0.5	Peat	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266847.81	635270.19	0.5	Soil	Granular	No	6.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266878.19	635320.25	0.5	Soil	Granular	No	8.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266864.72	635313.88	0.5	Soil	Granular	No	8.67	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267946.97	634194.56	0.1	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266849.91	635364.63	0.5	Peat	Granular	No	6.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266846.13	635376.69	0.5	Peat	Granular	No	6.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266846.91	635385.5	0.5	Peat	Granular	No	6.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266848.44	635395.31	0.5	Peat	Granular	No	6.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266582.78	635941.81	0.5	Peat	Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266847.69	635409.75	0.5	Peat	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266847.19	635427.44	0.5	Peat	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266844.69	635441.81	0.5	Peat	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266841.38	635455.88	0.5	Peat	Granular	No	5.96	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266970.63	634945.69	0.5	Peat	Granular	No	9.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267921.38	634192.88	0.1	Soil	Granular	No	10.71	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266955	634933.56	0.5	Peat	Granular	No	9.57	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266860.63	635509.56	0.5	Peat	Granular	No	6.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266834.66	635532.81	0.5	Peat	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266841.97	635544.06	0.5	Peat	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266852.53	635535.56	0.5	Peat	Granular	No	6.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266838.31	635553.06	0.5	Peat	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	266840.25	635560.31	0.5	Peat	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266839.28	635572.25	0.5	Peat	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266843.38	635582.63	0.5	Peat	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266840.59	635591.44	0.5	Peat	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267874.66	634136.75	0.1	Soil	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266872.09	635545.25	0.5	Peat	Granular	No	6.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266505.94	635846.06	0.5	Soil	Granular	No	4.21	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266501.69	635834.06	0.5	Soil	Granular	No	4.21	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266499.75	635824.56	0.5	Soil	Granular	No	3.83	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266493.66	635813.63	0.5	Soil	Granular	No	3.83	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266491.5	635804.06	0.5	Soil	Granular	No	3.83	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266491.66	635791.13	0.5	Soil	Granular	No	4.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266487.44	635777.81	0.5	Soil	Granular	No	4.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266481.81	635767.75	0.5	Soil	Granular	No	4.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266476.16	635751.69	0.5	Soil	Granular	No	4.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	267817.19	634179.13	0.1	Soil	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266478.13	635735.88	0.5	Soil	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266471.22	635724.56	0.5	Soil	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266487.28	635734.63	0.5	Soil	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266493.09	635741.88	0.5	Soil	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266497.34	635752.75	0.5	Soil	Granular	No	4.65	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	266516.66	635881.13	0.5	Soil	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270999.88	635000.94	0.6	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270982.91	635009.25	0.6	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270989.97	635004.31	0.6	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270972.28	635011.88	0.6	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267811.78	634185.13	0.1	Soil	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270961.5	634997.44	0.6	Peat	Granular	No	5.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270967.81	635004.75	0.6	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270984.03	634996	0.6	Peat	Granular	No	5.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270979.19	634986	0.6	Peat	Granular	No	5.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270970.78	634991.69	0.6	Peat	Granular	No	5.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270973.03	635002.25	0.6	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270960.5	635015.31	0.6	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270953.75	635004.75	0.6	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270955.81	635022.94	0.6	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270948.28	635030.38	0.6	Peat	Granular	No	5.06	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267800.13	634192.75	0.1	Soil	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270894.81	635060.31	0.6	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270797	634983.25	0.6	Peat	Granular	No	5.80	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270755.66	634997.94	0.6	Peat	Granular	No	5.80	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270419.5	635321.13	0.6	Soil	Granular	No	6.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270412.94	635327.94	0.6	Soil	Granular	No	6.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270417.41	635337.38	0.6	Soil	Granular	No	6.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270401.97	635349.06	0.6	Soil	Granular	No	6.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270411.22	635341.06	0.6	Soil	Granular	No	6.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270402.69	635335.63	0.6	Soil	Granular	No	6.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270392.56	635356	0.6	Soil	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267694.97	634273.38	0.1	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270387.22	635346.69	0.6	Soil	Granular	No	7.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270380.72	635354.38	0.6	Soil	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270380.38	635369.19	0.6	Soil	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270371.34	635374.44	0.6	Soil	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270364.69	635353.88	0.6	Soil	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270253.19	635437.75	0.6	Peat	Granular	No	5.49	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270258.81	635444.44	0.6	Peat	Granular	No	5.49	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270267.03	635451	0.6	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269713.25	635127.06	0.6	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269708.59	635124.06	0.6	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267680.94	634285.81	0.1	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269780.97	635070.25	0.6	Peat	Granular	No	4.92	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	269795.47	635074.94	0.6	Peat	Granular	No	4.92	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270495.03	634382	0.6	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270510.28	634395.69	0.6	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271018.97	635010.63	0.6	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270487.53	635288.38	0.6	Peat	Granular	No	5.69	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270477.78	635293.88	0.6	Peat	Granular	No	5.69	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270332.06	635435.5	0.6	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270321.84	635442.5	0.6	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270295.59	635467.81	0.6	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267671.19	634289.56	0.1	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270275.72	635488.06	0.6	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268737.72	633952.25	0.6	Peat	Granular	No	3.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268779.41	633993.63	0.6	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268850.53	634106.38	0.6	Peat	Granular	No	8.42	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269415.44	634026.31	0.6	Peat	Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269534.63	633933.25	0.6	Peat	Granular	No	3.45	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270000.97	634061	0.6	Peat	Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270009.94	634063.81	0.6	Peat	Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268010.78	633970.69	0.6	Peat	Granular	No	8.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267967.13	633955.19	0.6	Peat	Granular	No	5.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267667	634297.5	0.1	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267974.63	633959.81	0.6	Peat	Granular	No	5.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267951.09	633939.13	0.6	Peat	Granular	No	10.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267895.63	633916.44	0.6	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267885.91	633913.69	0.6	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267881.75	633922.75	0.6	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267878	633908.94	0.6	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267853.03	633935.56	0.6	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267851.16	633921.81	0.6	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267859.31	633894.56	0.6	Peat	Granular	No	5.04	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268895.75	633887.31	0.6	Soil	Granular	No	6.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267653.72	634302.31	0.1	Soil	Granular	No	7.18	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268868.06	633870.19	0.6	Soil	Granular	No	6.50	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268821.19	633885.63	0.6	Peat	Granular	No	7.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268832.03	633983.13	0.6	Peat	Granular	No	7.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268842.22	633990.75	0.6	Peat	Granular	No	7.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268852.44	633997.81	0.6	Peat	Granular	No	7.01	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268850.28	634010.31	0.6	Peat	Granular	No	6.92	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268859.25	634027.13	0.6	Peat	Granular	No	6.92	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268864.97	634020.81	0.6	Peat	Granular	No	6.92	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269399.63	634071.88	0.6	Soil	Granular	No	8.87	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269946.09	634071.56	0.6	Peat	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267712.09	634297.88	0.1	Soil	Granular	No	7.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	269958.75	634064.75	0.6	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269974.81	634067.13	0.6	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267711.53	634258.75	0.6	Soil	Granular	No	7.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267699.22	634269	0.6	Soil	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267807.59	634165.38	0.6	Soil	Granular	No	6.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267817.28	634162.44	0.6	Soil	Granular	No	6.48	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268117	635369.94	0.6	Peat	Granular	No	3.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268108.25	635355.56	0.6	Peat	Granular	No	3.57	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268203.59	634770.25	0.6	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268202.53	634762.44	0.6	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267725.16	634315.81	0.1	Soil	Granular	No	8.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268228.38	634759.19	0.6	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268223.84	634765.94	0.6	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268222.88	634775.75	0.6	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268223.78	634784.13	0.6	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267692.69	634667.88	0.6	Soil	Granular	No	10.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268079.59	635270.63	0.6	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268058.16	635255.31	0.6	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	268190.53	634789.5	0.6	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268196.84	634790.94	0.6	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268224.91	634795.06	0.6	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267720.06	634306.88	0.1	Soil	Granular	No	8.63	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267052.13	634723.13	0.6	Peat	Granular	No	10.40	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267025.22	634905.5	0.6	Peat	Granular	No	9.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267020.78	634936.25	0.6	Peat	Granular	No	9.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266899.69	635221.06	0.6	Peat	Granular	No	9.72	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266830.72	635282.06	0.6	Peat	Granular	No	6.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266812.03	635476.5	0.6	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266767.5	635376.06	0.6	Peat	Granular	No	6.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266757.53	635371.88	0.6	Peat	Granular	No	6.28	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266680.16	635434.38	0.6	Peat	Granular	No	5.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266620.81	635397.88	0.6	Peat	Granular	No	5.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267705.84	634288.88	0.1	Soil	Granular	No	7.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266631.38	635383.06	0.6	Peat	Granular	No	5.37	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266658.5	635491.13	0.6	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266578.78	635543.94	0.6	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266446.06	635626.75	0.6	Peat	Granular	No	4.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266299.94	635629	0.6	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266245.97	635646.63	0.6	Peat	Granular	No	4.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266187.63	635640.69	0.6	Peat	Granular	No	4.34	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266533.91	635906.94	0.6	Peat	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266549.66	635921.44	0.6	Peat	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266548.59	635927.13	0.6	Peat	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267701.28	634279.81	0.1	Soil	Granular	No	7.73	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266543.69	635936.5	0.6	Peat	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266566.47	635936.31	0.6	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266606	635938	0.6	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266859.28	635486.19	0.6	Peat	Granular	No	7.75	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266523.78	635891.81	0.6	Soil	Granular	No	3.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266512.19	635895.88	0.6	Soil	Granular	No	3.98	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266506.59	635957.31	0.6	Soil	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270501.13	634362.5	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270492.34	634354.44	0.7	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270529.63	634357.56	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267690.16	634264.13	0.1	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270535.25	634365.5	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270533.25	634386.88	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270532.28	634381.56	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270538.5	634378.38	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270543.88	634371.19	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270550.94	634375.19	0.7	Peat	Granular	No	5.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270548.59	634386.25	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270538.66	634392.56	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270546.06	634399.13	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270550.56	634393.31	0.7	Peat	Granular	No	5.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267683.25	634252.69	0.1	Soil	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270562.88	634375.63	0.7	Peat	Granular	No	5.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270567	634370.38	0.7	Peat	Granular	No	5.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270580.75	634354.94	0.7	Peat	Granular	No	5.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270283.22	635421.31	0.7	Peat	Granular	No	5.49	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269842.78	635036.94	0.7	Peat	Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271022.75	635019.06	0.7	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271006.47	635009	0.7	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270984.34	635034.31	0.7	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270970.44	635027.81	0.7	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270618.09	635123.31	0.7	Peat	Granular	No	5.70	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267677.03	634245.38	0.1	Soil	Granular	No	2.85	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	270323.94	635428.13	0.7	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270322.72	635433.88	0.7	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	270317.69	635434.44	0.7	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270329.34	635441.44	0.7	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270333.72	635449.44	0.7	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270280.38	635480.38	0.7	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270225.09	635507.88	0.7	Peat	Granular	No	4.29	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269737.41	635138.75	0.7	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268782.56	633756.25	0.7	Peat	Granular	No	8.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268790.91	633993.13	0.7	Peat	Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267664.72	634236.38	0.1	Soil	Granular	No	2.85	Peaty Soil	1	1	2	1	2	Negligible
ITPEnergised		2	268812.59	634045.63	0.7	Peat	Granular	No	7.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268835.69	634033.75	0.7	Peat	Granular	No	7.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268801.75	634066.38	0.7	Peat	Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268865.69	634099.44	0.7	Peat	Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268847.94	634120.56	0.7	Peat	Granular	No	7.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269581.13	633931.38	0.7	Peat	Granular	No	3.72	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267939.69	633944.94	0.7	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267884.91	633943.81	0.7	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267865.5	633907.75	0.7	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267856.22	633901.94	0.7	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267958.34	635085.69	0.1	Soil	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267843.78	633926.75	0.7	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267831.69	633957.75	0.7	Peat	Granular	No	1.52	Thin Peat	1	3	0	1	0	None
ITPEnergised		2	268936.78	633915.25	0.7	Soil	Granular	No	6.09	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268848.91	633985.5	0.7	Peat	Granular	No	7.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268907.25	634085.94	0.7	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268914.13	634090.31	0.7	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268924.41	634094	0.7	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268866.5	634104.25	0.7	Peat	Granular	No	8.42	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268869.56	634098.5	0.7	Peat	Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269404.28	634082.81	0.7	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267719.03	634677.13	0.1	Soil	Granular	No	10.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268081.84	635366.38	0.7	Peat	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268032.47	635230.06	0.7	Peat	Granular	No	4.81	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268015.19	635204.5	0.7	Peat	Granular	No	4.81	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268009.38	635195.69	0.7	Peat	Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267048.28	634803.13	0.7	Soil	Granular	No	9.46	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268112.03	635338.31	0.7	Peat	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267783.75	634739.44	0.7	Peat	Granular	No	10.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268169.16	634794.25	0.7	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268203	634780.88	0.7	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268207	634795.25	0.7	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267739.19	634682	0.1	Soil	Granular	No	10.25	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268220.44	634786.94	0.7	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268224.34	634803.56	0.7	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267668.63	634673.75	0.7	Peat	Granular	No	10.99	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267101.91	634623.5	0.7	Peat	Granular	No	11.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267046.66	634712.81	0.7	Peat	Granular	No	8.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267021.53	634923.81	0.7	Peat	Granular	No	9.76	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266854.47	635274.38	0.7	Peat	Granular	No	9.23	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266832.38	635298.5	0.7	Peat	Granular	No	6.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266838.78	635334.38	0.7	Peat	Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266840.69	635345.44	0.7	Peat	Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268994.22	634554.81	0.1	Soil	Granular	No	10.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266808.38	635485.5	0.7	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266959.69	635111.13	0.7	Soil	Granular	No	12.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266648.78	635483.81	0.7	Peat	Granular	No	4.89	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266944.91	635102.75	0.7	Soil	Granular	No	9.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266954.56	635121.13	0.7	Soil	Granular	No	12.07	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266477.59	635584.31	0.7	Peat	Granular	No	4.20	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266442.78	635604.13	0.7	Peat	Granular	No	4.44	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266851.66	635355	0.7	Peat	Granular	No	8.38	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	266593.41	635938.44	0.7	Peat	Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266558.47	635968.31	0.7	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269046.59	634569.44	0.1	Soil	Granular	No	14.64	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266891.81	635546.75	0.7	Peat	Granular	No	6.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266880.63	635547.69	0.7	Peat	Granular	No	6.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266859.78	635545.06	0.7	Peat	Granular	No	6.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266851.53	635541.56	0.7	Peat	Granular	No	6.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266505.75	635791	0.7	Soil	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266506.66	635806	0.7	Soil	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266514.25	635818.19	0.7	Soil	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266515.16	635833.5	0.7	Soil	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266518.03	635838.81	0.7	Soil	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266532.94	635931.44	0.7	Soil	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269084.44	634604.13	0.1	Soil	Granular	No	13.62	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266520.34	635932.06	0.7	Soil	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266510.94	635934.44	0.7	Soil	Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270498.38	634395.69	0.8	Peat	Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	271031.72	635012.63	0.8	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	271008.16	635028.5	0.8	Peat	Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270997.53	635035.38	0.8	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270990.91	635024.38	0.8	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270994.78	635011.06	0.8	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270962.28	635033.5	0.8	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270954.03	635038.19	0.8	Peat	Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269167.34	634655.38	0.1	Peat	Granular	No	9.03	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	270937	635051.38	0.8	Peat	Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270437.13	635329.44	0.8	Peat	Granular	No	6.90	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270398.72	635363.88	0.8	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	270338.78	635415.31	0.8	Peat	Granular	No	4.96	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	270285.25	635475.13	0.8	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269727.22	635145.81	0.8	Peat	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269753.19	635132.31	0.8	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269755.38	634963.69	0.8	Peat	Granular	No	6.74	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268751.19	633943.75	0.8	Peat	Granular	No	6.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268760.59	633939.25	0.8	Peat	Granular	No	6.63	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269172.13	634639.19	0.1	Peat	Granular	No	6.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268810.91	634024.25	0.8	Peat	Granular	No	7.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268829.03	634029.06	0.8	Peat	Granular	No	7.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268817.31	634031.88	0.8	Peat	Granular	No	7.31	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268851.66	634083.06	0.8	Peat	Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268831.22	634129.25	0.8	Peat	Granular	No	7.93	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269431.09	634064.56	0.8	Peat	Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269388.31	634006.44	0.8	Peat	Granular	No	7.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269382.25	633997	0.8	Peat	Granular	No	5.02	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269394.34	633941.94	0.8	Peat	Granular	No	3.60	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268026.22	633962.94	0.8	Peat	Granular	No	8.77	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	269171.06	634647.44	0.1	Soil	Granular	No	6.83	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267936.81	633921.94	0.8	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267939.34	633911.75	0.8	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267925.25	633918	0.8	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267919.16	633936.69	0.8	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267895.06	633937	0.8	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267864.31	633936.38	0.8	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267869.66	633928.5	0.8	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267875.47	633920.25	0.8	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267857.38	633911.19	0.8	Peat	Granular	No	3.59	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267848.53	633909.75	0.8	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267755.75	633683.94	0.1	Soil	Granular	No	8.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267847.97	633918.44	0.8	Peat	Granular	No	3.73	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	269378.78	634042.25	0.8	Peat	Granular	No	7.95	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267690.84	634240.69	0.8	Soil	Granular	No	2.85	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
ITPEnergised		2	267704.81	634243	0.8	Soil	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267730.06	634223.69	0.8	Soil	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267734.22	634234.44	0.8	Soil	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267724.81	634217	0.8	Soil	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268003.47	635188.5	0.8	Peat	Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268001.41	635173.88	0.8	Peat	Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267993.03	635173	0.8	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267750.94	633697.38	0.1	Soil	Granular	No	8.31	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	267988.78	635164.94	0.8	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267827.41	634765.75	0.8	Peat	Granular	No	9.30	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268192.78	634771.5	0.8	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268099.5	635319.06	0.8	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268104.72	635298.63	0.8	Peat	Granular	No	4.04	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268098.91	635304.88	0.8	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267985.06	635176	0.8	Peat	Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267964.31	635141.31	0.8	Peat	Granular	No	4.51	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267793.59	634731.31	0.8	Peat	Granular	No	10.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	268171.53	634788.25	0.8	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267768.91	633708.31	0.1	Soil	Granular	No	9.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	268180.44	634788.5	0.8	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268179.69	634776.75	0.8	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268192.47	634780.75	0.8	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268210.28	634786.06	0.8	Peat	Granular	No	3.62	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268206.03	634804.81	0.8	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	268213.97	634807	0.8	Peat	Granular	No	4.19	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	267259.03	634428.94	0.8	Peat	Granular	No	11.18	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267038	634866.94	0.8	Peat	Granular	No	9.73	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267020.22	635162.63	0.8	Peat	Granular	No	16.65	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266835.53	635395.13	0.8	Peat	Granular	No	6.64	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	267766.06	633719.88	0.1	Soil	Granular	No	9.65	Peaty Soil	1	1	3	1	3	Negligible
ITPEnergised		2	266808.53	635454	0.8	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266826.88	635495.56	0.8	Peat	Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266748.41	635364.69	0.8	Peat	Granular	No	5.87	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266730.59	635416.69	0.8	Peat	Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266687.16	635446	0.8	Peat	Granular	No	5.61	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266660.16	635452.5	0.8	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266638.75	635417.25	0.8	Peat	Granular	No	5.41	Thin Peat	1	3	3	1	9	Low
ITPEnergised		2	266587.69	635553.56	0.8	Peat	Granular	No	3.97	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266530.31	635563.06	0.8	Peat	Granular	No	3.90	Thin Peat	1	3	2	1	6	Low
ITPEnergised		2	266349.88	635625.75	0.8	Peat	Granular	No	4.97	Thin Peat	1	3	2	1	6	Low
RPS		-	271464.47	630318.79	2.9	Peat	Granular	No	2.19	Thick Peat	1	2	2	1	4	Negligible
Peatland Action		-	272359.33	632116.04	0.1		Granular	No	2.20	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action		-	273500	632201	0.96		Granular	No	5.81	Thin Peat	1	3	3	1	9	Low
Peatland Action		-	273599	632202	0.74		Granular	No	3.40	Thin Peat	1	3	2	1	6	Low
Peatland Action		-	273599	632301	1.44		Granular	No	1.13	Thin Peat	1	3	0	1	0	None
Peatland Action		-	273498	632301	1.31		Granular	No	4.28	Thin Peat	1	3	2	1	6	Low
Peatland Action		-	273398	632301	0.9		Granular	No	6.82	Thin Peat	1	3	3	1	9	Low
Peatland Action		-	273400	632401	1.19		Granular	No	3.53	Thin Peat	1	3	2	1	6	Low
Peatland Action		-	273398	632500	1.21		Granular	No	0.83	Thin Peat	1	3	0	1	0	None
Peatland Action		-	273300	632503	1.63		Granular	No	3.78	Thick Peat	1	2	2	1	4	Negligible
Peatland Action		-	273300	632401	1.44		Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
Peatland Action		-	273300	632301	1.1		Granular	No	6.14	Thin Peat	1	3	3	1	9	Low
Peatland Action		-	273197	632301	0.68		Granular	No	4.89	Thin Peat	1	3	2	1	6	Low
Peatland Action		-	273199	632401	1.14		Granular	No	5.37	Thin Peat	1	3	3	1	9	Low
Peatland Action		-	273199	632501	2.03		Granular	No	6.17	Thick Peat	1	2	3	1	6	Low
Peatland Action		-	273101	632500	0.73		Granular	No	6.08	Thin Peat	1	3	3	1	9	Low
Peatland Action		-	273098	632402	0.79		Granular	No	5.29	Thin Peat	1	3	3	1	9	Low
Peatland Action		-	273099	632302	0.88		Granular	No	5.36	Thin Peat	1	3	3	1	9	Low
Peatland Action		-	272999	632300	0.91		Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
Peatland Action		-	273000	632400	0.92		Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
Peatland Action		-	273000	632500	1.14		Granular	No	5.25	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	272898	632401	0.94		Granular	No	5.26	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272800	632399	0.53		Granular	No	5.36	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272798	632302	0.78		Granular	No	5.99	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272798	632202	0.8		Granular	No	6.32	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272702	632200	1.24		Granular	No	5.86	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271100	631600	0.15		Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271200	631600	0.55		Granular	No	5.51	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	631500	1.8		Granular	No	5.02	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	270500	631500	1.15		Granular	No	1.43	Thin Peat	1	3	0	1	0	None
Peatland Action	-	270600	631500	0.05		Granular	No	3.32	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270700	631500	0.14		Granular	No	9.94	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270800	631500	0.11		Granular	No	8.15	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270900	631500	0.28		Granular	No	7.85	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271000	631500	0.17		Granular	No	8.22	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271100	631500	0.49		Granular	No	7.75	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271200	631500	0.45		Granular	No	7.46	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270400	631400	0.35		Granular	No	8.07	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270500	631400	0.62		Granular	No	6.17	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270600	631400	0.34		Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270700	631400	0.9		Granular	No	4.75	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	631400	0.1		Granular	No	11.03	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270900	631400	0.26		Granular	No	13.71	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271000	631400	0.18		Granular	No	16.39	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271100	631400	0.17		Granular	No	18.68	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271200	631400	0.17		Granular	No	16.06	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270400	631300	0.34		Granular	No	6.27	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270500	631300	0.39		Granular	No	7.03	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270400	631200	0.38		Granular	No	6.56	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271600	634700	0.4		Granular	No	2.45	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271700	634700	0.95		Granular	No	2.73	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271200	634600	1.28		Granular	No	4.11	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271300	634600	0.36		Granular	No	2.60	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271400	634600	0.62		Granular	No	1.54	Thin Peat	1	3	0	1	0	None
Peatland Action	-	270400	634000	0.82		Granular	No	3.32	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270200	633900	2.17		Granular	No	2.27	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270300	633900	1.01		Granular	No	5.00	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	633900	0.15		Granular	No	6.02	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270000	633800	1.01		Granular	No	1.44	Thin Peat	1	3	0	1	0	None
Peatland Action	-	270100	633800	0.73		Granular	No	0.77	Thin Peat	1	3	0	1	0	None
Peatland Action	-	270200	633800	0.59		Granular	No	2.22	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270300	633800	0.99		Granular	No	2.65	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270400	633800	1.14		Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	269900	633700	0.68		Granular	No	1.01	Thin Peat	1	3	0	1	0	None
Peatland Action	-	270000	633700	1.34		Granular	No	1.41	Thin Peat	1	3	0	1	0	None
Peatland Action	-	270100	633700	0.43		Granular	No	2.72	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270200	633700	0.92		Granular	No	3.13	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270300	633700	1.85		Granular	No	3.49	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270400	633700	1.3		Granular	No	5.25	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270000	633600	1.21		Granular	No	2.95	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270100	633600	1.47		Granular	No	2.40	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270200	633600	0.69		Granular	No	3.04	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270300	633600	0.69		Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270400	633600	1.93		Granular	No	6.71	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	270000	633500	3.6		Granular	No	2.64	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270100	633500	1.71		Granular	No	3.93	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270200	633500	1.2		Granular	No	4.78	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270300	633500	0.93		Granular	No	5.75	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	633500	0.7		Granular	No	6.88	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270000	633400	1.46		Granular	No	2.36	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270100	633400	2.48		Granular	No	2.69	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270200	633400	0.68		Granular	No	4.81	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	270300	633400	0.58		Granular	No	5.98	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	633400	1.14		Granular	No	8.82	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	269900	633300	1.36		Granular	No	2.03	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270000	633300	1.14		Granular	No	1.93	Thin Peat	1	3	0	1	0	None
Peatland Action	-	270100	633300	0.42		Granular	No	3.99	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270200	633300	0.75		Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270305	633323	0.68		Granular	No	8.17	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270436	633314	0.82		Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	269836	633219	1.31		Granular	No	2.61	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	269900	633200	0.87		Granular	No	2.00	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270000	633200	1.14		Granular	No	4.10	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270100	633200	1.24		Granular	No	6.27	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270200	633200	1.02		Granular	No	5.61	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270300	633200	0.15		Granular	No	9.96	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270418	633219	0.65		Granular	No	8.09	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	269713	633111	1.2		Granular	No	2.10	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	269800	633100	0.99		Granular	No	1.89	Thin Peat	1	3	0	1	0	None
Peatland Action	-	269900	633100	1.13		Granular	No	3.36	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270000	633100	1		Granular	No	5.43	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270100	633100	1.32		Granular	No	5.57	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270200	633100	0.91		Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270300	633100	0.2		Granular	No	10.64	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270400	633100	1.12		Granular	No	4.28	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	269600	633000	1.09		Granular	No	2.89	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	269700	633000	0.91		Granular	No	1.63	Thin Peat	1	3	0	1	0	None
Peatland Action	-	269800	633000	1.65		Granular	No	2.22	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	269900	633000	0.23		Granular	No	4.97	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270000	633000	0.95		Granular	No	5.80	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270100	633000	0.94		Granular	No	7.21	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270200	633000	0.92		Granular	No	9.16	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270300	633000	0.7		Granular	No	9.83	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	633000	0.42		Granular	No	7.85	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	269600	632900	1.11		Granular	No	2.07	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	269700	632900	1.86		Granular	No	2.44	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	269800	632900	0.68		Granular	No	3.58	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	269900	632900	1.03		Granular	No	5.68	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270000	632900	0.58		Granular	No	6.64	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270100	632900	0.49		Granular	No	9.43	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270200	632900	0.68		Granular	No	8.42	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270300	632900	1.47		Granular	No	8.66	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	632900	1.01		Granular	No	7.25	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	269611	632805	1.33		Granular	No	3.16	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	269700	632800	0.9		Granular	No	4.00	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	269800	632800	0.28		Granular	No	6.02	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	269900	632800	0.7		Granular	No	6.59	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270000	632800	0.35		Granular	No	9.59	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270100	632800	0.82		Granular	No	8.64	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270200	632800	0.72		Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270300	632800	0.15		Granular	No	6.18	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	269700	632700	1.19		Granular	No	6.19	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	269800	632700	0.64		Granular	No	7.19	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	269900	632700	0.18		Granular	No	9.05	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270000	632700	0.25		Granular	No	9.41	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270100	632700	0.81		Granular	No	7.64	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270200	632700	0.48		Granular	No	7.53	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270300	632700	0.34		Granular	No	7.78	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	269700	632600	0.21		Granular	No	8.89	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	269800	632600	0.27		Granular	No	10.32	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	269900	632600	0.32		Granular	No	9.29	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270000	632600	0.21		Granular	No	7.49	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270100	632600	0.12		Granular	No	9.35	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	270200	632600	0.28		Granular	No	7.92	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	269700	632500	0.38		Granular	No	10.25	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	269800	632500	0.49		Granular	No	9.17	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	269900	632500	0.1		Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270000	632500	0.23		Granular	No	11.15	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270200	632500	0.6		Granular	No	2.48	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270300	632500	0.27		Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	269800	632400	0		Granular	No	14.36	No Peat	1	0	3	1	0	None
Peatland Action	-	269900	632400	0		Granular	No	11.59	No Peat	1	0	3	1	0	None
Peatland Action	-	270000	632400	0.05		Granular	No	1.59	Peaty Soil	1	1	0	1	0	None
Peatland Action	-	270100	632400	0.26		Granular	No	8.22	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270200	632400	1.15		Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270300	632400	1.14		Granular	No	4.38	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	269800	632300	0.05		Granular	No	2.97	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	269900	632300	0.65		Granular	No	7.08	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270000	632300	0.54		Granular	No	6.34	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270100	632300	0.66		Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270200	632300	1.35		Granular	No	3.81	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270300	632300	1.35		Granular	No	3.55	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270409	632300	1.62		Granular	No	4.30	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	269900	632200	0.83		Granular	No	3.96	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270000	632200	0.73		Granular	No	3.95	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270100	632200	1.05		Granular	No	3.50	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270200	632200	1.3		Granular	No	3.12	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270300	632200	1.22		Granular	No	3.20	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270400	632200	1.3		Granular	No	3.35	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270000	632100	0.95		Granular	No	3.34	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270100	632100	0.95		Granular	No	2.41	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270200	632100	1.5		Granular	No	3.40	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270300	632100	1.94		Granular	No	3.19	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270210	631810	0.87		Granular	No	5.65	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270300	631800	0.81		Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270300	631700	0.98		Granular	No	6.57	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270300	631600	0.76		Granular	No	5.53	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	631600	0.83		Granular	No	4.38	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	634600	0.82		Granular	No	2.26	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271600	634600	2.03		Granular	No	3.54	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271700	634600	0.78		Granular	No	4.59	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271800	634600	0.89		Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271100	634500	1.12		Granular	No	4.13	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271200	634500	1.45		Granular	No	2.93	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271300	634500	1.57		Granular	No	1.69	Thick Peat	1	2	0	1	0	None
Peatland Action	-	271400	634500	1.19		Granular	No	2.16	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	634500	0.94		Granular	No	4.28	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271600	634500	1.62		Granular	No	3.79	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271700	634500	1.89		Granular	No	4.09	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271800	634500	0.86		Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270931	634398	1.28		Granular	No	1.82	Thin Peat	1	3	0	1	0	None
Peatland Action	-	271000	634400	2.8		Granular	No	2.76	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271100	634400	1.35		Granular	No	1.56	Thin Peat	1	3	0	1	0	None
Peatland Action	-	271200	634400	1.27		Granular	No	0.46	Thin Peat	1	3	0	1	0	None
Peatland Action	-	271300	634400	0.45		Granular	No	1.96	Peaty Soil	1	1	0	1	0	None
Peatland Action	-	271400	634400	0.89		Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	634400	1.18		Granular	No	4.30	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271600	634400	2.06		Granular	No	3.89	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271700	634400	1.22		Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271800	634400	0.68		Granular	No	3.95	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	634300	1.78		Granular	No	2.30	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270900	634300	2.51		Granular	No	1.18	Thick Peat	1	2	0	1	0	None
Peatland Action	-	271000	634300	1.32		Granular	No	0.41	Thin Peat	1	3	0	1	0	None
Peatland Action	-	271100	634300	2.07		Granular	No	1.05	Thick Peat	1	2	0	1	0	None

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	271200	634300	1.02		Granular	No	3.18	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271300	634300	1.47		Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	634300	1.36		Granular	No	5.98	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271500	634300	1.32		Granular	No	5.05	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271600	634300	0.69		Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271700	634300	0.45		Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271800	634300	1.78		Granular	No	3.57	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270600	634200	1.79		Granular	No	2.54	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270700	634200	2.02		Granular	No	1.32	Thick Peat	1	2	0	1	0	None
Peatland Action	-	270800	634200	0.2		Granular	No	1.09	Peaty Soil	1	1	0	1	0	None
Peatland Action	-	270900	634200	0.2		Granular	No	1.98	Peaty Soil	1	1	0	1	0	None
Peatland Action	-	271000	634200	1.18		Granular	No	2.16	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271100	634200	0.44		Granular	No	3.39	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271200	634200	0.93		Granular	No	6.93	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	634200	1.14		Granular	No	6.85	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	634200	1.03		Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271500	634200	1.2		Granular	No	5.64	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271600	634200	0.94		Granular	No	5.36	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271700	634200	1.38		Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	634200	1.54		Granular	No	3.29	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270600	634100	1.82		Granular	No	0.95	Thick Peat	1	2	0	1	0	None
Peatland Action	-	270700	634100	0.69		Granular	No	3.15	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	634100	0.55		Granular	No	4.23	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270900	634100	0.48		Granular	No	5.33	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271000	634100	0.93		Granular	No	5.57	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271100	634100	1.32		Granular	No	5.90	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	634100	1.17		Granular	No	5.98	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	634100	0.84		Granular	No	7.15	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271500	634100	0.17		Granular	No	7.67	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271600	634100	0		Granular	No	6.35	No Peat	1	0	3	1	0	None
Peatland Action	-	271700	634100	0.69		Granular	No	5.09	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270500	634000	0.79		Granular	No	3.64	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270600	634000	0.94		Granular	No	4.79	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271600	634000	0.05		Granular	No	4.11	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270500	633900	0.25		Granular	No	6.59	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270600	633900	0.05		Granular	No	7.49	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270700	633900	1		Granular	No	8.10	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270800	633900	1.23		Granular	No	6.18	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270900	633900	0.15		Granular	No	5.90	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271000	633900	0.05		Granular	No	7.43	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271100	633900	1.37		Granular	No	7.95	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	633900	1.05		Granular	No	7.49	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	633900	0.95		Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	633900	1.14		Granular	No	6.04	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271500	633900	1.05		Granular	No	2.18	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271600	633900	0.32		Granular	No	4.76	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270500	633800	0.25		Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270600	633800	2.05		Granular	No	5.79	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271000	633800	0.37		Granular	No	6.00	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271100	633800	1.1		Granular	No	8.11	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	633800	0.79		Granular	No	8.50	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	633800	0.7		Granular	No	7.86	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271429	633810	0.25		Granular	No	3.48	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271500	633800	1.37		Granular	No	4.76	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270500	633700	0.76		Granular	No	6.52	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	634100	1.11		Granular	No	6.99	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270600	633700	0.24		Granular	No	4.06	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271000	633700	2.02		Granular	No	6.94	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271100	633700	1.15		Granular	No	7.50	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	633700	0.22		Granular	No	6.12	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271305	633688	0.32		Granular	No	7.73	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	271400	633700	1.52		Granular	No	6.60	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	270500	633600	1.5		Granular	No	5.90	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270600	633600	0.31		Granular	No	5.75	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271000	633600	0.4		Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271100	633600	0.24		Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271200	633600	0.18		Granular	No	5.56	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271300	633600	0.67		Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	633600	1.05		Granular	No	5.53	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270500	633500	0.36		Granular	No	5.52	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270600	633500	0.93		Granular	No	5.26	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271000	633500	1.15		Granular	No	5.97	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271100	633500	0.47		Granular	No	5.35	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271207	633489	0.49		Granular	No	4.75	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271300	633500	0.66		Granular	No	7.69	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	633500	0.75		Granular	No	5.60	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270500	633400	0.92		Granular	No	4.52	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270600	633400	0.16		Granular	No	4.84	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271000	633400	1.82		Granular	No	5.68	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271100	633400	0.2		Granular	No	5.89	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271200	633400	1.02		Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271300	633400	0.54		Granular	No	6.33	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270500	633300	1.01		Granular	No	8.96	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270600	633300	1.5		Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271000	633300	1.33		Granular	No	6.12	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271100	633300	0.83		Granular	No	6.72	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	633300	0.51		Granular	No	2.02	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271300	633300	0.75		Granular	No	4.76	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270500	633200	0.93		Granular	No	8.32	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270600	633200	1.52		Granular	No	5.70	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	270994	633201	0.95		Granular	No	5.75	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271100	633200	0.85		Granular	No	6.69	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	633200	1.03		Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270500	633100	1.12		Granular	No	6.84	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270600	633100	1.19		Granular	No	6.80	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271000	633100	0.97		Granular	No	6.06	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271100	633100	1.02		Granular	No	7.13	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	633100	0.64		Granular	No	3.46	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270500	633000	0.68		Granular	No	7.97	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270600	633000	0.62		Granular	No	8.43	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270500	632800	0.66		Granular	No	8.18	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271000	633000	0.41		Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271100	633000	0.86		Granular	No	6.20	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270500	632900	0.32		Granular	No	8.65	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270600	632900	0.05		Granular	No	9.76	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270700	632900	0.25		Granular	No	10.56	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270800	632900	0.06		Granular	No	9.57	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270900	632900	0.05		Granular	No	9.12	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271000	632900	0.19		Granular	No	7.84	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270400	632800	0.62		Granular	No	5.27	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270600	632800	1.23		Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270700	632800	1.15		Granular	No	6.18	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	632700	0		Granular	No	6.22	No Peat	1	0	3	1	0	None
Peatland Action	-	270100	632000	1.02		Granular	No	2.28	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270200	632000	1.65		Granular	No	3.81	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270300	632000	1.7		Granular	No	3.88	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270200	631900	0.91		Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270300	631900	1.89		Granular	No	5.66	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	270700	634000	1.43		Granular	No	4.36	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	634000	1.1		Granular	No	5.36	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270900	634000	0.59		Granular	No	5.53	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271000	634000	0.35		Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	271100	634000	1.48		Granular	No	6.85	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	634000	1.64		Granular	No	7.10	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271300	634000	1.13		Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	634000	1		Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271500	634000	1.35		Granular	No	5.96	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270700	633800	3.5		Granular	No	3.16	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270800	633800	0.1		Granular	No	6.77	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270900	633800	1.09		Granular	No	6.42	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270700	633700	0.42		Granular	No	2.65	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270800	633700	1.68		Granular	No	2.51	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270900	633700	0		Granular	No	4.33	No Peat	1	0	2	1	0	None
Peatland Action	-	270700	633600	1.17		Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	633600	0.34		Granular	No	3.73	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270900	633600	1.72		Granular	No	5.14	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	270700	633500	1.03		Granular	No	2.63	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	633500	1.95		Granular	No	2.34	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270900	633500	1.59		Granular	No	4.38	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270700	633400	1.22		Granular	No	2.07	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	633400	1.05		Granular	No	2.43	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270900	633400	1.1		Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270700	633300	1.4		Granular	No	3.26	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	633300	1.32		Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270900	633300	0.35		Granular	No	6.18	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270700	633200	1.39		Granular	No	5.12	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270800	633200	1.07		Granular	No	6.95	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270900	633200	1.25		Granular	No	8.03	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270700	633100	0.76		Granular	No	8.14	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270800	633100	0.23		Granular	No	8.66	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270900	633100	0.73		Granular	No	7.07	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270700	633000	0.22		Granular	No	8.61	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270800	633000	0		Granular	No	7.81	No Peat	1	0	3	1	0	None
Peatland Action	-	270900	633000	0.83		Granular	No	6.41	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270800	632800	0		Granular	No	3.46	No Peat	1	0	2	1	0	None
Peatland Action	-	270900	632800	0		Granular	No	1.44	No Peat	1	0	0	1	0	None
Peatland Action	-	270500	632700	0		Granular	No	1.52	No Peat	1	0	0	1	0	None
Peatland Action	-	270600	632700	1.48		Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270700	632700	2.17		Granular	No	6.05	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	270800	632700	2.09		Granular	No	6.01	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	270900	632700	1.8		Granular	No	4.89	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271000	632700	0.2		Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270327	632599	0.72		Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	632600	0.43		Granular	No	6.99	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270500	632600	1.93		Granular	No	5.98	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	270600	632600	1.01		Granular	No	3.32	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270700	632600	0.95		Granular	No	3.40	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	632600	2.05		Granular	No	2.77	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270900	632600	1.91		Granular	No	3.69	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271000	632600	0		Granular	No	3.84	No Peat	1	0	2	1	0	None
Peatland Action	-	270107	632473	0.54		Granular	No	7.60	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	632500	1.22		Granular	No	3.67	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270500	632500	1.24		Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270600	632500	0.9		Granular	No	3.12	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270700	632500	1.35		Granular	No	3.12	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	632500	0.92		Granular	No	3.91	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270900	632500	1.41		Granular	No	4.79	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271000	632500	1.24		Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270422	632408	0.34		Granular	No	3.90	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270485	632406	1.8		Granular	No	3.71	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270600	632400	1.23		Granular	No	3.68	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270700	632400	1.22		Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	632400	1.62		Granular	No	4.71	Thick Peat	1	2	2	1	4	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	270900	632400	0.84		Granular	No	4.45	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271000	632400	2.3		Granular	No	3.80	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270500	632300	1.78		Granular	No	4.47	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270600	632300	1.15		Granular	No	3.88	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270700	632300	1.75		Granular	No	4.78	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270800	632300	1.82		Granular	No	4.47	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270900	632300	1.9		Granular	No	4.65	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271000	632300	0.05		Granular	No	4.35	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270500	632200	0.76		Granular	No	4.43	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270600	632200	0.53		Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270700	632200	1.28		Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270800	632200	1.72		Granular	No	4.73	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270900	632200	1.68		Granular	No	5.15	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271000	632200	2.49		Granular	No	5.09	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271100	632200	1.35		Granular	No	6.88	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	632100	1.19		Granular	No	4.08	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270500	632100	1.25		Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270600	632100	0.65		Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270700	632100	1.18		Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270800	632100	1.75		Granular	No	5.23	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	270900	632100	1.72		Granular	No	5.37	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271000	632100	0.94		Granular	No	6.50	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271100	632100	1.13		Granular	No	7.40	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	632000	1.82		Granular	No	4.78	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	270500	632000	1.2		Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270600	632000	0.92		Granular	No	5.40	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270700	632000	0.75		Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270800	632000	0.82		Granular	No	5.47	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270900	632000	1.72		Granular	No	6.96	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271000	632000	0.84		Granular	No	8.35	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271100	632000	1.12		Granular	No	8.46	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	631900	1.2		Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270500	631900	0.87		Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270600	631900	1.21		Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270700	631900	0.72		Granular	No	5.68	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270800	631900	0.57		Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270900	631900	0.8		Granular	No	7.96	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271000	631900	0.95		Granular	No	7.57	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271100	631900	0.51		Granular	No	6.89	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	631900	0.68		Granular	No	6.39	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270400	631800	0.72		Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270500	631800	0.92		Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270600	631800	0.63		Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270700	631800	0.71		Granular	No	6.14	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270800	631800	0.98		Granular	No	6.65	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270900	631800	0.62		Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271000	631800	0.83		Granular	No	5.90	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271100	631800	0.72		Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271200	631800	0.95		Granular	No	4.43	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270400	631700	0.57		Granular	No	5.46	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270500	631700	0.88		Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270600	631700	0.64		Granular	No	5.10	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270700	631700	0.54		Granular	No	5.15	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	270800	631700	0.39		Granular	No	5.57	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	270900	631700	0.62		Granular	No	4.39	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271000	631700	0.73		Granular	No	3.84	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271100	631700	0.78		Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271200	631700	0.54		Granular	No	2.98	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270500	631600	1.1		Granular	No	3.26	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	270600	631600	0.49		Granular	No	4.17	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270700	631600	0.35		Granular	No	3.50	Peaty Soil	1	1	2	1	2	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	270800	631600	0.31		Granular	No	4.63	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	270900	631600	0.35		Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271000	631600	0.36		Granular	No	4.13	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	272000	632800	1.45		Granular	No	3.67	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271100	632800	0.3		Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271000	632800	0.01		Granular	No	3.63	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	273500	632900	1.08		Granular	No	3.55	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273400	632900	1.51		Granular	No	5.94	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271500	632800	0.2		Granular	No	6.86	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271400	632800	0.7		Granular	No	5.82	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	632800	1.3		Granular	No	6.12	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	632800	0.9		Granular	No	6.12	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	632600	0.3		Granular	No	7.20	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271700	632600	0.4		Granular	No	8.50	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271600	632600	1.2		Granular	No	8.61	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271500	632600	0.7		Granular	No	8.96	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272200	632600	1.1		Granular	No	5.69	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272100	632600	1.2		Granular	No	6.11	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272000	632600	0.4		Granular	No	8.35	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271900	632600	1.2		Granular	No	8.10	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273400	632700	0.96		Granular	No	6.68	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273300	632700	1.01		Granular	No	9.49	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273200	632700	1.05		Granular	No	10.24	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273100	632700	0.93		Granular	No	9.71	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	632600	1.3		Granular	No	7.87	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	632600	1.5		Granular	No	5.99	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	632600	1.6		Granular	No	3.61	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271100	632600	2.6		Granular	No	3.93	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	272600	632700	1.18		Granular	No	6.99	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272500	632700	1.32		Granular	No	6.20	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272400	632700	1.2		Granular	No	4.73	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272300	632700	1.1		Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273000	632700	0.95		Granular	No	10.06	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272900	632700	0.17		Granular	No	10.15	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272800	632700	0.88		Granular	No	9.53	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272700	632700	0.82		Granular	No	7.88	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	632700	1.1		Granular	No	7.13	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271700	632700	0.8		Granular	No	8.00	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271600	632700	0.1		Granular	No	1.98	Peaty Soil	1	1	0	1	0	None
Peatland Action	-	271500	632700	0.9		Granular	No	1.94	Thin Peat	1	3	0	1	0	None
Peatland Action	-	272200	632700	2.3		Granular	No	4.90	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	272100	632700	1.1		Granular	No	5.52	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272000	632700	1.8		Granular	No	4.80	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271900	632700	1.3		Granular	No	4.70	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272200	633000	0.7		Granular	No	7.98	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272100	633000	0.35		Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272000	633000	0.35		Granular	No	8.65	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271900	633000	0.18		Granular	No	7.90	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272600	633000	0		Granular	No	7.79	No Peat	1	0	3	1	0	None
Peatland Action	-	272500	633000	0		Granular	No	9.35	No Peat	1	0	3	1	0	None
Peatland Action	-	272400	633000	0.33		Granular	No	8.70	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272300	633000	0.25		Granular	No	7.88	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271400	633000	0.87		Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271300	633000	1.01		Granular	No	5.64	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	633000	1.41		Granular	No	5.80	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273500	633100	0.6		Granular	No	3.99	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271800	633000	0.9		Granular	No	6.74	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271700	633000	0.9		Granular	No	3.64	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271600	633000	1.01		Granular	No	3.40	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	633000	0.88		Granular	No	4.33	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273000	633100	0.63		Granular	No	4.94	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	272900	633100	0.35		Granular	No	4.83	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	272800	633100	0.99		Granular	No	5.54	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272700	633100	0.82		Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273400	633100	1.37		Granular	No	4.65	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273300	633100	1.2		Granular	No	6.56	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273200	633100	0.91		Granular	No	5.92	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273100	633100	0.95		Granular	No	6.26	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272200	633100	0.21		Granular	No	6.94	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272100	633100	0.92		Granular	No	6.73	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272000	633100	0.79		Granular	No	6.13	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271900	633100	0.74		Granular	No	5.17	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272600	633100	0.74		Granular	No	7.77	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272500	633100	0.2		Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272400	633100	0.91		Granular	No	6.32	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272300	633100	1.6		Granular	No	6.41	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	272900	632900	0.79		Granular	No	5.04	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272800	632900	0		Granular	No	3.79	No Peat	1	0	2	1	0	None
Peatland Action	-	272700	632900	0		Granular	No	6.71	No Peat	1	0	3	1	0	None
Peatland Action	-	272600	632900	0.64		Granular	No	7.03	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273300	632900	0.86		Granular	No	7.14	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273200	632900	1.2		Granular	No	7.45	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273100	632900	0.24		Granular	No	6.81	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	273000	632900	1.3		Granular	No	6.27	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272100	632900	0.1		Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272000	632900	0.5		Granular	No	9.49	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271900	632900	0.7		Granular	No	7.28	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	632900	0.2		Granular	No	9.06	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272500	632900	0		Granular	No	7.52	No Peat	1	0	3	1	0	None
Peatland Action	-	272400	632900	0		Granular	No	9.76	No Peat	1	0	3	1	0	None
Peatland Action	-	272300	632900	1		Granular	No	9.42	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272200	632900	0.19		Granular	No	9.82	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271300	632900	0.8		Granular	No	5.68	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	632900	1.15		Granular	No	4.50	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271100	632900	1.3		Granular	No	5.91	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273500	633000	1.45		Granular	No	3.90	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271700	632900	0.5		Granular	No	7.19	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271600	632900	0.75		Granular	No	4.59	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	632900	0.5		Granular	No	4.32	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271400	632900	0.75		Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273000	633000	0.47		Granular	No	5.85	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272900	633000	0.6		Granular	No	2.43	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272800	633000	0.02		Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272700	633000	0.48		Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	273400	633000	0.95		Granular	No	4.90	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273300	633000	1.5		Granular	No	6.34	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273200	633000	0.76		Granular	No	6.14	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273100	633000	0.58		Granular	No	6.35	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272200	633300	1.1		Granular	No	3.94	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272100	633300	0.9		Granular	No	5.56	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272000	633300	1.2		Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271900	633300	0.7		Granular	No	3.99	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272600	633300	0.1		Granular	No	7.13	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272500	633300	1.16		Granular	No	4.95	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272400	633300	1.29		Granular	No	4.12	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272300	633300	1.35		Granular	No	3.68	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271400	633300	1.4		Granular	No	4.27	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271300	633300	0.8		Granular	No	4.76	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273000	633400	1.4		Granular	No	5.97	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272900	633400	0.75		Granular	No	8.83	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	633300	0.8		Granular	No	4.86	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271700	633300	1		Granular	No	4.22	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	271600	633300	0.7		Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	633300	0.6		Granular	No	3.94	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272400	633400	1.2		Granular	No	3.90	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272300	633400	1.2		Granular	No	3.25	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272200	633400	0.4		Granular	No	4.19	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	272100	633400	1.2		Granular	No	5.08	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272800	633400	0.54		Granular	No	10.29	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272700	633400	0.3		Granular	No	6.12	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272600	633400	1.19		Granular	No	3.84	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272500	633400	0.67		Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271600	633400	0.6		Granular	No	4.11	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	633400	0.75		Granular	No	4.55	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271400	633400	0.7		Granular	No	4.55	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272800	633500	0.95		Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272000	633400	1.1		Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271900	633400	0.9		Granular	No	6.12	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	633400	1.1		Granular	No	6.13	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271700	633400	1.2		Granular	No	5.13	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	633100	0.68		Granular	No	5.24	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	633100	0.6		Granular	No	5.40	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273300	633200	1.99		Granular	No	6.50	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	273200	633200	0.6		Granular	No	6.55	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	633100	0.95		Granular	No	2.99	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271700	633100	1.02		Granular	No	2.77	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271600	633100	0.83		Granular	No	3.96	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	633100	0.75		Granular	No	4.43	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272700	633200	0.79		Granular	No	7.73	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272600	633200	1		Granular	No	7.49	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272500	633200	1.09		Granular	No	5.90	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272400	633200	1.05		Granular	No	4.80	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273100	633200	1.02		Granular	No	8.52	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273000	633200	1.46		Granular	No	4.13	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272900	633200	0.85		Granular	No	6.04	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272800	633200	0.63		Granular	No	6.57	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271900	633200	0.9		Granular	No	3.38	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271800	633200	1.1		Granular	No	2.85	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271700	633200	0.7		Granular	No	3.20	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271600	633200	0.5		Granular	No	4.26	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	272300	633200	1.4		Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272200	633200	1		Granular	No	4.44	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272100	633200	1.5		Granular	No	5.59	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272000	633200	1.2		Granular	No	5.58	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273000	633300	0.5		Granular	No	6.93	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272900	633300	0.85		Granular	No	6.44	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272800	633300	0.78		Granular	No	8.64	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272700	633300	0.41		Granular	No	9.80	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271500	633200	0.45		Granular	No	3.90	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271400	633200	0.2		Granular	No	5.52	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271300	633200	0.5		Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	273100	633300	0.3		Granular	No	2.94	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271700	633700	1.2		Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271600	633700	0.9		Granular	No	3.46	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	633700	1.1		Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272500	633800	1.1		Granular	No	1.80	Thin Peat	1	3	0	1	0	None
Peatland Action	-	272100	633700	1.2		Granular	No	4.73	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272000	633700	1.35		Granular	No	4.92	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271900	633700	1.2		Granular	No	5.45	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	633700	1.1		Granular	No	5.07	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272000	633800	0.8		Granular	No	4.63	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271900	633800	1.1		Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	633800	0.75		Granular	No	4.66	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	271700	633800	1.4		Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272400	633800	1.37		Granular	No	2.49	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272300	633800	0.7		Granular	No	3.31	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272200	633800	0.75		Granular	No	3.22	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272100	633800	0.9		Granular	No	5.11	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272100	633900	1.2		Granular	No	4.74	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272000	633900	0.65		Granular	No	6.34	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271900	633900	0.9		Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	633900	1.1		Granular	No	5.20	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271600	633800	1.3		Granular	No	3.91	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272400	633900	2.01		Granular	No	0.29	Thick Peat	1	2	0	1	0	None
Peatland Action	-	272300	633900	0.9		Granular	No	0.76	Thin Peat	1	3	0	1	0	None
Peatland Action	-	272200	633900	1.5		Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271700	634000	0.5		Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271900	634100	1.7		Granular	No	1.92	Thick Peat	1	2	0	1	0	None
Peatland Action	-	271800	634100	1.4		Granular	No	3.37	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271900	634200	0.5		Granular	No	2.14	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271700	633900	1.3		Granular	No	4.85	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272000	634000	0.85		Granular	No	7.54	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271900	634000	2		Granular	No	4.66	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271800	634000	0.9		Granular	No	4.73	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272300	633500	1.5		Granular	No	4.66	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272200	633500	1.4		Granular	No	4.60	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272100	633500	0.4		Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272000	633500	0.9		Granular	No	5.93	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272700	633500	1.04		Granular	No	2.36	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272600	633500	1.3		Granular	No	3.49	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272500	633500	0.5		Granular	No	3.37	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	272400	633500	0.6		Granular	No	4.02	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	633500	0.65		Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271400	633500	1.3		Granular	No	5.60	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272700	633600	0.34		Granular	No	1.41	Peaty Soil	1	1	0	1	0	None
Peatland Action	-	272600	633600	0.55		Granular	No	2.55	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271900	633500	0.7		Granular	No	5.59	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	633500	0.85		Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271700	633500	0		Granular	No	5.65	No Peat	1	0	3	1	0	None
Peatland Action	-	271600	633500	0.65		Granular	No	3.63	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272100	633600	1.3		Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272000	633600	0.9		Granular	No	4.55	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271900	633600	0.75		Granular	No	5.26	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	633600	0.8		Granular	No	5.71	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272500	633600	1.29		Granular	No	3.58	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272400	633600	1.1		Granular	No	3.92	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272300	633600	1.2		Granular	No	4.46	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272200	633600	0.4		Granular	No	5.82	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272500	633700	0.69		Granular	No	2.95	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272400	633700	1.45		Granular	No	3.90	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272300	633700	1.3		Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272200	633700	0.9		Granular	No	5.03	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271700	633600	0.75		Granular	No	5.21	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271600	633600	0.6		Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	633600	0.9		Granular	No	3.08	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272600	633700	1.4		Granular	No	1.20	Thin Peat	1	3	0	1	0	None
Peatland Action	-	271500	631400	0.2		Granular	No	11.82	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271400	631400	0.4		Granular	No	12.10	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271300	631400	0		Granular	No	11.41	No Peat	1	0	3	1	0	None
Peatland Action	-	271900	631500	0.15		Granular	No	10.95	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271900	631400	0		Granular	No	9.36	No Peat	1	0	3	1	0	None
Peatland Action	-	271800	631400	0		Granular	No	7.21	No Peat	1	0	3	1	0	None
Peatland Action	-	271700	631400	0.4		Granular	No	8.99	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271600	631400	0.1		Granular	No	10.57	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	271400	631500	0.7		Granular	No	7.61	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	631500	1.3		Granular	No	7.34	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272000	631600	0		Granular	No	12.34	No Peat	1	0	3	1	0	None
Peatland Action	-	271900	631600	0.1		Granular	No	13.92	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271800	631500	0.1		Granular	No	11.27	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271700	631500	0.1		Granular	No	11.88	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271600	631500	0.3		Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271500	631500	0.35		Granular	No	10.28	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272000	632000	0.5		Granular	No	7.76	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271900	632000	1.2		Granular	No	4.86	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271800	632000	1.6		Granular	No	2.40	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271700	632000	1.6		Granular	No	1.62	Thick Peat	1	2	0	1	0	None
Peatland Action	-	271400	631900	0.8		Granular	No	4.24	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271300	631900	1.8		Granular	No	5.70	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	272200	632000	0.4		Granular	No	10.28	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272100	632000	0.55		Granular	No	9.42	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	632000	1.3		Granular	No	7.61	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272300	632100	0.6		Granular	No	6.87	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272200	632100	0.6		Granular	No	6.55	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272100	632100	0.55		Granular	No	8.35	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271600	632000	1.2		Granular	No	4.10	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	632000	0.9		Granular	No	5.81	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	632000	1		Granular	No	6.58	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	632000	1.7		Granular	No	7.69	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271600	632100	1.1		Granular	No	6.64	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271500	632100	1.65		Granular	No	7.38	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271400	632100	1.5		Granular	No	8.00	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	632100	1		Granular	No	8.15	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272000	632100	0.7		Granular	No	6.31	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271900	632100	1		Granular	No	2.89	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271800	632100	1.2		Granular	No	3.38	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271700	632100	1.3		Granular	No	4.79	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272000	632200	0.6		Granular	No	4.76	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271900	632200	0.8		Granular	No	4.72	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271800	632200	1.3		Granular	No	5.64	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271700	632200	1.4		Granular	No	6.76	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	632100	0.6		Granular	No	8.12	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272300	632200	0.7		Granular	No	4.02	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272200	632200	0.8		Granular	No	5.90	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272100	632200	0.5		Granular	No	7.88	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271400	631600	1.3		Granular	No	6.21	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	631600	0.75		Granular	No	6.16	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272100	631700	0.2		Granular	No	12.02	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272000	631700	0.1		Granular	No	16.73	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271800	631600	0.3		Granular	No	14.09	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271700	631600	0.4		Granular	No	12.91	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271600	631600	0.2		Granular	No	9.71	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271500	631600	0.7		Granular	No	6.81	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271500	631700	1.2		Granular	No	5.75	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	631700	0.4		Granular	No	5.17	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271300	631700	0.7		Granular	No	4.15	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272100	631800	0.2		Granular	No	15.80	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271900	631700	0		Granular	No	15.19	No Peat	1	0	2	1	0	None
Peatland Action	-	271800	631700	0.35		Granular	No	11.59	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271700	631700	0.4		Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271600	631700	1.65		Granular	No	6.00	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271600	631800	0.7		Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271500	631800	1.3		Granular	No	3.14	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271400	631800	1.1		Granular	No	2.69	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271300	631800	2.3		Granular	No	1.72	Thick Peat	1	2	0	1	0	None
Peatland Action	-	272000	631800	0		Granular	No	15.46	No Peat	1	0	2	1	0	None

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	271900	631800	0.1		Granular	No	10.36	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271800	631800	0.4		Granular	No	6.96	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271700	631800	0.75		Granular	No	4.88	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271800	631900	0.5		Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
Peatland Action	-	271700	631900	1.2		Granular	No	2.98	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	271600	631900	1.1		Granular	No	1.32	Thin Peat	1	3	0	1	0	None
Peatland Action	-	271500	631900	1.1		Granular	No	3.14	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272200	631900	0.7		Granular	No	11.32	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272100	631900	0.2		Granular	No	14.49	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272000	631900	0.3		Granular	No	9.75	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271900	631900	0.7		Granular	No	6.90	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272600	632500	0.67		Granular	No	6.93	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272500	632500	0.93		Granular	No	6.56	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272400	632500	1.5		Granular	No	5.08	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272300	632500	2.5		Granular	No	3.91	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271100	632400	2.5		Granular	No	4.70	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	272900	632500	0.76		Granular	No	6.07	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272800	632500	0.71		Granular	No	7.54	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272700	632500	0.7		Granular	No	6.86	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	632500	1.3		Granular	No	7.50	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271700	632500	1.2		Granular	No	8.10	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271600	632500	1.4		Granular	No	7.92	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271500	632500	1.3		Granular	No	6.82	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272200	632500	1.35		Granular	No	4.43	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272100	632500	0.8		Granular	No	7.10	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272000	632500	0.6		Granular	No	7.42	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271900	632500	1.2		Granular	No	6.98	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273400	632600	1.09		Granular	No	3.66	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273300	632600	1.39		Granular	No	6.81	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273200	632600	0.7		Granular	No	8.51	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273100	632600	0.85		Granular	No	9.09	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	632500	0.9		Granular	No	6.95	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	632500	1.5		Granular	No	7.36	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	632500	1.9		Granular	No	4.95	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	271100	632500	2.7		Granular	No	4.41	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	272600	632600	0.65		Granular	No	7.55	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272500	632600	0.91		Granular	No	6.59	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272400	632600	0.2		Granular	No	6.53	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272300	632600	1.2		Granular	No	4.18	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273000	632600	1.9		Granular	No	8.51	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	272900	632600	0.86		Granular	No	9.85	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272800	632600	0.68		Granular	No	9.33	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272700	632600	0.76		Granular	No	7.97	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271200	632200	1.5		Granular	No	6.96	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272400	632300	1.7		Granular	No	2.24	Thick Peat	1	2	2	1	4	Negligible
Peatland Action	-	272300	632300	1		Granular	No	2.21	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272200	632300	1		Granular	No	5.80	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271600	632200	1.2		Granular	No	7.74	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271500	632200	1.1		Granular	No	8.40	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	632200	1.5		Granular	No	8.15	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	632200	1.9		Granular	No	7.73	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271700	632300	0.85		Granular	No	7.54	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271600	632300	1.2		Granular	No	8.77	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271500	632300	1.7		Granular	No	8.16	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271400	632300	1.7		Granular	No	6.75	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	272100	632300	0.45		Granular	No	7.08	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272000	632300	0.9		Granular	No	5.98	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271900	632300	1.5		Granular	No	6.66	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	632300	0.8		Granular	No	7.18	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272300	632400	2.6		Granular	No	1.40	Thick Peat	1	2	0	1	0	None
Peatland Action	-	272200	632400	0.7		Granular	No	4.49	Thin Peat	1	3	2	1	6	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Peatland Action	-	272100	632400	0.3		Granular	No	6.32	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272000	632400	0.85		Granular	No	6.71	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	632300	1.8		Granular	No	6.96	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271200	632300	1.9		Granular	No	7.04	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271100	632300	0.3		Granular	No	5.87	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272400	632400	1.2		Granular	No	1.02	Thin Peat	1	3	0	1	0	None
Peatland Action	-	271500	632400	1.25		Granular	No	7.06	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	632400	1		Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271300	632400	1.9		Granular	No	7.78	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271200	632400	2.1		Granular	No	6.74	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	271900	632400	0.8		Granular	No	6.98	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271800	632400	1.4		Granular	No	7.61	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271700	632400	1.3		Granular	No	8.51	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271600	632400	1.5		Granular	No	8.45	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271000	632700	1.3		Granular	No	4.31	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273400	632800	0.68		Granular	No	7.72	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273300	632800	0.99		Granular	No	8.68	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273200	632800	1.02		Granular	No	9.42	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271400	632700	0		Granular	No	2.76	No Peat	1	0	2	1	0	None
Peatland Action	-	271300	632700	0		Granular	No	3.28	No Peat	1	0	2	1	0	None
Peatland Action	-	271200	632700	0		Granular	No	4.70	No Peat	1	0	2	1	0	None
Peatland Action	-	271100	632700	2.1		Granular	No	5.17	Thick Peat	1	2	3	1	6	Low
Peatland Action	-	272700	632800	0.98		Granular	No	6.19	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272600	632800	1.21		Granular	No	4.77	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	272500	632800	0.44		Granular	No	1.71	Peaty Soil	1	1	0	1	0	None
Peatland Action	-	272400	632800	0.78		Granular	No	3.04	Thin Peat	1	3	2	1	6	Low
Peatland Action	-	273100	632800	1.02		Granular	No	9.02	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	273000	632800	0.6		Granular	No	9.34	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272900	632800	0.75		Granular	No	8.00	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272800	632800	1.25		Granular	No	7.54	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	271900	632800	0.35		Granular	No	1.12	Peaty Soil	1	1	0	1	0	None
Peatland Action	-	271800	632800	0		Granular	No	2.30	No Peat	1	0	2	1	0	None
Peatland Action	-	271700	632800	0.4		Granular	No	9.09	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	271600	632800	0.8		Granular	No	8.70	Thin Peat	1	3	3	1	9	Low
Peatland Action	-	272300	632800	0.36		Granular	No	5.70	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272200	632800	0.45		Granular	No	6.09	Peaty Soil	1	1	3	1	3	Negligible
Peatland Action	-	272100	632800	2.38		Granular	No	4.51	Thick Peat	1	2	2	1	4	Negligible
RPS	-	267360.65	630020.78	0	Soil	Granular	No	6.70	No Peat	1	0	3	1	0	None
RPS	-	267462.26	630012.19	0	Soil	Granular	No	7.37	No Peat	1	0	3	1	0	None
RPS	-	267359.55	630212.11	0	Soil	Granular	No	6.45	No Peat	1	0	3	1	0	None
RPS	-	272209.3	630919.17	0	Soil	Granular	No	9.62	No Peat	1	0	3	1	0	None
RPS	-	271827.94	630985.98	0	Soil	Granular	No	7.40	No Peat	1	0	3	1	0	None
RPS	-	271596.74	630626.63	0	Soil	Granular	No	5.41	No Peat	1	0	3	1	0	None
RPS	-	271463.98	630421.13	0	Soil	Granular	No	2.83	No Peat	1	0	2	1	0	None
RPS	-	271562.88	629920.64	0	Soil	Granular	No	6.73	No Peat	1	0	3	1	0	None
RPS	-	272598	630800	0	Soil	Granular	No	1.92	No Peat	1	0	0	1	0	None
RPS	-	272697	630798	0	Soil	Granular	No	6.18	No Peat	1	0	3	1	0	None
RPS	-	271998	630803	0	Soil	Granular	No	4.37	No Peat	1	0	2	1	0	None
RPS	-	272300	630201	0	Soil	Granular	No	2.28	No Peat	1	0	2	1	0	None
RPS	-	266654.25	629721.67	0.1	Soil	Granular	No	4.72	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	267561.04	630015.26	0.1	Soil	Granular	No	6.09	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	267569.36	629921.66	0.1	Soil	Granular	No	6.79	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	267563.32	629819.13	0.1	Soil	Granular	No	10.65	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272661.44	630920.04	0.1	Soil	Granular	No	7.79	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272561.12	630918.98	0.1	Soil	Granular	No	6.68	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272458.61	630920.31	0.1	Soil	Granular	No	7.62	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272358.65	630918.78	0.1	Soil	Granular	No	9.00	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272261.63	630919.77	0.1	Soil	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272160.66	630921.27	0.1	Soil	Granular	No	8.48	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272065.97	630917.78	0.1	Soil	Granular	No	10.79	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271961.09	630920.19	0.1	Soil	Granular	No	9.33	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
RPS	-	271865.3	630920.06	0.1	Soil	Granular	No	8.97	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271762.95	630817.57	0.1	Soil	Granular	No	8.08	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271754.55	630906.26	0.1	Soil	Granular	No	13.64	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271711.25	630889.65	0.1	Soil	Granular	No	13.41	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271664.79	630927.6	0.1	Soil	Granular	No	10.48	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271562.21	630921.51	0.1	Soil	Granular	No	8.17	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272066.95	631023.68	0.1	Soil	Granular	No	10.16	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272554.3	631018.74	0.1	Soil	Granular	No	7.40	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272656.77	631013.46	0.1	Soil	Granular	No	5.64	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271965.45	631023.25	0.1	Soil	Granular	No	7.00	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271883.67	631019.11	0.1	Soil	Granular	No	8.71	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271843.04	630975.87	0.1	Soil	Granular	No	7.40	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271823.73	631022.08	0.1	Soil	Granular	No	8.74	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271757.7	631020.54	0.1	Soil	Granular	No	14.08	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271661.26	631016.67	0.1	Soil	Granular	No	9.36	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271560.14	631020.02	0.1	Soil	Granular	No	8.09	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271465.04	631017.62	0.1	Soil	Granular	No	3.63	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	271465.82	630607.74	0.1	Soil	Granular	No	8.89	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271553.11	630609.24	0.1	Soil	Granular	No	5.41	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271667.68	630617.22	0.1	Soil	Granular	No	7.62	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271620.58	630306.45	0.1	Soil	Granular	No	9.24	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271546.1	630182.3	0.1	Soil	Granular	No	14.64	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271676.02	630555.56	0.1	Soil	Granular	No	11.61	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271775	630519.27	0.1	Soil	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271462.65	630720.64	0.1	Soil	Granular	No	7.67	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	267463.28	629709.47	0.2	Soil	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	267351.74	629709.65	0.2	Soil	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	266962.19	629727.17	0.2	Soil	Granular	No	2.60	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	267157.05	629816.96	0.2	Soil	Granular	No	4.94	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	267462.94	629825.86	0.2	Soil	Granular	No	10.07	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	267549.83	630120.96	0.2	Soil	Granular	No	6.18	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	266757.17	629835.65	0.2	Soil	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	272964.91	631018.35	0.2	Soil	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272759.27	630920.93	0.2	Soil	Granular	No	6.39	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272355.12	631013.73	0.2	Soil	Granular	No	6.33	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272752.6	631014.92	0.2	Soil	Granular	No	3.97	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	272852.18	631021.75	0.2	Soil	Granular	No	4.71	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	271568.66	630316.2	0.2	Soil	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	271651.67	630019.14	0.2	Soil	Granular	No	10.19	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271548.79	630520.71	0.2	Soil	Granular	No	2.35	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	271759.69	630517.21	0.2	Soil	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271559.28	630225.1	0.2	Soil	Granular	No	12.57	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271565.95	630719.06	0.2	Soil	Granular	No	9.95	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271762.04	630718.72	0.2	Soil	Granular	No	3.22	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	271844.21	630719.06	0.2	Soil	Granular	No	5.76	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271658.21	630421.12	0.2	Soil	Granular	No	8.43	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271775.74	629614.72	0.2	Soil	Granular	No	6.73	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271681.32	629529.36	0.2	Soil	Granular	No	10.86	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271775.99	629537.56	0.2	Soil	Granular	No	12.89	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271873.67	629541.36	0.2	Soil	Granular	No	7.69	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272068.9	629726.18	0.2	Soil	Granular	No	6.56	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272359.79	629826.49	0.2	Soil	Granular	No	15.21	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	271998	630399	0.22	Soil	Granular	No	3.02	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	272099	630302	0.27	Soil	Granular	No	1.51	Peaty Soil	1	1	0	1	0	None
RPS	-	266459.46	629714.52	0.3	Soil	Granular	No	3.54	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	267166.33	629720.13	0.3	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	266768.16	629722.01	0.3	Soil	Granular	No	3.96	Peaty Soil	1	1	2	1	2	Negligible
RPS	-	267558.24	630221.28	0.3	Soil	Granular	No	7.86	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	267173.55	630125.92	0.3	Soil	Granular	No	6.90	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	272861.22	630916.09	0.3	Soil	Granular	No	6.82	Peaty Soil	1	1	3	1	3	Negligible
RPS	-	271865.81	630618.84	0.3	Soil	Granular	No	7.23	Peaty Soil	1	1	3	1	3	Negligible

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide	
RPS		-	271857.71	630822.74	0.3	Soil	Granular	No	7.50	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271665.19	630729.55	0.3	Soil	Granular	No	3.19	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	271869.77	629641.55	0.3	Soil	Granular	No	8.21	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271898	630701	0.35	Soil	Granular	No	7.60	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	272099	630201	0.39	Soil	Granular	No	2.42	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	266565.09	629625.21	0.4	Soil	Granular	No	2.88	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	267065.13	629832.56	0.4	Soil	Granular	No	1.84	Peaty Soil	1	1	0	1	0	None
RPS		-	267360.05	629825.84	0.4	Soil	Granular	No	7.49	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	267162.9	629916.46	0.4	Soil	Granular	No	6.14	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	267463.13	630116.46	0.4	Soil	Granular	No	6.35	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	267264.36	630122.75	0.4	Soil	Granular	No	6.44	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	267459.68	630218.76	0.4	Soil	Granular	No	7.53	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	267370.78	630321.83	0.4	Soil	Granular	No	6.59	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	266867.32	630213.82	0.4	Soil	Granular	No	5.35	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	267169.21	630214.83	0.4	Soil	Granular	No	5.97	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	267079.53	630129.16	0.4	Soil	Granular	No	5.99	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	266872.29	630118.84	0.4	Soil	Granular	No	4.81	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	266758.51	629914.77	0.4	Soil	Granular	No	3.42	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	266871.61	630011.77	0.4	Soil	Granular	No	5.19	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	266851.04	629831.33	0.4	Soil	Granular	No	2.07	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	272262.53	631013.89	0.4	Soil	Granular	No	8.25	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271718.39	630013.75	0.4	Soil	Granular	No	16.56	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	271659.96	630818.48	0.4	Soil	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271548.5	630122.34	0.4	Soil	Granular	No	7.25	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271962.6	629821.78	0.4	Soil	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271562.99	629720.74	0.4	Soil	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	272199	630401	0.4	Soil	Granular	No	2.35	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	272172.22	629713.59	0.4	Soil	Granular	No	6.08	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	272270.06	629726.49	0.4	Soil	Granular	No	6.44	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	272358.29	629715.05	0.4	Soil	Granular	No	9.00	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	272268.66	629820.06	0.4	Soil	Granular	No	13.36	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271963.46	630308.54	0.4	Soil	Granular	No	2.43	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	271998	630500	0.41	Soil	Granular	No	4.71	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	272100	630401	0.45	Soil	Granular	No	2.39	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	267263.32	629725.23	0.5	Soil	Granular	No	3.13	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	267460.83	629914.82	0.5	Soil	Granular	No	6.26	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	267362.85	629915.9	0.5	Soil	Granular	No	6.79	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	266665.84	629822.84	0.5	Soil	Granular	No	4.54	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	266989.96	630018.58	0.5	Soil	Granular	No	5.80	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	272166.21	631017.63	0.5	Soil	Granular	No	9.91	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271462.34	630220.02	0.5	Soil	Granular	No	12.07	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271561.11	630417.72	0.5	Soil	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	271462.03	630120.08	0.5	Soil	Granular	No	6.10	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271763.48	629923.46	0.5	Soil	Granular	No	8.84	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271861.08	629818.56	0.5	Soil	Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271762.17	629820.36	0.5	Soil	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271662.7	629820.11	0.5	Soil	Granular	No	6.87	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271562.74	629820.52	0.5	Soil	Granular	No	7.55	Peaty Soil	1	1	3	1	3	Negligible
RPS		-	271861.42	629722.86	0.5	Soil	Granular	No	3.88	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	271660.72	629719.47	0.5	Soil	Granular	No	4.01	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	271968.41	629730.49	0.5	Soil	Granular	No	3.95	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	271675.75	629612.74	0.5	Soil	Granular	No	4.25	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	272162.55	629617.26	0.5	Soil	Granular	No	2.99	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	272075.96	629617.73	0.5	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
RPS		-	266581.5	629717.29	0.6	Peat	Granular	No	4.32	Thin Peat	1	3	2	1	6	Low
RPS		-	267561.21	629722.49	0.6	Peat	Granular	No	8.21	Thin Peat	1	3	3	1	9	Low
RPS		-	267266.06	629907.85	0.6	Peat	Granular	No	6.24	Thin Peat	1	3	3	1	9	Low
RPS		-	267160.54	630016.02	0.6	Peat	Granular	No	5.58	Thin Peat	1	3	3	1	9	Low
RPS		-	267175.76	630326.98	0.6	Peat	Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
RPS		-	266971.9	630221.05	0.6	Peat	Granular	No	5.50	Thin Peat	1	3	3	1	9	Low
RPS		-	267073.62	630218.4	0.6	Peat	Granular	No	5.54	Thin Peat	1	3	3	1	9	Low

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
RPS		- 266980.81	630129.85	0.6	Peat	Granular	No	5.48	Thin Peat	1	3	3	1	9	Low
RPS		- 266774.27	630128.72	0.6	Peat	Granular	No	4.80	Thin Peat	1	3	2	1	6	Low
RPS		- 266773.31	630010.26	0.6	Peat	Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
RPS		- 266858.13	629922.22	0.6	Peat	Granular	No	3.97	Thin Peat	1	3	2	1	6	Low
RPS		- 271583.51	630285.99	0.6	Peat	Granular	No	5.75	Thin Peat	1	3	3	1	9	Low
RPS		- 271466.15	629820.15	0.6	Peat	Granular	No	7.35	Thin Peat	1	3	3	1	9	Low
RPS		- 271761.28	629721.05	0.6	Peat	Granular	No	4.21	Thin Peat	1	3	2	1	6	Low
RPS		- 272199	630300	0.65	Peat	Granular	No	2.51	Thin Peat	1	3	2	1	6	Low
RPS		- 271999	630600	0.66	Peat	Granular	No	7.92	Thin Peat	1	3	3	1	9	Low
RPS		- 266859.97	629716.41	0.7	Peat	Granular	No	2.88	Thin Peat	1	3	2	1	6	Low
RPS		- 267069.56	629922.05	0.7	Peat	Granular	No	5.28	Thin Peat	1	3	3	1	9	Low
RPS		- 267364.36	630124.13	0.7	Peat	Granular	No	6.89	Thin Peat	1	3	3	1	9	Low
RPS		- 271664.07	629918.08	0.7	Peat	Granular	No	8.28	Thin Peat	1	3	3	1	9	Low
RPS		- 272168.72	629517.47	0.7	Peat	Granular	No	0.37	Thin Peat	1	3	0	1	0	None
RPS		- 271897	630404	0.71	Peat	Granular	No	5.98	Thin Peat	1	3	3	1	9	Low
RPS		- 271900	630503	0.78	Peat	Granular	No	10.52	Thin Peat	1	3	3	1	9	Low
RPS		- 266357.41	629625.08	0.8	Peat	Granular	No	3.02	Thin Peat	1	3	2	1	6	Low
RPS		- 266971.38	630326.06	0.8	Peat	Granular	No	4.61	Thin Peat	1	3	2	1	6	Low
RPS		- 266652.24	630024.41	0.8	Peat	Granular	No	3.81	Thin Peat	1	3	2	1	6	Low
RPS		- 266482.08	629825.34	0.8	Peat	Granular	No	4.91	Thin Peat	1	3	2	1	6	Low
RPS		- 266563.38	629816.87	0.8	Peat	Granular	No	4.57	Thin Peat	1	3	2	1	6	Low
RPS		- 272452.68	631011.87	0.8	Peat	Granular	No	7.07	Thin Peat	1	3	3	1	9	Low
RPS		- 271765.17	630616.59	0.8	Peat	Granular	No	2.71	Thin Peat	1	3	2	1	6	Low
RPS		- 271462.36	629617.92	0.8	Peat	Granular	No	2.61	Thin Peat	1	3	2	1	6	Low
RPS		- 272373.97	629633.58	0.8	Peat	Granular	No	6.34	Thin Peat	1	3	3	1	9	Low
RPS		- 271981.22	630515.49	0.8	Peat	Granular	No	4.71	Thin Peat	1	3	2	1	6	Low
RPS		- 266873.3	630324.04	0.9	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
RPS		- 266570.08	629912.76	0.9	Peat	Granular	No	3.14	Thin Peat	1	3	2	1	6	Low
RPS		- 271563.45	630020.33	0.9	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
RPS		- 271567.6	630834.51	0.9	Peat	Granular	No	9.11	Thin Peat	1	3	3	1	9	Low
RPS		- 271562.47	629619.57	0.9	Peat	Granular	No	3.29	Thin Peat	1	3	2	1	6	Low
RPS		- 272501	630798	0.9	Peat	Granular	No	8.81	Thin Peat	1	3	3	1	9	Low
RPS		- 272066.96	629523.14	0.9	Peat	Granular	No	2.54	Thin Peat	1	3	2	1	6	Low
RPS		- 271966.58	630408.52	0.9	Peat	Granular	No	3.02	Thin Peat	1	3	2	1	6	Low
RPS		- 266766.2	630226.65	1	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
RPS		- 267269.7	630219.33	1	Peat	Granular	No	6.00	Thin Peat	1	3	3	1	9	Low
RPS		- 266678.29	630123.97	1	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
RPS		- 266963.91	629919.48	1	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
RPS		- 271966.76	629528.48	1	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
RPS		- 271981.5	629621.98	1	Peat	Granular	No	6.83	Thin Peat	1	3	3	1	9	Low
RPS		- 272102	630800	1.08	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
RPS		- 267259.11	629819.41	1.1	Peat	Granular	No	6.98	Thin Peat	1	3	3	1	9	Low
RPS		- 267264.03	630325.26	1.1	Peat	Granular	No	5.43	Thin Peat	1	3	3	1	9	Low
RPS		- 267080.75	630324.09	1.1	Peat	Granular	No	4.79	Thin Peat	1	3	2	1	6	Low
RPS		- 266465.54	629904.53	1.1	Peat	Granular	No	1.99	Thin Peat	1	3	0	1	0	None
RPS		- 272279.24	629615.19	1.1	Peat	Granular	No	3.78	Thin Peat	1	3	2	1	6	Low
RPS		- 267066.42	629721.59	1.2	Peat	Granular	No	5.63	Thin Peat	1	3	3	1	9	Low
RPS		- 266956.45	629819.24	1.2	Peat	Granular	No	2.33	Thin Peat	1	3	2	1	6	Low
RPS		- 267260.76	630021.29	1.2	Peat	Granular	No	6.77	Thin Peat	1	3	3	1	9	Low
RPS		- 267074.49	630016.25	1.2	Peat	Granular	No	4.81	Thin Peat	1	3	2	1	6	Low
RPS		- 272211.64	629525.26	1.2	Peat	Granular	No	4.13	Thin Peat	1	3	2	1	6	Low
RPS		- 271898	630606	1.21	Peat	Granular	No	7.23	Thin Peat	1	3	3	1	9	Low
RPS		- 272000	630698	1.22	Peat	Granular	No	7.97	Thin Peat	1	3	3	1	9	Low
RPS		- 271998	630301	1.22	Peat	Granular	No	2.43	Thin Peat	1	3	2	1	6	Low
RPS		- 272200	630800	1.23	Peat	Granular	No	7.27	Thin Peat	1	3	3	1	9	Low
RPS		- 272299	630798	1.28	Peat	Granular	No	6.35	Thin Peat	1	3	3	1	9	Low
RPS		- 271638.84	630299.31	1.3	Peat	Granular	No	5.95	Thin Peat	1	3	3	1	9	Low
RPS		- 272299	630301	1.35	Peat	Granular	No	3.07	Thin Peat	1	3	2	1	6	Low
RPS		- 271523.14	630320.23	1.4	Peat	Granular	No	2.51	Thin Peat	1	3	2	1	6	Low
RPS		- 272801	630700	1.41	Peat	Granular	No	1.99	Thin Peat	1	3	0	1	0	None
RPS		- 272600	630402	1.42	Peat	Granular	No	1.57	Thin Peat	1	3	0	1	0	None

Source	Phase	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
RPS	-	266674.27	629930.02	1.5	Peat	Granular	No	3.74	Thin Peat	1	3	2	1	6	Low
RPS	-	272400	630301	1.52	Peat	Granular	No	1.34	Thick Peat	1	2	0	1	0	None
RPS	-	272699	630499	1.54	Peat	Granular	No	2.08	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272599	630602	1.54	Peat	Granular	No	3.01	Thick Peat	1	2	2	1	4	Negligible
RPS	-	266361.05	629717.85	1.6	Peat	Granular	No	3.20	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272100	630702	1.64	Peat	Granular	No	8.31	Thick Peat	1	2	3	1	6	Low
RPS	-	272299	630602	1.65	Peat	Granular	No	3.89	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272599	630700	1.68	Peat	Granular	No	4.32	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272100	630499	1.8	Peat	Granular	No	2.88	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272401	630798	1.86	Peat	Granular	No	8.13	Thick Peat	1	2	3	1	6	Low
RPS	-	272399	630602	1.9	Peat	Granular	No	3.99	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272198	630499	1.93	Peat	Granular	No	2.25	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272199	630700	1.94	Peat	Granular	No	7.36	Thick Peat	1	2	3	1	6	Low
RPS	-	272799	630600	1.98	Peat	Granular	No	2.26	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272499	630401	2.02	Peat	Granular	No	1.42	Thick Peat	1	2	0	1	0	None
RPS	-	272299	630701	2.03	Peat	Granular	No	4.84	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272399	630500	2.08	Peat	Granular	No	1.13	Thick Peat	1	2	0	1	0	None
RPS	-	272198	630602	2.08	Peat	Granular	No	4.02	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272201	630201	2.08	Peat	Granular	No	1.72	Thick Peat	1	2	0	1	0	None
RPS	-	272399	630701	2.13	Peat	Granular	No	4.22	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272399	630403	2.13	Peat	Granular	No	0.38	Thick Peat	1	2	0	1	0	None
RPS	-	272600	630503	2.14	Peat	Granular	No	0.78	Thick Peat	1	2	0	1	0	None
RPS	-	272497	630701	2.18	Peat	Granular	No	4.74	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272099	630600	2.23	Peat	Granular	No	5.92	Thick Peat	1	2	3	1	6	Low
RPS	-	272298	630499	2.24	Peat	Granular	No	1.60	Thick Peat	1	2	0	1	0	None
RPS	-	272700	630599	2.31	Peat	Granular	No	2.54	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272500	630601	2.38	Peat	Granular	No	3.24	Thick Peat	1	2	2	1	4	Negligible
RPS	-	272301	630402	2.4	Peat	Granular	No	0.48	Thick Peat	1	2	0	1	0	None
RPS	-	272500	630502	2.41	Peat	Granular	No	1.03	Thick Peat	1	2	0	1	0	None
RPS	-	272698	630700	2.56	Peat	Granular	No	3.52	Thick Peat	1	2	2	1	4	Negligible